

2016 ROAD INVENTORY LOG - INTERSTATES

WVDOT - HIGHWAYS
PLANNING DIVISION

BERKELEY COUNTY - (02)

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	LENGTH	END MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	URB CODE	
1	081/00	00	NB	0.000	1.390	1.390	0	2	1	1	11	7	95	11	24	34	60	2016	52557	4	1	01	1	2	1	36190
1	081/00	00	NB	1.390	1.900	3.290	0	2	1	1	11	7	95	11	24	34	60	2016	53650	4	1	01	1	2	1	36190
1	081/00	00	NB	3.290	0.010	3.300	0	2	1	1	11	7	95	11	37	37	60	2016	53650	4	1	01	1	2	1	36190
1	081/00	00	NB	3.300	2.970	6.270	0	2	1	1	11	7	95	11	24	34	60	2016	53650	4	1	01	1	2	1	36190
1	081/00	00	NB	6.270	2.150	8.420	0	2	1	1	11	7	05	11	24	31	60	2016	60638	4	1	01	1	2	1	36190
1	081/00	00	NB	8.420	3.210	11.630	0	2	1	1	11	7	06	11	24	34	60	2016	60638	4	1	01	1	2	1	36190
1	081/00	00	NB	11.630	0.030	11.660	0	2	1	1	11	7	05	11	30	30	60	2016	69526	4	1	01	1	2	1	36190
1	081/00	00	NB	11.660	0.278	11.938	0	2	1	1	11	7	05	11	24	34	60	2016	69526	4	1	01	1	2	1	36190
1	081/00	00	NB	11.938	0.899	12.837	4	2	1	1	11	7	05	11	24	34	60	2016	69526	4	1	01	1	2	1	36190
1	081/00	00	NB	12.837	0.673	13.510	0	2	1	1	11	7	05	11	24	34	60	2016	69526	4	1	01	1	2	1	36190
1	081/00	00	NB	13.510	0.030	13.540	0	2	1	1	11	7	05	11	30	30	60	2016	69526	4	1	01	1	2	1	36190
1	081/00	00	NB	13.540	0.720	14.260	0	2	1	1	11	7	05	11	24	34	60	2016	80132	4	1	01	1	2	1	36190
1	081/00	00	NB	14.260	0.960	15.220	0	2	1	1	11	7	05	11	24	34	60	2016	74343	4	1	01	1	2	1	36190
1	081/00	00	NB	15.220	0.100	15.320	0	2	1	1	11	7	05	11	24	34	60	2016	74343	4	1	01	1	2	1	36190
1	081/00	00	NB	15.320	0.300	15.620	0	2	1	1	11	7	81	11	24	34	60	2016	74343	4	1	01	1	2	1	36190
1	081/00	00	NB	15.620	0.330	15.950	0	2	1	1	11	7	79	11	24	34	60	2016	74343	4	1	01	1	2	1	36190
1	081/00	00	NB	15.950	0.280	16.230	0	2	1	1	11	7	79	11	24	34	60	2016	74343	4	1	01	1	2	1	36190
1	081/00	00	NB	16.230	1.070	17.300	0	2	1	1	11	7	05	11	24	34	60	2016	66640	4	1	01	1	2	1	36190
1	081/00	00	NB	17.300	0.810	18.110	0	2	1	1	11	7	05	11	24	34	60	2016	66640	4	1	01	1	2	1	36190
1	081/00	00	NB	18.110	0.020	18.130	0	2	1	1	11	7	05	11	30	30	60	2016	66640	4	1	01	1	2	1	36190
1	081/00	00	NB	18.130	0.970	19.100	0	2	1	1	11	7	05	11	24	34	60	2016	66640	4	1	01	1	2	1	36190
1	081/00	00	NB	19.100	0.020	19.120	0	2	1	1	11	7	05	11	30	30	60	2016	66640	4	1	01	1	2	1	36190
1	081/00	00	NB	19.120	1.250	20.370	0	2	1	1	11	7	05	11	24	34	60	2016	66640	4	1	01	1	2	1	36190
1	081/00	00	NB	20.370	1.370	21.740	0	2	1	1	11	7	05	11	24	34	60	2016	57581	4	1	01	1	2	1	36190
1	081/00	00	NB	21.740	0.020	21.760	0	2	1	1	11	7	05	11	37	37	60	2016	57581	4	1	01	1	2	1	36190
1	081/00	00	NB	21.760	1.240	23.000	0	2	1	1	11	7	05	11	24	34	60	2016	57581	4	1	01	1	2	1	36190
1	081/00	00	NB	23.000	0.420	23.420	0	2	1	1	11	7	05	11	24	34	60	2016	66869	4	1	01	1	2	1	36190
1	081/00	00	NB	23.420	0.040	23.460	0	2	1	1	11	7	05	11	30	30	60	2016	66869	4	1	01	1	2	1	36190
1	081/00	00	NB	23.460	1.070	24.530	0	2	1	1	11	7	05	11	24	34	60	2016	66869	4	1	01	1	2	1	36190
1	081/00	00	NB	24.530	1.400	25.930	0	2	1	1	11	7	05	11	24	34	60	2016	66869	4	1	01	1	2	1	36190
1	081/00	00	NB	25.930	0.070	26.000	0	2	1	1	11	7	05	11	30	30	60	2016	66869	4	1	01	1	2	1	36190

ROUTE TOTAL: 26.000

Berkeley County TOTAL for the PRIMARY DIRECTION: 26.000

2016 ROAD INVENTORY LOG - INTERSTATES

WVDOT - HIGHWAYS

PLANNING DIVISION

BRAXTON COUNTY - (04)

Page 2 of 40

SIGN	ROUTE	SUPP	DIRECT	BEG	LENGTH	END		URB	FAS	WV	NAT	ACC	YEAR	SURF	PAV	GRADE	MED	AADT	LANES	REV	SPEC	TRK	FAC	URB		
		DSG	SURV	MP		MUN	FUN			FUNC	CONT	CHNG	TYPE	WIDTH	WIDTH	WIDTH	YR	LANES		SYS	RT	TYPE	CODE			
1	079/00	00	NB	44.600	1.580	46.180	0	0	1	1	1	7	05	11	24	36	60	2016	10573	4	1	01	1	2	1	99999
1	079/00	00	NB	46.180	0.040	46.220	0	0	1	1	1	7	05	12	44	44	60	2016	10573	4	1	01	1	2	1	99999
1	079/00	00	NB	46.220	3.190	49.410	0	0	1	1	1	7	05	11	38	42	60	2016	10573	4	1	01	1	2	1	99999
1	079/00	00	NB	49.410	0.200	49.610	0	0	1	1	1	7	05	11	24	36	60	2016	10573	4	1	01	1	2	1	99999
1	079/00	00	NB	49.610	0.120	49.730	0	0	1	1	1	7	05	11	24	36	60	2016	10573	4	1	01	1	2	1	99999
1	079/00	00	NB	49.730	0.620	50.350	0	0	1	1	1	7	05	11	24	36	60	2016	10573	4	1	01	1	2	1	99999
1	079/00	00	NB	50.350	0.670	51.020	0	0	1	1	1	7	05	11	24	36	40	2016	10802	4	1	01	1	2	1	99999
1	079/00	00	NB	51.020	0.450	51.470	0	0	1	1	1	7	05	11	24	36	60	2016	10802	4	1	01	1	2	1	99999
1	079/00	00	NB	51.470	0.140	51.610	0	0	1	1	1	7	11	11	40	40	40	2016	10802	4	1	01	1	2	1	99999
1	079/00	00	NB	51.610	1.000	52.610	0	0	1	1	1	7	05	11	24	36	95	2016	11016	4	1	01	1	2	1	99999
1	079/00	00	NB	52.610	0.660	53.270	0	0	1	1	1	7	05	11	24	36	40	2016	11016	4	1	01	1	2	1	99999
1	079/00	00	NB	53.270	0.910	54.180	0	0	1	1	1	7	05	11	24	36	60	2016	11016	4	1	01	1	2	1	99999
1	079/00	00	NB	54.180	0.030	54.210	0	0	1	1	1	7	12	11	38	46	40	2016	11016	4	1	01	1	2	1	99999
1	079/00	00	NB	54.210	1.480	55.690	0	0	1	1	1	7	10	11	38	46	60	2016	11016	4	1	01	1	2	1	99999
1	079/00	00	NB	55.690	1.820	57.510	0	0	1	1	1	7	05	11	24	36	40	2016	11016	4	1	01	1	2	1	99999
1	079/00	00	NB	57.510	1.490	59.000	0	0	1	1	1	7	10	11	38	46	40	2016	19484	4	1	01	1	2	1	99999
1	079/00	00	NB	59.000	2.470	61.470	0	0	1	1	1	7	09	11	38	44	40	2016	19484	4	1	01	1	2	1	99999
1	079/00	00	NB	61.470	0.570	62.040	0	0	1	1	1	7	09	11	38	44	40	2016	19484	4	1	01	1	2	1	99999
1	079/00	00	NB	62.040	0.654	62.694	0	0	1	1	1	7	09	11	38	44	40	2016	19803	4	1	01	1	2	1	99999
1	079/00	00	NB	62.694	0.066	62.760	1	0	1	1	1	7	09	11	38	44	40	2016	19803	4	1	01	1	2	1	99999
1	079/00	00	NB	62.760	0.190	62.950	1	0	1	1	1	7	09	11	38	44	16	2016	19803	4	1	01	1	2	1	99999
1	079/00	00	NB	62.950	0.041	62.991	1	0	1	1	1	7	09	11	38	44	40	2016	19803	4	1	01	1	2	1	99999
1	079/00	00	NB	62.991	0.469	63.460	0	0	1	1	1	7	09	11	38	44	40	2016	19803	4	1	01	1	2	1	99999
1	079/00	00	NB	63.460	1.350	64.810	0	0	1	1	1	7	09	11	38	44	40	2016	19803	4	1	01	1	2	1	99999
1	079/00	00	NB	64.810	0.020	64.830	0	0	1	1	1	7	08	11	38	42	40	2016	19803	4	1	01	1	2	1	99999
1	079/00	00	NB	64.830	1.670	66.500	0	0	1	1	1	7	08	11	38	42	40	2016	19481	4	1	01	1	2	1	99999
1	079/00	00	NB	66.500	1.020	67.520	0	0	1	1	1	7	08	11	38	42	60	2016	19481	4	1	01	1	2	1	99999
1	079/00	00	NB	67.520	0.154	67.674	0	0	1	1	1	7	08	11	38	42	60	2016	18106	4	1	01	1	2	1	99999
1	079/00	00	NB	67.674	0.557	68.231	1	0	1	1	1	7	08	11	38	42	60	2016	18106	4	1	01	1	2	1	99999
1	079/00	00	NB	68.231	1.089	69.320	0	0	1	1	1	7	08	11	38	42	60	2016	18106	4	1	01	1	2	1	99999
1	079/00	00	NB	69.320	1.510	70.830	0	0	1	1	1	7	08	11	38	42	99	2016	18106	4	1	01	1	2	1	99999
1	079/00	00	NB	70.830	0.600	71.430	0	0	1	1	1	7	08	11	38	42	40	2016	18106	4	1	01	1	2	1	99999
1	079/00	00	NB	71.430	2.910	74.340	0	0	1	1	1	7	05	11	24	34	40	2016	18106	4	1	01	1	2	1	99999
1	079/00	00	NB	74.340	0.100	74.440	0	0	1	1	1	7	10	11	40	40	40	2016	18106	4	1	01	1	2	1	99999
1	079/00	00	NB	74.440	1.170	75.610	0	0	1	1	1	7	05	11	41	41	40	2016	18106	4	1	01	1	2	1	99999
1	079/00	00	NB	75.610	2.781	78.391	0	0	1	1	1	7	08	11	38	42	40	2016	18106	4	1	01	1	2	1	99999
1	079/00	00	NB	78.391	0.019	78.410	1	0	1	1	1	7	08	11	38	42	40	2016	18106	4	1	01	1	2	1	99999
1	079/00	00	NB	78.410	0.670	79.080	1	0	1	1	1	7	08	11	38	42	40	2016	18283	4	1	01	1	2	1	99999
1	079/00	00	NB	79.080	0.480	79.560	1	0	1	1	1	7	08	11	38	42	40	2016	18766	4	1	01	1	2	1	99999

2016 ROAD INVENTORY LOG - INTERSTATES

WVDOT - HIGHWAYS

PLANNING DIVISION

BRAXTON COUNTY - (04)

Page 3 of 40

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	LENGTH	END MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	URB CODE	
1	079/00	00	NB	79.560	0.080	79.640	1	0	1	1	1	7	12	11	40	40	40	2016	18766	4	1	01	1	2	1	99999
1	079/00	00	NB	79.640	0.316	79.956	1	0	1	1	1	7	07	11	38	42	40	2016	18766	4	1	01	1	2	1	99999
1	079/00	00	NB	79.956	3.194	83.150	0	0	1	1	1	7	07	11	38	42	40	2016	18766	4	1	01	1	2	1	99999

ROUTE TOTAL: 38.550

Braxton County TOTAL for the PRIMARY DIRECTION:

38.550

2016 ROAD INVENTORY LOG - INTERSTATES

WVDOT - HIGHWAYS
PLANNING DIVISION

CABELL COUNTY - (06)

SIGN	ROUTE	SUPP	DIRECT	BEG	END		WV				NAT	ACC	YEAR	SURF	PAV	GRADE	MED	AADT	LANES	REV	SPEC	TRK	FAC	URB		
		DSG	SURV	MP	LENGTH	MP	MUN	URB	FAS	FUN	FUNC	CONT	CHNG	TYPE	WIDTH	WIDTH	WIDTH	YR		AADT	LANES	SYS	RT		TYPE	CODE
1	064/00	00	EB	5.870	0.120	5.990	5	2	1	1	11	7	86	11	24	34	40	2016	27596	4	1	01	1	2	1	40753
1	064/00	00	EB	5.990	0.140	6.130	5	2	1	1	11	7	86	11	30	30	40	2016	27596	4	1	01	1	2	1	40753
1	064/00	00	EB	6.130	0.150	6.280	5	2	1	1	11	7	86	11	24	34	40	2016	27596	4	1	01	1	2	1	40753
1	064/00	00	EB	6.280	0.050	6.330	5	2	1	1	11	7	86	11	42	42	40	2016	27596	4	1	01	1	2	1	40753
1	064/00	00	EB	6.330	0.120	6.450	5	2	1	1	11	7	86	11	24	34	40	2016	27596	4	1	01	1	2	1	40753
1	064/00	00	EB	6.450	0.020	6.470	5	2	1	1	11	7	86	11	39	39	40	2016	27596	4	1	01	1	2	1	40753
1	064/00	00	EB	6.470	0.225	6.695	5	2	1	1	11	7	86	11	24	34	40	2016	43283	4	1	01	1	2	1	40753
1	064/00	00	EB	6.695	0.004	6.699	0	2	1	1	11	7	86	11	24	34	40	2016	43283	4	1	01	1	2	1	40753
1	064/00	00	EB	6.699	0.041	6.740	5	2	1	1	11	7	86	11	24	34	40	2016	43283	4	1	01	1	2	1	40753
1	064/00	00	EB	6.740	0.440	7.180	5	2	1	1	11	7	86	11	24	34	40	2016	43283	4	1	01	1	2	1	40753
1	064/00	00	EB	7.180	0.080	7.260	5	2	1	1	11	7	86	11	30	30	40	2016	43283	4	1	01	1	2	1	40753
1	064/00	00	EB	7.260	0.460	7.720	5	2	1	1	11	7	86	11	24	34	40	2016	43283	4	1	01	1	2	1	40753
1	064/00	00	EB	7.720	0.470	8.190	5	2	1	1	11	7	86	11	24	34	40	2016	43283	4	1	01	1	2	1	40753
1	064/00	00	EB	8.190	1.030	9.220	5	2	1	1	11	7	84	11	24	34	40	2016	40871	4	1	01	1	2	1	40753
1	064/00	00	EB	9.220	0.050	9.270	5	2	1	1	11	7	84	11	30	30	40	2016	40871	4	1	01	1	2	1	40753
1	064/00	00	EB	9.270	0.250	9.520	5	2	1	1	11	7	84	11	24	34	40	2016	40871	4	1	01	1	2	1	40753
1	064/00	00	EB	9.520	1.400	10.920	5	2	1	1	11	7	84	11	24	34	40	2016	40871	4	1	01	1	2	1	40753
1	064/00	00	EB	10.920	0.100	11.020	5	2	1	1	11	7	84	11	30	30	40	2016	40871	6	1	01	1	2	1	40753
1	064/00	00	EB	11.020	0.230	11.250	5	2	1	1	11	7	84	11	24	34	40	2016	39481	6	1	01	1	2	1	40753
1	064/00	00	EB	11.250	0.120	11.370	5	2	1	1	11	7	81	11	24	34	40	2016	39481	6	1	01	1	2	1	40753
1	064/00	00	EB	11.370	0.610	11.980	5	2	1	1	11	7	79	11	24	34	40	2016	39045	6	1	01	1	2	1	40753
1	064/00	00	EB	11.980	0.050	12.030	5	2	1	1	11	7	79	11	30	30	40	2016	39045	6	1	01	1	2	1	40753
1	064/00	00	EB	12.030	1.310	13.340	5	2	1	1	11	7	79	11	24	38	40	2016	39045	6	1	01	1	2	1	40753
1	064/00	00	EB	13.340	0.030	13.370	5	2	1	1	11	7	89	11	32	32	40	2016	39045	6	1	01	1	2	1	40753
1	064/00	00	EB	13.370	0.630	14.000	5	2	1	1	11	7	79	11	24	34	40	2016	39045	6	1	01	1	2	1	40753
1	064/00	00	EB	14.000	0.074	14.074	5	2	1	1	11	7	94	11	24	34	40	2016	39045	6	1	01	1	2	1	40753
1	064/00	00	EB	14.074	0.016	14.090	2	2	1	1	11	7	94	11	24	34	40	2016	39045	6	1	01	1	2	1	40753
1	064/00	00	EB	14.090	0.030	14.120	2	2	1	1	11	7	79	11	24	34	40	2016	39045	6	1	01	1	2	1	40753
1	064/00	00	EB	14.120	0.030	14.150	2	2	1	1	11	7	94	11	32	32	40	2016	39045	6	1	01	1	2	1	40753
1	064/00	00	EB	14.150	0.380	14.530	2	2	1	1	11	7	94	11	24	34	40	2016	39045	6	1	01	1	2	1	40753
1	064/00	00	EB	14.530	0.040	14.570	2	2	1	1	11	7	94	11	42	42	40	2016	39045	4	1	01	1	2	1	40753
1	064/00	00	EB	14.570	2.181	16.751	2	2	1	1	11	7	94	11	24	34	40	2016	48557	4	1	01	1	2	1	40753
1	064/00	00	EB	16.751	0.053	16.804	0	2	1	1	11	7	94	11	24	34	40	2016	48557	4	1	01	1	2	1	40753
1	064/00	00	EB	16.804	0.646	17.450	2	2	1	1	11	7	94	11	24	34	40	2016	48557	4	1	01	1	2	1	40753
1	064/00	00	EB	17.450	0.230	17.680	2	2	1	1	11	7	94	11	30	30	40	2016	48557	4	1	01	1	2	1	40753
1	064/00	00	EB	17.680	0.340	18.020	2	2	1	1	11	7	94	11	24	34	40	2016	48557	4	1	01	1	2	1	40753
1	064/00	00	EB	18.020	0.060	18.080	2	2	1	1	11	7	94	11	30	30	40	2016	48557	4	1	01	1	2	1	40753
1	064/00	00	EB	18.080	0.390	18.470	2	2	1	1	11	7	84	11	24	34	40	2016	50967	4	1	01	1	2	1	40753
1	064/00	00	EB	18.470	0.020	18.490	2	2	1	1	11	7	94	11	30	30	40	2016	50967	4	1	01	1	2	1	40753

2016 ROAD INVENTORY LOG - INTERSTATES

WVDOT - HIGHWAYS
PLANNING DIVISION

CABELL COUNTY - (06)

SIGN	ROUTE	SUPP	DIRECT	BEG	LENGTH	END		URB	FAS	WV	NAT	ACC	YEAR	SURF	PAV	GRADE	MED	AADT	LANES	REV	SPEC	TRK	FAC	URB		
		DSG	SURV	MP		MUN	FUN			FUNC	CONT	CHNG	TYPE	WIDTH	WIDTH	WIDTH	YR	AADT		LANES	SYS	RT	TYPE	CODE		
1	064/00	00	EB	18.490	0.760	19.250	2	2	1	1	11	7	94	11	24	34	40	2016	50967	4	1	01	1	2	1	40753
1	064/00	00	EB	19.250	0.020	19.270	2	2	1	1	11	7	87	11	30	30	40	2016	50967	4	1	01	1	2	1	40753
1	064/00	00	EB	19.270	0.050	19.320	2	2	1	1	11	7	87	11	30	30	0	2016	50967	4	1	01	1	2	1	40753
1	064/00	00	EB	19.320	0.390	19.710	2	2	1	1	11	7	87	11	24	34	40	2016	50967	4	1	01	1	2	1	40753
1	064/00	00	EB	19.710	0.020	19.730	2	2	1	1	11	7	95	11	37	37	40	2016	38178	4	1	01	1	2	1	40753
1	064/00	00	EB	19.730	0.080	19.810	2	2	1	1	11	7	81	11	24	34	40	2016	38178	4	1	01	1	2	1	40753
1	064/00	00	EB	19.810	0.380	20.190	2	2	1	1	11	7	94	11	24	34	40	2016	38178	4	1	01	1	2	1	40753
1	064/00	00	EB	20.190	0.011	20.201	2	2	1	1	11	7	75	11	30	30	40	2016	37622	4	1	01	1	2	1	40753
1	064/00	00	EB	20.201	0.069	20.270	0	2	1	1	11	7	75	11	30	30	40	2016	37622	4	1	01	1	2	1	40753
1	064/00	00	EB	20.270	0.770	21.040	0	2	1	1	11	7	94	11	24	34	40	2016	37622	4	1	01	1	2	1	40753
1	064/00	00	EB	21.040	0.120	21.160	0	2	1	1	11	7	94	11	24	34	40	2016	37622	4	1	01	1	2	1	40753
1	064/00	00	EB	21.160	0.590	21.750	0	2	1	1	11	7	94	11	24	34	40	2016	37622	4	1	01	1	2	1	40753
1	064/00	00	EB	21.750	0.080	21.830	0	2	1	1	11	7	94	11	30	30	40	2016	37622	4	1	01	1	2	1	40753
1	064/00	00	EB	21.830	0.560	22.390	0	2	1	1	11	7	94	11	24	34	40	2016	37622	4	1	01	1	2	1	40753
1	064/00	00	EB	22.390	0.070	22.460	0	2	1	1	11	7	75	11	30	30	40	2016	37622	4	1	01	1	2	1	40753
1	064/00	00	EB	22.460	0.560	23.020	0	2	1	1	11	7	75	11	24	34	40	2016	37622	4	1	01	1	2	1	40753
1	064/00	00	EB	23.020	0.020	23.040	0	2	1	1	11	7	75	11	37	37	40	2016	37622	4	1	01	1	2	1	40753
1	064/00	00	EB	23.040	0.870	23.910	0	2	1	1	11	7	75	11	24	34	40	2016	37622	4	1	01	1	2	1	40753
1	064/00	00	EB	23.910	0.040	23.950	0	2	1	1	11	7	75	11	30	30	40	2016	37622	4	1	01	1	2	1	40753
1	064/00	00	EB	23.950	1.252	25.202	0	2	1	1	11	7	75	11	24	34	40	2016	37622	4	1	01	1	2	1	40753
1	064/00	00	EB	25.202	0.008	25.210	1	2	1	1	11	7	75	11	24	34	40	2016	37622	4	1	01	1	2	1	40753
1	064/00	00	EB	25.210	0.090	25.300	1	2	1	1	11	7	75	11	30	30	40	2016	37622	4	1	01	1	2	1	40753
1	064/00	00	EB	25.300	1.150	26.450	1	2	1	1	11	7	75	11	24	34	40	2016	37622	4	1	01	1	2	1	40753
1	064/00	00	EB	26.450	0.060	26.510	1	2	1	1	11	7	75	11	30	30	40	2016	37622	4	1	01	1	2	1	40753
1	064/00	00	EB	26.510	0.560	27.070	1	2	1	1	11	7	75	11	24	34	40	2016	37622	4	1	01	1	2	1	40753
1	064/00	00	EB	27.070	0.040	27.110	1	2	1	1	11	7	75	11	30	30	40	2016	37622	4	1	01	1	2	1	40753
1	064/00	00	EB	27.110	0.400	27.510	1	2	1	1	11	7	94	11	24	34	40	2016	37622	4	1	01	1	2	1	40753
1	064/00	00	EB	27.510	0.040	27.550	1	2	1	1	11	7	94	11	30	30	40	2016	37622	4	1	01	1	2	1	40753
1	064/00	00	EB	27.550	1.120	28.670	1	2	1	1	11	7	94	11	24	34	40	2016	36926	4	1	01	1	2	1	40753
1	064/00	00	EB	28.670	0.030	28.700	1	2	1	1	11	7	94	11	37	37	40	2016	36926	4	1	01	1	2	1	40753
1	064/00	00	EB	28.700	0.124	28.824	1	2	1	1	11	7	94	11	24	34	40	2016	36926	4	1	01	1	2	1	40753
1	064/00	00	EB	28.824	0.616	29.440	0	2	1	1	11	7	94	11	24	34	40	2016	36926	4	1	01	1	2	1	40753
1	064/00	00	EB	29.440	0.030	29.470	0	2	1	1	11	7	94	11	37	37	40	2016	36926	4	1	01	1	2	1	40753
1	064/00	00	EB	29.470	1.260	30.730	0	2	1	1	11	7	85	11	24	34	40	2016	36926	4	1	01	1	2	1	40753
1	064/00	00	EB	30.730	0.920	31.650	0	2	1	1	11	7	94	11	24	34	40	2016	36926	4	1	01	1	2	1	40753
1	064/00	00	EB	31.650	0.030	31.680	0	2	1	1	11	7	85	11	37	37	40	2016	36926	4	1	01	1	2	1	40753
1	064/00	00	EB	31.680	0.090	31.770	0	2	1	1	11	7	85	11	24	34	40	2016	36926	4	1	01	1	2	1	40753

ROUTE TOTAL: 25.900

2016 ROAD INVENTORY LOG - INTERSTATES

Cabell County TOTAL for the PRIMARY DIRECTION:

25.900

2016 ROAD INVENTORY LOG - INTERSTATES

WVDOT - HIGHWAYS

PLANNING DIVISION

CLAY COUNTY - (08)

Page 7 of 40

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	LENGTH	END MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	URB CODE	
1	079/00	00	NB	36.000	3.910	39.910	0	0	1	1	1	7	10	11	24	36	40	2016	10723	4	1	01	1	2	1	99999
1	079/00	00	NB	39.910	0.060	39.970	0	0	1	1	1	7	76	11	44	44	40	2016	9968	4	1	01	1	2	1	99999
1	079/00	00	NB	39.970	1.460	41.430	0	0	1	1	1	7	76	11	24	36	40	2016	9968	4	1	01	1	2	1	99999
1	079/00	00	NB	41.430	3.170	44.600	0	0	1	1	1	7	76	11	24	36	40	2016	9937	4	1	01	1	2	1	99999

ROUTE TOTAL: 8.600

Clay County TOTAL for the PRIMARY DIRECTION:

8.600

2016 ROAD INVENTORY LOG - INTERSTATES

WVDOT - HIGHWAYS
PLANNING DIVISION

FAYETTE COUNTY - (10)

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	LENGTH	END MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	URB CODE	
1	077/00	16	NB	52.580	0.480	53.060	0	0	1	1	1	7	04	11	24	34	99	2016	31717	4	1	01	1	2	1	99999
1	077/00	16	NB	53.060	0.080	53.140	0	0	1	1	1	7	04	11	24	34	99	2016	31717	4	1	01	1	2	1	99999
1	077/00	16	NB	53.140	0.757	53.897	0	0	1	1	1	7	10	11	24	34	99	2016	31717	4	1	01	1	2	1	99999
1	077/00	16	NB	53.897	0.233	54.130	1	0	1	1	1	7	10	11	24	34	99	2016	31717	4	1	01	1	2	1	99999
1	077/00	16	NB	54.130	0.492	54.622	1	0	1	1	1	7	10	11	24	34	99	2016	30886	4	1	01	1	2	1	99999
1	077/00	16	NB	54.622	0.070	54.692	0	0	1	1	1	7	10	11	24	34	99	2016	30886	4	1	01	1	2	1	99999
1	077/00	16	NB	54.692	0.019	54.711	1	0	1	1	1	7	10	11	24	34	99	2016	30886	4	1	01	1	2	1	99999
1	077/00	16	NB	54.711	0.111	54.822	0	0	1	1	1	7	10	11	24	34	99	2016	30886	4	1	01	1	2	1	99999
1	077/00	16	NB	54.822	0.016	54.838	1	0	1	1	1	7	10	11	24	34	99	2016	30886	4	1	01	1	2	1	99999
1	077/00	16	NB	54.838	0.182	55.020	0	0	1	1	1	7	10	11	24	34	99	2016	30886	4	1	01	1	2	1	99999
1	077/00	16	NB	55.020	3.300	58.320	0	0	1	1	1	7	10	11	24	34	99	2016	30420	4	1	01	1	2	1	99999
1	077/00	16	NB	58.320	1.060	59.380	0	0	1	1	1	7	10	11	24	34	99	2016	30383	4	1	01	1	2	1	99999
1	077/00	16	NB	59.380	0.210	59.590	0	0	1	1	1	7	10	11	24	34	16	2016	30383	4	1	01	1	2	1	99999
1	077/00	16	NB	59.590	0.030	59.620	0	0	1	1	1	7	04	11	24	34	16	2016	30383	4	1	01	1	2	1	99999
1	077/00	16	NB	59.620	1.980	61.600	0	0	1	1	1	7	04	11	24	34	16	2016	28838	4	1	01	1	2	1	99999
1	077/00	16	NB	61.600	0.040	61.640	0	0	1	1	1	7	04	11	24	34	16	2016	28838	5	1	01	1	2	1	99999
1	077/00	16	NB	61.640	0.860	62.500	0	0	1	1	1	7	04	11	24	34	16	2016	28838	5	1	01	1	2	1	99999
1	077/00	16	NB	62.500	0.230	62.730	0	0	1	1	1	7	04	11	24	34	16	2016	28838	4	1	01	1	2	1	99999
1	077/00	16	NB	62.730	3.420	66.150	0	0	1	1	1	7	04	11	24	34	16	2016	28838	4	1	01	1	2	1	99999
1	077/00	16	NB	66.150	1.060	67.210	0	0	1	1	1	7	04	11	24	34	16	2016	32478	4	1	01	1	2	1	99999

ROUTE TOTAL: 14.630

Fayette County TOTAL for the PRIMARY DIRECTION:

14.630

2016 ROAD INVENTORY LOG - INTERSTATES

WVDOT - HIGHWAYS

PLANNING DIVISION

GILMER COUNTY - (11)

Page 9 of 40

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	LENGTH	END MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	URB CODE			
1	079/00	00	NB	83.150	0.160	83.310	0	0	1	1	1	7	01	11	38	42	40	2016	19361	4	1	01	1	2	1	99999		
1	079/00	00	NB	83.310	0.030	83.340	0	0	1	1	1	7	76	11	40	40	40	2016	19361	4	1	01	1	2	1	99999		
1	079/00	00	NB	83.340	0.210	83.550	0	0	1	1	1	7	77	11	24	36	40	2016	19361	4	1	01	1	2	1	99999		
ROUTE TOTAL:				0.400																								

Gilmer County TOTAL for the PRIMARY DIRECTION: 0.400

2016 ROAD INVENTORY LOG - INTERSTATES

WVDOT - HIGHWAYS
PLANNING DIVISION

GREENBRIER COUNTY - (13)

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	LENGTH	END MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	URB CODE	
1	064/00	00	EB	147.600	0.330	147.930	0	0	1	1	1	7	03	12	36	46	34	2016	9422	5	1	01	1	2	1	99999
1	064/00	00	EB	147.930	1.900	149.830	0	0	1	1	1	7	03	12	24	34	99	2016	9423	4	1	01	1	2	1	99999
1	064/00	00	EB	149.830	0.010	149.840	0	0	1	1	1	7	03	12	24	34	54	2016	9423	4	1	01	1	2	1	99999
1	064/00	00	EB	149.840	6.340	156.180	0	0	1	1	1	7	03	12	24	34	54	2016	10579	4	1	01	1	2	1	99999
1	064/00	00	EB	156.180	1.820	158.000	0	0	1	1	1	7	10	11	24	36	40	2016	11427	4	1	01	1	2	1	99999
1	064/00	00	EB	158.000	0.230	158.230	0	0	1	1	1	7	03	11	24	36	40	2016	11427	4	1	01	1	2	1	99999
1	064/00	00	EB	158.230	1.160	159.390	0	0	1	1	1	7	03	11	24	36	86	2016	11427	4	1	01	1	2	1	99999
1	064/00	00	EB	159.390	0.020	159.410	0	0	1	1	1	7	03	11	30	30	40	2016	11427	4	1	01	1	2	1	99999
1	064/00	00	EB	159.410	2.050	161.460	0	0	1	1	1	7	03	11	24	36	40	2016	11427	4	1	01	1	2	1	99999
1	064/00	00	EB	161.460	0.770	162.230	0	0	1	1	1	7	03	11	24	34	40	2016	12629	4	1	01	1	2	1	99999
1	064/00	00	EB	162.230	0.860	163.090	0	0	1	1	1	7	10	11	24	34	40	2016	12629	4	1	01	1	2	1	99999
1	064/00	00	EB	163.090	2.780	165.870	0	0	1	1	1	7	03	11	24	34	40	2016	12629	4	1	01	1	2	1	99999
1	064/00	00	EB	165.870	0.030	165.900	0	0	1	1	1	7	03	12	24	24	40	2016	12629	4	1	01	1	2	1	99999
1	064/00	00	EB	165.900	0.050	165.950	0	0	1	1	1	7	10	11	24	34	40	2016	12629	4	1	01	1	2	1	99999
1	064/00	00	EB	165.950	0.250	166.200	0	0	1	1	1	7	10	11	24	34	60	2016	12629	4	1	01	1	2	1	99999
1	064/00	00	EB	166.200	0.240	166.440	0	0	1	1	1	7	03	11	24	34	60	2016	12629	4	1	01	1	2	1	99999
1	064/00	00	EB	166.440	2.450	168.890	0	0	1	1	1	7	10	11	24	34	60	2016	12629	4	1	01	1	2	1	99999
1	064/00	00	EB	168.890	0.070	168.960	0	0	1	1	1	7	10	11	24	34	40	2016	11108	4	1	01	1	2	1	99999
1	064/00	00	EB	168.960	0.001	168.961	0	1	1	1	11	7	10	11	24	34	40	2016	11108	4	1	01	1	2	1	99998
1	064/00	00	EB	168.961	0.419	169.380	2	1	1	1	11	7	10	11	24	34	40	2016	11108	4	1	01	1	2	1	99998
1	064/00	00	EB	169.380	0.030	169.410	2	1	1	1	11	7	03	12	30	30	40	2016	11108	4	1	01	1	2	1	99998
1	064/00	00	EB	169.410	0.680	170.090	2	1	1	1	11	7	03	11	24	34	40	2016	11108	4	1	01	1	2	1	99998
1	064/00	00	EB	170.090	0.140	170.230	2	1	1	1	11	7	03	11	24	34	40	2016	10593	4	1	01	1	2	1	99998
1	064/00	00	EB	170.230	2.390	172.620	0	0	1	1	1	7	03	11	24	34	40	2016	10593	4	1	01	1	2	1	99999
1	064/00	00	EB	172.620	0.040	172.660	0	0	1	1	1	7	03	11	30	30	40	2016	10771	4	1	01	1	2	1	99999
1	064/00	00	EB	172.660	0.080	172.740	0	0	1	1	1	7	03	11	24	34	40	2016	10771	4	1	01	1	2	1	99999
1	064/00	00	EB	172.740	0.160	172.900	0	0	1	1	1	7	03	11	30	30	40	2016	10771	4	1	01	1	2	1	99999
1	064/00	00	EB	172.900	1.200	174.100	0	0	1	1	1	7	03	11	24	34	40	2016	10771	4	1	01	1	2	1	99999
1	064/00	00	EB	174.100	0.060	174.160	0	0	1	1	1	7	03	11	30	30	40	2016	10771	4	1	01	1	2	1	99999
1	064/00	00	EB	174.160	0.450	174.610	0	0	1	1	1	7	03	11	24	34	40	2016	10771	4	1	01	1	2	1	99999
1	064/00	00	EB	174.610	0.060	174.670	0	0	1	1	1	7	03	11	30	30	40	2016	10771	4	1	01	1	2	1	99999
1	064/00	00	EB	174.670	0.638	175.308	0	0	1	1	1	7	03	11	24	34	40	2016	10771	4	1	01	1	2	1	99999
1	064/00	00	EB	175.308	0.002	175.310	1	0	1	1	1	7	03	11	24	34	40	2016	10771	4	1	01	1	2	1	99999
1	064/00	00	EB	175.310	0.020	175.330	1	0	1	1	1	7	03	11	30	30	40	2016	8460	4	1	01	1	2	1	99999
1	064/00	00	EB	175.330	0.045	175.375	1	0	1	1	1	7	03	11	24	34	40	2016	8460	4	1	01	1	2	1	99999
1	064/00	00	EB	175.375	0.573	175.948	0	0	1	1	1	7	03	11	24	34	40	2016	8460	4	1	01	1	2	1	99999
1	064/00	00	EB	175.948	0.010	175.958	1	0	1	1	1	7	03	11	24	34	40	2016	8460	4	1	01	1	2	1	99999
1	064/00	00	EB	175.958	0.152	176.110	0	0	1	1	1	7	03	11	24	34	40	2016	8460	4	1	01	1	2	1	99999
1	064/00	00	EB	176.110	0.050	176.160	0	0	1	1	1	7	03	11	30	30	40	2016	8460	4	1	01	1	2	1	99999

2016 ROAD INVENTORY LOG - INTERSTATES

WVDOT - HIGHWAYS
PLANNING DIVISION

GREENBRIER COUNTY - (13)

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	LENGTH	END MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	URB CODE	
1	064/00	00	EB	176.160	2.270	178.430	0	0	1	1	1	7	03	11	24	34	40	2016	8460	4	1	01	1	2	1	99999
1	064/00	00	EB	178.430	0.840	179.270	0	0	1	1	1	7	03	11	24	34	32	2016	8635	4	1	01	1	2	1	99999
1	064/00	00	EB	179.270	0.030	179.300	0	0	1	1	1	7	03	11	37	37	40	2016	8635	4	1	01	1	2	1	99999
1	064/00	00	EB	179.300	0.019	179.319	0	0	1	1	1	7	03	11	24	34	40	2016	8635	4	1	01	1	2	1	99999
1	064/00	00	EB	179.319	0.041	179.360	1	0	1	1	1	7	03	11	24	34	40	2016	8635	4	1	01	1	2	1	99999
1	064/00	00	EB	179.360	0.090	179.450	1	0	1	1	1	7	03	11	30	30	40	2016	8635	4	1	01	1	2	1	99999
1	064/00	00	EB	179.450	0.150	179.600	1	0	1	1	1	7	03	11	24	34	40	2016	8635	4	1	01	1	2	1	99999
1	064/00	00	EB	179.600	0.209	179.809	1	0	1	1	1	7	03	11	24	34	32	2016	8635	4	1	01	1	2	1	99999
1	064/00	00	EB	179.809	0.481	180.290	0	0	1	1	1	7	03	11	24	34	32	2016	8635	4	1	01	1	2	1	99999
1	064/00	00	EB	180.290	0.070	180.360	0	0	1	1	1	7	03	11	30	30	40	2016	8635	4	1	01	1	2	1	99999
1	064/00	00	EB	180.360	0.690	181.050	0	0	1	1	1	7	03	11	24	34	40	2016	8635	4	1	01	1	2	1	99999
1	064/00	00	EB	181.050	0.040	181.090	0	0	1	1	1	7	03	11	24	34	4	2016	8635	4	1	01	1	2	1	99999
1	064/00	00	EB	181.090	0.030	181.120	0	0	1	1	1	7	03	11	27	33	40	2016	8635	4	1	01	1	2	1	99999
1	064/00	00	EB	181.120	0.305	181.425	0	0	1	1	1	7	03	11	24	34	99	2016	9078	4	1	01	1	2	1	99999
1	064/00	00	EB	181.425	0.595	182.020	0	0	1	1	1	7	03	11	24	34	99	2016	9078	4	1	01	1	2	1	99999
1	064/00	00	EB	182.020	1.370	183.390	0	0	1	1	1	7	03	11	24	34	99	2016	8979	4	1	01	1	2	1	99999
1	064/00	00	EB	183.390	0.630	184.020	0	0	1	1	1	7	03	11	24	34	40	2016	8979	4	1	01	1	2	1	99999

ROUTE TOTAL: 36.420

Greenbrier County TOTAL for the PRIMARY DIRECTION:

36.420

2016 ROAD INVENTORY LOG - INTERSTATES

WVDOT - HIGHWAYS

PLANNING DIVISION

HARRISON COUNTY - (17)

Page 12 of 40

SIGN	ROUTE	SUPP	DIRECT	BEG	LENGTH	END		URB	FAS	WV	NAT	ACC	YEAR	SURF	PAV	GRADE	MED	AADT	LANES	REV	SPEC	TRK	FAC	URB		
		DSG	SURV	MP		MUN	FUN			FUNC	CONT	CHNG	TYPE	WIDTH	WIDTH	WIDTH	YR	LANES		SYS	RT	TYPE	CODE			
1	079/00	00	NB	106.420	1.130	107.550	0	0	1	1	1	7	04	11	24	36	55	2016	32507	4	1	01	1	2	1	99999
1	079/00	00	NB	107.550	0.020	107.570	0	0	1	1	1	7	04	11	40	40	55	2016	32507	4	1	01	1	2	1	99999
1	079/00	00	NB	107.570	0.370	107.940	0	0	1	1	1	7	04	11	24	36	40	2016	32507	4	1	01	1	2	1	99999
1	079/00	00	NB	107.940	1.190	109.130	0	0	1	1	1	7	04	11	24	36	40	2016	32507	4	1	01	1	2	1	99999
1	079/00	00	NB	109.130	0.034	109.164	0	0	1	1	1	7	00	11	24	36	40	2016	32507	4	1	01	1	2	1	99999
1	079/00	00	NB	109.164	0.346	109.510	1	0	1	1	1	7	00	11	24	36	40	2016	32507	4	1	01	1	2	1	99999
1	079/00	00	NB	109.510	0.050	109.560	1	0	1	1	1	7	00	11	30	30	40	2016	32507	4	1	01	1	2	1	99999
1	079/00	00	NB	109.560	0.180	109.740	1	0	1	1	1	7	00	11	24	24	40	2016	32507	4	1	01	1	2	1	99999
1	079/00	00	NB	109.740	0.030	109.770	1	0	1	1	1	7	00	11	24	37	40	2016	32507	4	1	01	1	2	1	99999
1	079/00	00	NB	109.770	0.520	110.290	1	0	1	1	1	7	00	11	24	36	40	2016	32507	4	1	01	1	2	1	99999
1	079/00	00	NB	110.290	0.360	110.650	1	0	1	1	1	7	00	11	24	36	40	2016	32525	4	1	01	1	2	1	99999
1	079/00	00	NB	110.650	0.040	110.690	1	0	1	1	1	7	00	11	38	38	40	2016	32525	4	1	01	1	2	1	99999
1	079/00	00	NB	110.690	0.130	110.820	1	0	1	1	1	7	00	11	24	36	40	2016	32525	4	1	01	1	2	1	99999
1	079/00	00	NB	110.820	0.066	110.886	1	0	1	1	1	7	00	11	24	36	57	2016	32525	4	1	01	1	2	1	99999
1	079/00	00	NB	110.886	0.244	111.130	0	0	1	1	1	7	00	11	24	36	57	2016	32525	4	1	01	1	2	1	99999
1	079/00	00	NB	111.130	0.780	111.910	0	0	1	1	1	7	00	11	24	36	57	2016	32525	4	1	01	1	2	1	99999
1	079/00	00	NB	111.910	0.050	111.960	0	0	1	1	1	7	00	11	32	32	40	2016	32293	4	1	01	1	2	1	99999
1	079/00	00	NB	111.960	1.750	113.710	0	0	1	1	1	7	00	11	24	36	40	2016	32293	4	1	01	1	2	1	99999
1	079/00	00	NB	113.710	0.380	114.090	0	0	1	1	1	7	00	11	24	36	52	2016	32293	4	1	01	1	2	1	99999
1	079/00	00	NB	114.090	0.042	114.132	0	0	1	1	1	7	00	11	24	36	52	2016	32293	4	1	01	1	2	1	99999
1	079/00	00	NB	114.132	0.068	114.200	0	1	1	1	11	7	00	11	24	36	52	2016	32293	4	1	01	1	2	1	99998
1	079/00	00	NB	114.200	0.700	114.900	0	1	1	1	11	7	00	11	24	36	40	2016	32293	4	1	01	1	2	1	99998
1	079/00	00	NB	114.900	0.060	114.960	0	1	1	1	11	7	00	11	44	44	64	2016	32667	4	1	01	1	2	1	99998
1	079/00	00	NB	114.960	0.370	115.330	0	1	1	1	11	7	00	11	24	36	64	2016	32667	4	1	01	1	2	1	99998
1	079/00	00	NB	115.330	0.040	115.370	0	1	1	1	11	7	00	11	44	44	64	2016	40142	4	1	01	1	2	1	99998
1	079/00	00	NB	115.370	0.510	115.880	0	1	1	1	11	7	00	11	24	36	64	2016	40142	4	1	01	1	2	1	99998
1	079/00	00	NB	115.880	0.050	115.930	0	1	1	1	11	7	00	11	44	44	64	2016	40142	4	1	01	1	2	1	99998
1	079/00	00	NB	115.930	1.240	117.170	0	1	1	1	11	7	00	11	24	36	64	2016	40142	4	1	01	1	2	1	99998
1	079/00	00	NB	117.170	0.104	117.274	0	1	1	1	11	7	00	11	24	36	64	2016	37549	4	1	01	1	2	1	99998
1	079/00	00	NB	117.274	0.026	117.300	1	1	1	1	11	7	00	11	24	36	64	2016	37549	4	1	01	1	2	1	99998
1	079/00	00	NB	117.300	0.050	117.350	1	1	1	1	11	7	00	11	44	44	64	2016	37549	4	1	01	1	2	1	99998
1	079/00	00	NB	117.350	0.110	117.460	1	1	1	1	11	7	00	11	24	36	64	2016	37549	4	1	01	1	2	1	99998
1	079/00	00	NB	117.460	0.053	117.513	1	1	1	1	11	7	00	11	24	36	64	2016	37549	4	1	01	1	2	1	99998
1	079/00	00	NB	117.513	0.151	117.664	0	1	1	1	11	7	00	11	24	36	64	2016	37549	4	1	01	1	2	1	99998
1	079/00	00	NB	117.664	0.076	117.740	1	1	1	1	11	7	00	11	24	36	64	2016	37549	4	1	01	1	2	1	99998
1	079/00	00	NB	117.740	0.040	117.780	1	1	1	1	11	7	00	11	63	63	64	2016	34863	4	1	01	1	2	1	99998
1	079/00	00	NB	117.780	0.197	117.977	1	1	1	1	11	7	00	11	24	36	64	2016	34863	4	1	01	1	2	1	99998
1	079/00	00	NB	117.977	0.841	118.818	0	1	1	1	11	7	00	11	24	36	64	2016	34863	4	1	01	1	2	1	99998
1	079/00	00	NB	118.818	0.712	119.530	4	1	1	1	11	7	00	11	24	36	64	2016	34863	4	1	01	1	2	1	99998

2016 ROAD INVENTORY LOG - INTERSTATES

WVDOT - HIGHWAYS
PLANNING DIVISION

HARRISON COUNTY - (17)

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	LENGTH	END MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	URB CODE	
1	079/00	00	NB	119.530	0.430	119.960	4	1	1	1	11	7	00	11	24	36	64	2016	50339	4	1	01	1	2	1	99998
1	079/00	00	NB	119.960	0.060	120.020	4	1	1	1	11	7	00	11	45	45	64	2016	50339	4	1	01	1	2	1	99998
1	079/00	00	NB	120.020	0.514	120.534	4	1	1	1	11	7	00	11	24	36	64	2016	50339	4	1	01	1	2	1	99998
1	079/00	00	NB	120.534	0.038	120.572	0	1	1	1	11	7	00	11	24	36	64	2016	50339	4	1	01	1	2	1	99998
1	079/00	00	NB	120.572	0.098	120.670	3	1	1	1	11	7	00	11	24	36	64	2016	50339	4	1	01	1	2	1	99998
1	079/00	00	NB	120.670	0.050	120.720	3	1	1	1	11	7	00	11	45	45	64	2016	50339	4	1	01	1	2	1	99998
1	079/00	00	NB	120.720	0.600	121.320	3	1	1	1	11	7	00	11	24	36	64	2016	48893	4	1	01	1	2	1	99998
1	079/00	00	NB	121.320	0.040	121.360	3	1	1	1	11	7	00	11	45	45	64	2016	48893	4	1	01	1	2	1	99998
1	079/00	00	NB	121.360	0.710	122.070	3	1	1	1	11	7	00	11	24	36	64	2016	48893	4	1	01	1	2	1	99998
1	079/00	00	NB	122.070	0.360	122.430	3	1	1	1	11	7	00	11	24	36	99	2016	48893	4	1	01	1	2	1	99998
1	079/00	00	NB	122.430	0.470	122.900	3	1	1	1	11	7	00	11	24	36	99	2016	40987	4	1	01	1	2	1	99998
1	079/00	00	NB	122.900	1.088	123.988	3	1	1	1	11	7	00	11	24	36	64	2016	40987	4	1	01	1	2	1	99998
1	079/00	00	NB	123.988	1.392	125.380	3	0	1	1	1	7	00	11	24	36	64	2016	40987	4	1	01	1	2	1	99999
1	079/00	00	NB	125.380	0.420	125.800	3	0	1	1	1	7	00	11	24	36	64	2016	40709	4	1	01	1	2	1	99999
1	079/00	00	NB	125.800	0.020	125.820	3	0	1	1	1	7	00	11	24	36	64	2016	46212	4	1	01	1	2	1	99999
1	079/00	00	NB	125.820	0.072	125.892	3	0	1	1	1	7	05	11	24	36	64	2016	46212	4	1	01	1	2	1	99999
1	079/00	00	NB	125.892	0.408	126.300	0	0	1	1	1	7	05	11	24	36	64	2016	46212	4	1	01	1	2	1	99999
1	079/00	00	NB	126.300	2.620	128.920	0	0	1	1	1	7	00	11	24	36	64	2016	46212	4	1	01	1	2	1	99999
1	079/00	00	NB	128.920	0.030	128.950	0	0	1	1	1	7	00	11	37	37	64	2016	46212	4	1	01	1	2	1	99999
1	079/00	00	NB	128.950	0.267	129.217	0	0	1	1	1	7	00	11	24	34	64	2016	46212	4	1	01	1	2	1	99999
1	079/00	00	NB	129.217	0.003	129.220	0	1	1	1	11	7	00	11	24	34	64	2016	46212	4	1	01	1	2	1	99998

ROUTE TOTAL: 22.800

Harrison County TOTAL for the PRIMARY DIRECTION:

22.800

2016 ROAD INVENTORY LOG - INTERSTATES

WVDOT - HIGHWAYS
PLANNING DIVISION

JACKSON COUNTY - (18)

SIGN	ROUTE	SUPP	DIRECT	BEG	END		WV			NAT	ACC	YEAR	SURF	PAV	GRADE	MED	AADT	LANES	REV	SPEC	TRK	FAC	URB			
		DSG	SURV	MP	LENGTH	MP	MUN	URB	FAS	FUN	FUNC	CONT	CHNG	TYPE	WIDTH	WIDTH	WIDTH		YR	AADT	LANES	SYS	RT	TYPE	CODE	
1	077/00	00	NB	117.500	1.730	119.230	0	0	1	1	1	7	94	11	24	36	40	2016	22580	4	1	01	1	2	1	99999
1	077/00	00	NB	119.230	0.030	119.260	0	0	1	1	1	7	94	11	37	37	40	2016	22580	4	1	01	1	2	1	99999
1	077/00	00	NB	119.260	0.600	119.860	0	0	1	1	1	7	94	11	24	36	40	2016	22580	4	1	01	1	2	1	99999
1	077/00	00	NB	119.860	0.050	119.910	0	0	1	1	1	7	94	11	30	30	40	2016	22580	4	1	01	1	2	1	99999
1	077/00	00	NB	119.910	0.800	120.710	0	0	1	1	1	7	80	11	24	36	40	2016	22071	4	1	01	1	2	1	99999
1	077/00	00	NB	120.710	2.020	122.730	0	0	1	1	1	7	80	11	24	36	40	2016	22071	4	1	01	1	2	1	99999
1	077/00	00	NB	122.730	2.160	124.890	0	0	1	1	1	7	80	11	24	36	40	2016	22071	4	1	01	1	2	1	99999
1	077/00	00	NB	124.890	0.030	124.920	0	0	1	1	1	7	80	11	37	37	40	2016	22071	4	1	01	1	2	1	99999
1	077/00	00	NB	124.920	1.470	126.390	0	0	1	1	1	7	80	11	24	36	40	2016	21937	4	1	01	1	2	1	99999
1	077/00	00	NB	126.390	1.940	128.330	0	0	1	1	1	7	80	11	24	36	40	2016	21937	4	1	01	1	2	1	99999
1	077/00	00	NB	128.330	1.590	129.920	0	0	1	1	1	7	80	11	24	36	60	2016	21922	4	1	01	1	2	1	99999
1	077/00	00	NB	129.920	0.030	129.950	0	0	1	1	1	7	80	11	37	37	60	2016	21922	4	1	01	1	2	1	99999
1	077/00	00	NB	129.950	0.850	130.800	0	0	1	1	1	7	80	11	24	36	60	2016	21922	4	1	01	1	2	1	99999
1	077/00	00	NB	130.800	0.030	130.830	0	0	1	1	1	7	80	11	37	37	60	2016	21922	4	1	01	1	2	1	99999
1	077/00	00	NB	130.830	1.570	132.400	0	0	1	1	1	7	80	11	24	36	60	2016	21922	4	1	01	1	2	1	99999
1	077/00	00	NB	132.400	0.040	132.440	0	0	1	1	1	7	80	11	37	37	60	2016	21922	4	1	01	1	2	1	99999
1	077/00	00	NB	132.440	2.190	134.630	0	0	1	1	1	7	15	11	24	36	60	2016	20414	4	1	01	1	2	1	99999
1	077/00	00	NB	134.630	3.095	137.725	0	0	1	1	1	7	15	11	24	36	40	2016	20414	4	1	01	1	2	1	99999
1	077/00	00	NB	137.725	0.015	137.740	0	0	1	1	1	7	15	11	24	36	40	2016	20414	4	1	01	1	2	1	99999
1	077/00	00	NB	137.740	0.003	137.743	0	0	1	1	1	7	80	11	41	41	40	2016	20430	4	1	01	1	2	1	99999
1	077/00	00	NB	137.743	0.027	137.770	2	0	1	1	1	7	80	11	41	41	40	2016	20430	4	1	01	1	2	1	99999
1	077/00	00	NB	137.770	0.020	137.790	2	0	1	1	1	7	81	11	41	41	40	2016	20430	4	1	01	1	2	1	99999
1	077/00	00	NB	137.790	0.100	137.890	2	0	1	1	1	7	81	11	24	36	40	2016	20430	4	1	01	1	2	1	99999
1	077/00	00	NB	137.890	0.020	137.910	2	0	1	1	1	7	90	11	37	37	40	2016	20430	4	1	01	1	2	1	99999
1	077/00	00	NB	137.910	0.515	138.425	2	0	1	1	1	7	90	11	24	36	40	2016	20430	4	1	01	1	2	1	99999
1	077/00	00	NB	138.425	0.405	138.830	0	0	1	1	1	7	90	11	24	36	40	2016	20430	4	1	01	1	2	1	99999
1	077/00	00	NB	138.830	2.090	140.920	0	0	1	1	1	7	90	11	24	36	40	2016	20449	4	1	01	1	2	1	99999
1	077/00	00	NB	140.920	0.020	140.940	0	0	1	1	1	7	90	11	37	37	40	2016	20449	4	1	01	1	2	1	99999
1	077/00	00	NB	140.940	2.380	143.320	0	0	1	1	1	7	90	11	24	36	40	2016	20449	4	1	01	1	2	1	99999
1	077/00	00	NB	143.320	0.030	143.350	0	0	1	1	1	7	90	11	37	37	40	2016	20449	4	1	01	1	2	1	99999
1	077/00	00	NB	143.350	0.920	144.270	0	0	1	1	1	7	90	11	24	36	40	2016	20449	4	1	01	1	2	1	99999
1	077/00	00	NB	144.270	0.030	144.300	0	0	1	1	1	7	90	11	37	37	40	2016	20449	4	1	01	1	2	1	99999
1	077/00	00	NB	144.300	1.480	145.780	0	0	1	1	1	7	08	11	39	39	40	2016	20449	4	1	01	1	2	1	99999
1	077/00	00	NB	145.780	0.050	145.830	0	0	1	1	1	7	90	11	37	37	40	2016	20449	4	1	01	1	2	1	99999
1	077/00	00	NB	145.830	0.130	145.960	0	0	1	1	1	7	90	11	24	36	40	2016	20449	4	1	01	1	2	1	99999
1	077/00	00	NB	145.960	0.030	145.990	0	0	1	1	1	7	90	11	37	37	40	2016	20449	4	1	01	1	2	1	99999
1	077/00	00	NB	145.990	0.041	146.031	0	0	1	1	1	7	90	11	24	36	40	2016	16736	4	1	01	1	2	1	99999
1	077/00	00	NB	146.031	4.419	150.450	0	0	1	1	1	7	90	11	24	36	40	2016	16736	4	1	01	1	2	1	99999
1	077/00	00	NB	150.450	3.340	153.790	0	0	1	1	1	7	90	11	24	36	99	2016	16400	4	1	01	1	2	1	99999

2016 ROAD INVENTORY LOG - INTERSTATES

WVDOT - HIGHWAYS
PLANNING DIVISION

JACKSON COUNTY - (18)

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	LENGTH	END MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	URB CODE	
1	077/00	00	NB	153.790	0.620	154.410	0	0	1	1	1	7	90	11	24	36	40	2016	16400	4	1	01	1	2	1	99999
1	077/00	00	NB	154.410	0.040	154.450	0	0	1	1	1	7	90	11	34	34	40	2016	17113	4	1	01	1	2	1	99999
1	077/00	00	NB	154.450	1.560	156.010	0	0	1	1	1	7	90	11	24	36	40	2016	17113	4	1	01	1	2	1	99999
1	077/00	00	NB	156.010	0.860	156.870	0	0	1	1	1	7	90	11	24	36	40	2016	17113	4	1	01	1	2	1	99999
1	077/00	00	NB	156.870	0.120	156.990	0	0	1	1	1	7	90	11	24	36	40	2016	17113	4	1	01	1	2	1	99999

ROUTE TOTAL: 39.490

Jackson County TOTAL for the PRIMARY DIRECTION: 39.490

2016 ROAD INVENTORY LOG - INTERSTATES

WVDOT - HIGHWAYS

PLANNING DIVISION

KANAWHA COUNTY - (20)

Page 16 of 40

SIGN	ROUTE	SUPP	DIRECT	BEG	LENGTH	END		URB	FAS	WV	NAT	ACC	YEAR	SURF	PAV	GRADE	MED	AADT	LANES	REV	SPEC	TRK	FAC	URB		
		DSG	SURV	MP		MUN	FUN			FUNC	CONT	CHNG	TYPE	WIDTH	WIDTH	WIDTH	YR	LANES		SYS	RT	TYPE	CODE			
1	064/00	00	EB	45.390	0.020	45.410	3	2	1	1	11	7	76	11	24	34	7	2016	58550	6	1	01	1	2	1	15481
1	064/00	00	EB	45.410	0.070	45.480	3	2	1	1	11	7	80	11	24	34	7	2016	58550	6	1	01	1	2	1	15481
1	064/00	00	EB	45.480	0.598	46.078	3	2	1	1	11	7	75	11	24	34	7	2016	58550	6	1	01	1	2	1	15481
1	064/00	00	EB	46.078	0.122	46.200	0	2	1	1	11	7	75	11	24	34	7	2016	58550	6	1	01	1	2	1	15481
1	064/00	00	EB	46.200	0.337	46.537	3	2	1	1	11	7	76	11	24	34	7	2016	58550	6	1	01	1	2	1	15481
1	064/00	00	EB	46.537	0.903	47.440	0	2	1	1	11	7	76	11	24	34	7	2016	58550	6	1	01	1	2	1	15481
1	064/00	00	EB	47.440	0.190	47.630	0	2	1	1	11	7	94	11	24	34	7	2016	65488	6	1	01	1	2	1	15481
1	064/00	00	EB	47.630	0.060	47.690	0	2	1	1	11	7	81	11	24	34	7	2016	65488	6	1	01	1	2	1	15481
1	064/00	00	EB	47.690	0.710	48.400	0	2	1	1	11	7	81	11	24	34	7	2016	65488	6	1	01	1	2	1	15481
1	064/00	00	EB	48.400	0.140	48.540	0	2	1	1	11	7	95	11	24	34	9	2016	65488	6	1	01	1	2	1	15481
1	064/00	00	EB	48.540	1.210	49.750	0	2	1	1	11	7	76	11	30	30	9	2016	65488	6	1	01	1	2	1	15481
1	064/00	00	EB	49.750	0.230	49.980	0	2	1	1	11	7	90	11	24	34	9	2016	70025	6	1	01	1	2	1	15481
1	064/00	00	EB	49.980	0.030	50.010	0	2	1	1	11	7	11	11	24	34	9	2016	70025	6	1	01	1	2	1	15481
1	064/00	00	EB	50.010	0.100	50.110	0	2	1	1	11	7	90	11	24	34	9	2016	70025	6	1	01	1	2	1	15481
1	064/00	00	EB	50.110	0.380	50.490	0	2	1	1	11	7	90	11	37	37	15	2016	70025	6	1	01	1	2	1	15481
1	064/00	00	EB	50.490	0.020	50.510	0	2	1	1	11	7	90	11	24	34	15	2016	70025	6	1	01	1	2	1	15481
1	064/00	00	EB	50.510	0.020	50.530	0	2	1	1	11	7	90	11	30	30	15	2016	70025	6	1	01	1	2	1	15481
1	064/00	00	EB	50.530	0.450	50.980	0	2	1	1	11	7	90	11	24	34	15	2016	70025	6	1	01	1	2	1	15481
1	064/00	00	EB	50.980	0.040	51.020	0	2	1	1	11	7	90	11	24	34	15	2016	70025	6	1	01	1	2	1	15481
1	064/00	00	EB	51.020	0.508	51.528	0	2	1	1	11	7	90	11	37	37	15	2016	70025	6	1	01	1	2	1	15481
1	064/00	00	EB	51.528	0.032	51.560	3	2	1	1	11	7	90	11	37	37	15	2016	70025	6	1	01	1	2	1	15481
1	064/00	00	EB	51.560	0.260	51.820	3	2	1	1	11	7	90	11	24	34	9	2016	70025	6	1	01	1	2	1	15481
1	064/00	00	EB	51.820	0.020	51.840	3	2	1	1	11	7	93	11	24	34	9	2016	70025	6	1	01	1	2	1	15481
1	064/00	00	EB	51.840	0.340	52.180	3	2	1	1	11	7	90	11	30	30	9	2016	70025	6	1	01	1	2	1	15481
1	064/00	00	EB	52.180	0.200	52.380	3	2	1	1	11	7	90	11	24	34	9	2016	70025	6	1	01	1	2	1	15481
1	064/00	00	EB	52.380	0.350	52.730	3	2	1	1	11	7	90	11	24	36	15	2016	72758	6	1	01	1	2	1	15481
1	064/00	00	EB	52.730	0.250	52.980	3	2	1	1	11	7	76	12	36	36	15	2016	72758	8	1	01	1	2	1	15481
1	064/00	00	EB	52.980	0.270	53.250	3	2	1	1	11	7	76	12	36	36	15	2016	72758	8	1	01	1	2	1	15481
1	064/00	00	EB	53.250	0.020	53.270	4	2	1	1	11	7	76	12	36	36	15	2016	72758	8	1	01	1	2	1	15481
1	064/00	00	EB	53.270	0.020	53.290	4	2	1	1	11	7	76	12	36	36	15	2016	72758	8	1	01	1	2	1	15481
1	064/00	00	EB	53.290	0.440	53.730	4	2	1	1	11	7	97	12	36	36	15	2016	72758	8	1	01	1	2	1	15481
1	064/00	00	EB	53.730	0.020	53.750	4	2	1	1	11	7	97	12	43	43	15	2016	72758	8	1	01	1	2	1	15481
1	064/00	00	EB	53.750	0.180	53.930	4	2	1	1	11	7	97	11	36	46	16	2016	72758	6	1	01	1	2	1	15481
1	064/00	00	EB	53.930	0.060	53.990	4	2	1	1	11	7	97	11	46	46	16	2016	72758	6	1	01	1	2	1	15481
1	064/00	00	EB	53.990	0.380	54.370	4	2	1	1	11	7	97	11	36	46	16	2016	72758	6	1	01	1	2	1	15481
1	064/00	00	EB	54.370	0.110	54.480	4	2	1	1	11	7	97	11	36	46	16	2016	74958	6	1	01	1	2	1	15481
1	064/00	00	EB	54.480	0.320	54.800	4	2	1	1	11	7	97	11	46	46	16	2016	74958	6	1	01	1	2	1	15481
1	064/00	00	EB	54.800	0.410	55.210	4	2	1	1	11	7	97	11	36	46	16	2016	81638	6	1	01	1	2	1	15481
1	064/00	00	EB	55.210	0.940	56.150	4	2	1	1	11	7	97	11	36	46	16	2016	86494	6	1	01	1	2	1	15481

2016 ROAD INVENTORY LOG - INTERSTATES

WVDOT - HIGHWAYS
PLANNING DIVISION

KANAWHA COUNTY - (20)

SIGN	ROUTE	SUPP	DIRECT	BEG	END		WV			NAT	ACC	YEAR	SURF	PAV	GRADE	MED	AADT	LANES	REV	SPEC	TRK	FAC	URB			
		DSG	SURV	MP	LENGTH	MP	MUN	URB	FAS	FUN	FUNC	CONT	CHNG	TYPE	WIDTH	WIDTH	WIDTH		YR	AADT	LANES	SYS		RT	TYPE	CODE
1	064/00	00	EB	56.150	0.080	56.230	4	2	1	1	11	7	97	11	46	46	16	2016	86494	6	1	01	1	2	1	15481
1	064/00	00	EB	56.230	0.100	56.330	6	2	1	1	11	7	97	11	46	46	16	2016	86494	6	1	01	1	2	1	15481
1	064/00	00	EB	56.330	0.690	57.020	6	2	1	1	11	7	97	11	36	46	16	2016	86494	6	1	01	1	2	1	15481
1	064/00	00	EB	57.020	0.460	57.480	6	2	1	1	11	7	76	11	46	46	16	2016	86494	6	1	01	1	2	1	15481
1	064/00	00	EB	57.480	0.440	57.920	6	2	1	1	11	7	97	12	36	46	16	2016	99696	6	1	01	1	2	1	15481
1	064/00	00	EB	57.920	0.380	58.300	6	2	1	1	11	7	97	12	30	40	16	2016	80756	6	1	01	1	2	1	15481
1	064/00	00	EB	58.300	0.310	58.610	6	2	1	1	11	7	76	11	24	34	16	2016	79541	6	1	01	1	2	1	15481
1	064/00	00	EB	58.610	0.070	58.680	6	2	1	1	11	7	88	11	53	53	16	2016	79541	4	1	01	1	1	1	15481
1	064/00	00	EB	58.680	0.100	58.780	6	2	1	1	11	7	88	11	48	62	16	2016	79541	6	1	01	1	1	1	15481
ROUTE TOTAL:				13.390																						
1	064/00	06	EB	0.000	0.210	0.210	6	2	1	1	11	7	76	11	24	34	34	2016	24247	6	1	01	1	2	1	15481
1	064/00	06	EB	0.210	0.090	0.300	6	2	1	1	11	7	76	11	30	30	0	2016	24247	6	1	01	1	2	1	15481
ROUTE TOTAL:				0.300																						
1	077/00	00	NB	95.340	0.530	95.870	0	2	1	1	11	7	97	11	24	34	14	2016	64496	4	1	01	1	2	1	15481
1	077/00	00	NB	95.870	0.280	96.150	0	2	1	1	11	7	97	11	24	34	14	2016	64496	4	1	01	1	2	1	15481
1	077/00	00	NB	96.150	0.320	96.470	0	2	1	1	11	7	97	11	24	34	14	2016	64496	4	1	01	1	2	1	15481
1	077/00	00	NB	96.470	0.660	97.130	0	2	1	1	11	7	95	11	42	42	14	2016	64496	5	1	01	1	2	1	15481
1	077/00	00	NB	97.130	0.090	97.220	0	2	1	1	11	7	95	11	24	34	14	2016	64496	4	1	01	1	2	1	15481
1	077/00	00	NB	97.220	0.410	97.630	0	2	1	1	11	7	95	11	24	34	14	2016	65249	4	1	01	1	2	1	15481
1	077/00	00	NB	97.630	0.020	97.650	0	2	1	1	11	7	95	11	42	42	14	2016	65249	4	1	01	1	2	1	15481
1	077/00	00	NB	97.650	0.053	97.703	0	2	1	1	11	7	12	11	24	36	14	2016	65249	4	1	01	1	2	1	15481
1	077/00	00	NB	97.703	0.427	98.130	6	2	1	1	11	7	12	11	24	36	14	2016	65249	4	1	01	1	2	1	15481
1	077/00	00	NB	98.130	0.040	98.170	6	2	1	1	11	7	12	11	57	57	14	2016	65249	4	1	01	1	2	1	15481
1	077/00	00	NB	98.170	0.110	98.280	6	2	1	1	11	7	12	11	24	36	40	2016	65249	6	1	01	1	2	1	15481
1	077/00	00	NB	98.280	0.730	99.010	6	2	1	1	11	7	12	11	24	36	40	2016	73403	6	1	01	1	2	1	15481
1	077/00	00	NB	99.010	0.110	99.120	6	2	1	1	11	7	12	11	32	32	14	2016	73403	6	1	01	1	2	1	15481
1	077/00	00	NB	99.120	0.120	99.240	6	2	1	1	11	7	12	11	32	32	14	2016	84325	6	1	01	1	2	1	15481
1	077/00	00	NB	99.240	0.830	100.070	6	2	1	1	11	7	12	11	24	36	14	2016	84325	6	1	01	1	2	1	15481
1	077/00	00	NB	100.070	0.210	100.280	6	2	1	1	11	7	12	11	24	36	14	2016	84325	6	1	01	1	2	1	15481
1	077/00	00	NB	100.280	0.480	100.760	6	2	1	1	11	7	12	11	24	36	14	2016	84325	6	1	01	1	2	1	15481
1	077/00	00	NB	100.760	0.020	100.780	6	2	1	1	11	7	88	11	32	32	14	2016	84325	6	1	01	1	2	1	15481
1	077/00	00	NB	100.780	0.180	100.960	6	2	1	1	11	7	88	11	24	36	14	2016	91219	4	1	01	1	2	1	15481
1	077/00	00	NB	100.960	0.060	101.020	6	2	1	1	11	7	88	11	32	32	14	2016	91219	4	1	01	1	2	1	15481
1	077/00	00	NB	101.020	0.060	101.080	6	2	1	1	11	7	88	11	24	36	14	2016	91219	4	1	01	1	2	1	15481
1	077/00	00	NB	101.080	0.100	101.180	6	2	1	1	11	7	88	11	37	37	60	2016	58441	4	1	01	1	2	1	15481
1	077/00	00	NB	101.180	0.020	101.200	6	2	1	1	11	7	94	11	24	36	60	2016	58441	4	1	01	1	2	1	15481
1	077/00	00	NB	101.200	0.200	101.400	6	2	1	1	11	7	87	11	24	36	35	2016	58441	6	1	01	1	2	1	15481
1	077/00	00	NB	101.400	0.040	101.440	6	2	1	1	11	7	94	11	30	30	12	2016	58441	6	1	01	1	2	1	15481
1	077/00	00	NB	101.440	0.180	101.620	6	2	1	1	11	7	87	11	24	36	12	2016	58441	6	1	01	1	2	1	15481

2016 ROAD INVENTORY LOG - INTERSTATES

WVDOT - HIGHWAYS
PLANNING DIVISION

KANAWHA COUNTY - (20)

SIGN	ROUTE	SUPP	DIRECT	BEG	END					WV	NAT	ACC	YEAR	SURF	PAV	GRADE	MED	AADT					REV	SPEC	TRK	FAC	URB
		DSG	SURV	MP	LENGTH	MP	MUN	URB	FAS	FUN	FUNC	CONT	CHNG	TYPE	WIDTH	WIDTH	WIDTH	YR	AADT	LANES	LANES	SYS	RT	TYPE	CODE		
1	077/00	00	NB	101.620	0.030	101.650	6	2	1	1	11	7	87	11	24	36	14	2016	58441	6	1	01	1	2	1	15481	
1	077/00	00	NB	101.650	0.210	101.860	6	2	1	1	11	7	87	11	24	36	14	2016	58441	6	1	01	1	2	1	15481	
1	077/00	00	NB	101.860	0.030	101.890	6	2	1	1	11	7	94	11	24	36	14	2016	58441	6	1	01	1	2	1	15481	
1	077/00	00	NB	101.890	0.130	102.020	6	2	1	1	11	7	94	11	37	37	14	2016	58441	6	1	01	1	2	1	15481	
1	077/00	00	NB	102.020	0.140	102.160	6	2	1	1	11	7	94	11	24	36	14	2016	58441	6	1	01	1	2	1	15481	
1	077/00	00	NB	102.160	0.127	102.287	6	2	1	1	11	7	94	11	24	36	14	2016	58441	6	1	01	1	2	1	15481	
1	077/00	00	NB	102.287	0.193	102.480	0	2	1	1	11	7	94	11	24	36	14	2016	58441	6	1	01	1	2	1	15481	
1	077/00	00	NB	102.480	0.180	102.660	0	2	1	1	11	7	10	11	37	37	14	2016	58441	6	1	01	1	2	1	15481	
1	077/00	00	NB	102.660	0.670	103.330	0	2	1	1	11	7	10	11	24	36	40	2016	56851	4	1	01	1	2	1	15481	
1	077/00	00	NB	103.330	0.210	103.540	0	2	1	1	11	7	10	11	54	54	40	2016	56851	4	1	01	1	2	1	15481	
1	077/00	00	NB	103.540	0.120	103.660	0	2	1	1	11	7	10	11	24	34	40	2016	56851	4	1	01	1	2	1	15481	
1	077/00	00	NB	103.660	0.030	103.690	0	2	1	1	11	7	10	11	24	34	40	2016	56851	4	1	01	1	2	1	15481	
1	077/00	00	NB	103.690	1.120	104.810	0	2	1	1	11	7	10	11	24	34	40	2016	25355	4	1	01	1	2	1	15481	
1	077/00	00	NB	104.810	0.192	105.002	0	2	1	1	11	7	10	11	36	46	40	2016	25408	4	1	01	1	2	1	15481	
1	077/00	00	NB	105.002	1.108	106.110	0	0	1	1	1	7	10	11	36	46	40	2016	25408	4	1	01	1	2	1	99999	
1	077/00	00	NB	106.110	0.060	106.170	0	0	1	1	1	7	87	11	36	46	40	2016	25408	5	1	01	1	2	1	99999	
1	077/00	00	NB	106.170	1.210	107.380	0	0	1	1	1	7	87	11	36	46	40	2016	26552	4	1	01	1	2	1	99999	
1	077/00	00	NB	107.380	0.220	107.600	0	0	1	1	1	7	94	11	24	34	30	2016	26552	4	1	01	1	2	1	99999	
1	077/00	00	NB	107.600	2.500	110.100	0	0	1	1	1	7	94	11	24	34	30	2016	26552	4	1	01	1	2	1	99999	
1	077/00	00	NB	110.100	0.030	110.130	0	0	1	1	1	7	87	11	24	34	40	2016	26552	4	1	01	1	2	1	99999	
1	077/00	00	NB	110.130	0.016	110.146	0	0	1	1	1	7	94	11	24	34	40	2016	21968	4	1	01	1	2	1	99999	
1	077/00	00	NB	110.146	0.584	110.730	0	0	1	1	1	7	94	11	24	34	40	2016	21968	4	1	01	1	2	1	99999	
1	077/00	00	NB	110.730	0.050	110.780	0	0	1	1	1	7	07	11	24	34	40	2016	21968	4	1	01	1	2	1	99999	
1	077/00	00	NB	110.780	0.380	111.160	0	0	1	1	1	7	87	11	24	34	40	2016	21968	4	1	01	1	2	1	99999	
1	077/00	00	NB	111.160	0.040	111.200	0	0	1	1	1	7	87	11	24	34	40	2016	21968	4	1	01	1	2	1	99999	
1	077/00	00	NB	111.200	1.250	112.450	0	0	1	1	1	7	94	11	36	46	40	2016	21968	4	1	01	1	2	1	99999	
1	077/00	00	NB	112.450	0.070	112.520	0	0	1	1	1	7	87	11	36	46	40	2016	21968	4	1	01	1	2	1	99999	
1	077/00	00	NB	112.520	0.012	112.532	0	0	1	1	1	7	94	11	24	34	40	2016	21968	4	1	01	1	2	1	99999	
1	077/00	00	NB	112.532	0.908	113.440	0	0	1	1	1	7	94	11	24	34	40	2016	21968	4	1	01	1	2	1	99999	
1	077/00	00	NB	113.440	0.030	113.470	0	0	1	1	1	7	87	11	24	34	40	2016	21968	4	1	01	1	2	1	99999	
1	077/00	00	NB	113.470	0.034	113.504	0	0	1	1	1	7	10	11	24	34	40	2016	21968	4	1	01	1	2	1	99999	
1	077/00	00	NB	113.504	0.076	113.580	0	0	1	1	1	7	10	11	24	34	40	2016	21968	4	1	01	1	2	1	99999	
1	077/00	00	NB	113.580	1.010	114.590	0	0	1	1	1	7	10	11	24	34	16	2016	21968	4	1	01	1	2	1	99999	
1	077/00	00	NB	114.590	0.068	114.658	0	0	1	1	1	7	10	11	24	34	16	2016	23755	4	1	01	1	2	1	99999	
1	077/00	00	NB	114.658	1.392	116.050	0	0	1	1	1	7	10	11	24	34	16	2016	23755	4	1	01	1	2	1	99999	
1	077/00	00	NB	116.050	0.610	116.660	0	0	1	1	1	7	10	11	24	34	16	2016	22040	4	1	01	1	2	1	99999	
1	077/00	00	NB	116.660	0.640	117.300	0	0	1	1	1	7	10	11	24	34	16	2016	22040	4	1	01	1	2	1	99999	
1	077/00	00	NB	117.300	0.200	117.500	0	0	1	1	1	7	10	11	24	34	40	2016	22040	4	1	01	1	2	1	99999	

ROUTE TOTAL: 22.160

2016 ROAD INVENTORY LOG - INTERSTATES

WVDOT - HIGHWAYS

PLANNING DIVISION

KANAWHA COUNTY - (20)

Page 19 of 40

SIGN	ROUTE	SUPP	DIRECT	BEG	END		WV				NAT	ACC	YEAR	SURF	PAV	GRADE	MED	AADT	LANES	REV	SPEC	TRK	FAC	URB			
		DSG	SURV	MP	LENGTH	MP	MUN	URB	FAS	FUN	FUNC	CONT	CHNG	TYPE	WIDTH	WIDTH	WIDTH	YR		AADT	LANES	SYS	RT		TYPE	CODE	
1	077/00	05	SB	0.000	0.670	0.670	6	2	1	1	11	7	10	12	24	34	16	2016	8564	2	1	01	1	1	1	15481	
				ROUTE TOTAL:		0.670																					
1	077/00	16	NB	67.210	5.330	72.540	0	0	1	1	1	7	10	11	36	48	15	2016	23951	4	1	01	1	2	1	99999	
1	077/00	16	NB	72.540	1.630	74.170	0	0	1	1	1	7	10	11	46	48	15	2016	23951	4	1	01	1	2	1	99999	
1	077/00	16	NB	74.170	0.190	74.360	0	0	1	1	1	7	10	11	46	48	15	2016	30281	4	1	01	1	2	1	99999	
1	077/00	16	NB	74.360	0.090	74.450	0	0	1	1	1	7	10	11	36	48	15	2016	30281	5	1	01	1	2	1	99999	
1	077/00	16	NB	74.450	0.490	74.940	0	0	1	1	1	7	10	11	54	54	15	2016	30281	5	1	01	1	2	1	99999	
1	077/00	16	NB	74.940	0.060	75.000	0	0	1	1	1	7	10	11	36	48	15	2016	30281	5	1	01	1	2	1	99999	
1	077/00	16	NB	75.000	0.660	75.660	0	0	1	1	1	7	10	11	36	48	15	2016	32086	5	1	01	1	2	1	99999	
1	077/00	16	NB	75.660	0.330	75.990	0	0	1	1	1	7	95	11	45	54	10	2016	32086	5	1	01	1	2	1	99999	
1	077/00	16	NB	75.990	0.670	76.660	0	0	1	1	1	7	95	11	54	54	10	2016	32086	5	1	01	1	2	1	99999	
1	077/00	16	NB	76.660	0.800	77.460	0	0	1	1	1	7	95	11	36	48	10	2016	32086	5	1	01	1	2	1	99999	
1	077/00	16	NB	77.460	0.050	77.510	0	0	1	1	1	7	95	11	45	54	10	2016	32086	5	1	01	1	2	1	99999	
1	077/00	16	NB	77.510	0.320	77.830	0	0	1	1	1	7	95	11	45	54	10	2016	27317	5	1	01	1	2	1	99999	
1	077/00	16	NB	77.830	0.158	77.988	0	0	1	1	1	7	95	11	36	48	10	2016	27317	4	1	01	1	2	1	99999	
1	077/00	16	NB	77.988	1.932	79.920	0	2	1	1	11	7	95	11	36	48	10	2016	27317	4	1	01	1	2	1	15481	
1	077/00	16	NB	79.920	1.080	81.000	0	2	1	1	11	7	81	12	24	31	10	2016	27317	4	1	01	1	2	1	15481	
1	077/00	16	NB	81.000	1.200	82.200	0	2	1	1	11	7	79	12	24	31	10	2016	27317	4	1	01	1	2	1	15481	
1	077/00	16	NB	82.200	0.130	82.330	0	2	1	1	11	7	97	11	24	31	10	2016	27317	4	1	01	1	2	1	15481	
1	077/00	16	NB	82.330	0.110	82.440	0	2	1	1	11	7	97	11	24	31	10	2016	28014	4	1	01	1	2	1	15481	
1	077/00	16	NB	82.440	0.230	82.670	0	2	1	1	11	7	10	12	24	31	14	2016	28014	5	1	01	1	2	1	15481	
1	077/00	16	NB	82.670	0.150	82.820	0	2	1	1	11	7	10	12	42	55	16	2016	28014	10	1	01	1	2	1	15481	
1	077/00	16	NB	82.820	0.490	83.310	0	2	1	1	11	7	97	11	50	50	14	2016	28014	5	1	01	1	2	1	15481	
1	077/00	16	NB	83.310	0.140	83.450	0	2	1	1	11	7	10	11	44	55	14	2016	28014	4	1	01	1	2	1	15481	
1	077/00	16	NB	83.450	0.970	84.420	0	2	1	1	11	7	10	11	44	55	14	2016	34682	4	1	01	1	2	1	15481	
1	077/00	16	NB	84.420	0.520	84.940	0	2	1	1	11	7	10	11	44	55	14	2016	34682	4	1	01	1	2	1	15481	
1	077/00	16	NB	84.940	1.740	86.680	0	2	1	1	11	7	10	11	44	55	14	2016	34682	4	1	01	1	2	1	15481	
1	077/00	16	NB	86.680	0.030	86.710	0	2	1	1	11	7	10	11	76	76	14	2016	34682	4	1	01	1	2	1	15481	
1	077/00	16	NB	86.710	0.080	86.790	0	2	1	1	11	7	10	11	36	50	14	2016	34682	4	1	01	1	2	1	15481	
1	077/00	16	NB	86.790	1.730	88.520	1	2	1	1	11	7	10	11	36	50	14	2016	34682	4	1	01	1	2	1	15481	
1	077/00	16	NB	88.520	0.110	88.630	1	2	1	1	11	7	10	11	54	54	14	2016	34682	4	1	01	1	2	1	15481	
1	077/00	16	NB	88.630	0.440	89.070	0	2	1	1	11	7	10	11	54	54	14	2016	34682	4	1	01	1	2	1	15481	
1	077/00	16	NB	89.070	0.110	89.180	0	2	1	1	11	7	10	11	36	50	14	2016	34682	4	1	01	1	2	1	15481	
1	077/00	16	NB	89.180	0.050	89.230	0	2	1	1	11	7	10	11	36	50	14	2016	34682	4	1	01	1	2	1	15481	
1	077/00	16	NB	89.230	0.106	89.336	0	2	1	1	11	7	10	11	50	50	14	2016	34682	4	1	01	1	2	1	15481	
1	077/00	16	NB	89.336	0.164	89.500	1	2	1	1	11	7	10	11	50	50	14	2016	34682	4	1	01	1	2	1	15481	
1	077/00	16	NB	89.500	0.470	89.970	1	2	1	1	11	7	10	11	50	50	14	2016	43521	4	1	01	1	2	1	15481	
1	077/00	16	NB	89.970	0.957	90.927	1	2	1	1	11	7	10	11	36	50	14	2016	43521	4	1	01	1	2	1	15481	
1	077/00	16	NB	90.927	2.383	93.310	0	2	1	1	11	7	10	11	36	50	14	2016	43521	4	1	01	1	2	1	15481	

2016 ROAD INVENTORY LOG - INTERSTATES

WVDOT - HIGHWAYS
PLANNING DIVISION

KANAWHA COUNTY - (20)

SIGN	ROUTE	SUPP	DIRECT	BEG	LENGTH	END		URB	FAS	WV	NAT	ACC	YEAR	SURF	PAV	GRADE	MED	AADT	LANES	REV	SPEC	TRK	FAC	URB			
		DSG	SURV	MP		MUN	FUN			FUNC	CONT	CHNG	TYPE	WIDTH	WIDTH	WIDTH	YR	AADT		LANES	SYS	RT	TYPE		CODE		
1	077/00	16	NB	93.310	0.040	93.350	0	2	1	1	11	7	10	11	36	50	14	2016	44765	4	1	01	1	2	1	15481	
1	077/00	16	NB	93.350	0.087	93.437	0	2	1	1	11	7	10	11	36	46	10	2016	44765	4	1	01	1	2	1	15481	
1	077/00	16	NB	93.437	0.493	93.930	6	2	1	1	11	7	10	11	36	46	10	2016	44765	4	1	01	1	2	1	15481	
1	077/00	16	NB	93.930	0.500	94.430	6	2	1	1	11	7	10	11	36	46	10	2016	44765	4	1	01	1	2	1	15481	
1	077/00	16	NB	94.430	0.260	94.690	6	2	1	1	11	7	10	11	36	46	10	2016	44765	4	1	01	1	2	1	15481	
1	077/00	16	NB	94.690	0.030	94.720	6	2	1	1	11	7	10	11	36	46	10	2016	44765	4	1	01	1	2	1	15481	
1	077/00	16	NB	94.720	0.074	94.794	6	2	1	1	11	7	10	11	24	34	30	2016	44765	4	1	01	1	2	1	15481	
1	077/00	16	NB	94.794	0.166	94.960	0	2	1	1	11	7	10	11	24	34	30	2016	44765	4	1	01	1	2	1	15481	
1	077/00	16	NB	94.960	0.380	95.340	0	2	1	1	11	7	10	11	24	34	40	2016	44765	4	1	01	1	2	1	15481	
ROUTE TOTAL:				28.130																							
1	079/00	00	NB	0.000	0.100	0.100	0	2	1	1	11	7	98	11	24	34	99	2016	18096	4	1	01	1	2	1	15481	
1	079/00	00	NB	0.100	0.070	0.170	0	2	1	1	11	7	79	11	32	48	99	2016	18096	4	1	01	1	2	1	15481	
1	079/00	00	NB	0.170	0.030	0.200	0	2	1	1	11	7	79	11	24	48	99	2016	18096	4	1	01	1	2	1	15481	
1	079/00	00	NB	0.200	0.020	0.220	0	2	1	1	11	7	98	11	32	48	99	2016	18096	4	1	01	1	2	1	15481	
1	079/00	00	NB	0.220	0.010	0.230	0	2	1	1	11	7	98	11	40	40	99	2016	18096	4	1	01	1	2	1	15481	
1	079/00	00	NB	0.230	0.050	0.280	0	2	1	1	11	7	97	11	32	48	99	2016	18096	4	1	01	1	2	1	15481	
1	079/00	00	NB	0.280	0.480	0.760	0	2	1	1	11	7	98	11	24	34	99	2016	18096	4	1	01	1	2	1	15481	
1	079/00	00	NB	0.760	0.050	0.810	0	2	1	1	11	7	98	11	40	40	99	2016	18096	4	1	01	1	2	1	15481	
1	079/00	00	NB	0.810	0.220	1.030	0	2	1	1	11	7	98	11	24	34	16	2016	18096	4	1	01	1	2	1	15481	
1	079/00	00	NB	1.030	0.020	1.050	0	2	1	1	11	7	97	11	40	40	16	2016	18096	4	1	01	1	2	1	15481	
1	079/00	00	NB	1.050	0.900	1.950	0	2	1	1	11	7	98	11	24	34	16	2016	18096	4	1	01	1	2	1	15481	
1	079/00	00	NB	1.950	0.040	1.990	0	2	1	1	11	7	07	11	40	40	16	2016	22293	4	1	01	1	2	1	15481	
1	079/00	00	NB	1.990	0.250	2.240	0	2	1	1	11	7	07	11	24	34	16	2016	22293	4	1	01	1	2	1	15481	
1	079/00	00	NB	2.240	1.270	3.510	0	2	1	1	11	7	98	11	34	46	16	2016	22171	5	1	01	1	2	1	15481	
1	079/00	00	NB	3.510	0.040	3.550	0	2	1	1	11	7	94	11	24	40	16	2016	22171	4	1	01	1	2	1	15481	
1	079/00	00	NB	3.550	0.440	3.990	0	2	1	1	11	7	94	11	24	34	16	2016	22171	4	1	01	1	2	1	15481	
1	079/00	00	NB	3.990	0.520	4.510	0	2	1	1	11	7	97	11	24	34	16	2016	22171	4	1	01	1	2	1	15481	
1	079/00	00	NB	4.510	0.760	5.270	0	2	1	1	11	7	97	11	24	34	32	2016	21613	4	1	01	1	2	1	15481	
1	079/00	00	NB	5.270	0.030	5.300	0	2	1	1	11	7	97	11	40	40	32	2016	21613	4	1	01	1	2	1	15481	
1	079/00	00	NB	5.300	0.120	5.420	0	2	1	1	11	7	97	11	24	34	32	2016	21613	4	1	01	1	2	1	15481	
1	079/00	00	NB	5.420	0.140	5.560	0	2	1	1	11	7	79	11	24	34	32	2016	19630	4	1	01	1	2	1	15481	
1	079/00	00	NB	5.560	0.030	5.590	0	2	1	1	11	7	79	11	41	41	32	2016	20318	4	1	01	1	2	1	15481	
1	079/00	00	NB	5.590	0.530	6.120	0	2	1	1	11	7	98	11	24	34	32	2016	20318	4	1	01	1	2	1	15481	
1	079/00	00	NB	6.120	0.700	6.820	0	2	1	1	11	7	79	11	36	44	32	2016	20318	5	1	01	1	2	1	15481	
1	079/00	00	NB	6.820	0.370	7.190	0	2	1	1	11	7	79	11	30	40	32	2016	20335	4	1	01	1	2	1	15481	
1	079/00	00	NB	7.190	0.190	7.380	0	2	1	1	11	7	98	11	24	34	32	2016	20263	4	1	01	1	2	1	15481	
1	079/00	00	NB	7.380	0.096	7.476	0	2	1	1	11	7	79	12	40	40	32	2016	20263	4	1	01	1	2	1	15481	
1	079/00	00	NB	7.476	0.104	7.580	0	0	1	1	1	7	79	12	40	40	32	2016	20263	4	1	01	1	2	1	99999	
1	079/00	00	NB	7.580	0.900	8.480	0	0	1	1	1	7	98	11	24	34	32	2016	20263	4	1	01	1	2	1	99999	

2016 ROAD INVENTORY LOG - INTERSTATES

WVDOT - HIGHWAYS
PLANNING DIVISION

KANAWHA COUNTY - (20)

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	LENGTH	END MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	URB CODE	
1	079/00	00	NB	8.480	0.060	8.540	0	0	1	1	1	7	79	12	40	40	32	2016	20263	4	1	01	1	2	1	99999
1	079/00	00	NB	8.540	0.660	9.200	0	0	1	1	1	7	98	12	24	34	32	2016	20263	4	1	01	1	2	1	99999
1	079/00	00	NB	9.200	0.070	9.270	0	0	1	1	1	7	79	12	40	40	32	2016	20263	4	1	01	1	2	1	99999
1	079/00	00	NB	9.270	0.700	9.970	0	0	1	1	1	7	79	11	24	36	32	2016	20263	4	1	01	1	2	1	99999
1	079/00	00	NB	9.970	0.670	10.640	0	0	1	1	1	7	77	11	24	36	40	2016	12786	4	1	01	1	2	1	99999
1	079/00	00	NB	10.640	0.040	10.680	0	0	1	1	1	7	77	11	42	42	40	2016	12786	4	1	01	1	2	1	99999
1	079/00	00	NB	10.680	4.780	15.460	0	0	1	1	1	7	77	11	24	36	40	2016	12786	4	1	01	1	2	1	99999
1	079/00	00	NB	15.460	0.090	15.550	0	0	1	1	1	7	77	11	44	44	40	2016	12786	4	1	01	1	2	1	99999
1	079/00	00	NB	15.550	0.420	15.970	0	0	1	1	1	7	11	11	24	36	40	2016	12786	4	1	01	1	2	1	99999
1	079/00	00	NB	15.970	0.070	16.040	0	0	1	1	1	7	11	11	42	42	40	2016	12786	4	1	01	1	2	1	99999
1	079/00	00	NB	16.040	3.180	19.220	0	0	1	1	1	7	11	11	24	36	40	2016	12786	4	1	01	1	2	1	99999
1	079/00	00	NB	19.220	0.040	19.260	0	0	1	1	1	7	77	11	42	42	40	2016	12077	4	1	01	1	2	1	99999
1	079/00	00	NB	19.260	1.300	20.560	0	0	1	1	1	7	97	11	24	36	40	2016	12077	4	1	01	1	2	1	99999
1	079/00	00	NB	20.560	0.060	20.620	0	0	1	1	1	7	97	11	42	42	40	2016	12077	4	1	01	1	2	1	99999
1	079/00	00	NB	20.620	0.660	21.280	0	0	1	1	1	7	97	11	24	36	40	2016	12056	4	1	01	1	2	1	99999

ROUTE TOTAL: 21.280

Kanawha County TOTAL for the PRIMARY DIRECTION:

85.930

2016 ROAD INVENTORY LOG - INTERSTATES

WVDOT - HIGHWAYS
PLANNING DIVISION

LEWIS COUNTY - (21)

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	LENGTH	END MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	URB CODE	
1	079/00	00	NB	83.550	3.900	87.450	0	0	1	1	1	7	07	11	38	38	40	2016	18782	4	1	01	1	2	1	99999
1	079/00	00	NB	87.450	3.370	90.820	0	0	1	1	1	7	07	11	38	38	40	2016	18782	4	1	01	1	2	1	99999
1	079/00	00	NB	90.820	0.050	90.870	0	0	1	1	1	7	11	11	38	38	40	2016	19857	4	1	01	1	2	1	99999
1	079/00	00	NB	90.870	4.860	95.730	0	0	1	1	1	7	07	11	38	38	40	2016	19857	4	1	01	1	2	1	99999
1	079/00	00	NB	95.730	0.090	95.820	0	0	1	1	1	7	99	12	46	46	40	2016	19857	4	1	01	1	2	1	99999
1	079/00	00	NB	95.820	0.150	95.970	0	0	1	1	1	7	08	11	38	42	40	2016	19857	4	1	01	1	2	1	99999
1	079/00	00	NB	95.970	0.200	96.170	0	0	1	1	1	7	08	11	38	42	99	2016	19857	4	1	01	1	2	1	99999
1	079/00	00	NB	96.170	0.960	97.130	0	0	1	1	1	7	08	11	38	42	99	2016	21909	4	1	01	1	2	1	99999
1	079/00	00	NB	97.130	1.157	98.287	0	0	1	1	1	7	08	11	38	42	40	2016	22316	4	1	01	1	2	1	99999
1	079/00	00	NB	98.287	0.113	98.400	2	1	1	1	11	7	08	11	38	42	40	2016	22316	4	1	01	1	2	1	99998
1	079/00	00	NB	98.400	0.170	98.570	2	1	1	1	11	7	08	11	38	42	40	2016	21322	4	1	01	1	2	1	99998
1	079/00	00	NB	98.570	0.050	98.620	2	1	1	1	11	7	99	11	41	41	40	2016	21322	4	1	01	1	2	1	99998
1	079/00	00	NB	98.620	0.010	98.630	2	1	1	1	11	7	99	11	24	36	40	2016	21322	4	1	01	1	2	1	99998
1	079/00	00	NB	98.630	0.295	98.925	2	1	1	1	11	7	12	11	38	42	40	2016	28043	4	1	01	1	2	1	99998
1	079/00	00	NB	98.925	0.045	98.970	0	0	1	1	1	7	12	11	38	42	40	2016	28043	4	1	01	1	2	1	99999
1	079/00	00	NB	98.970	1.420	100.390	0	0	1	1	1	7	10	11	38	42	60	2016	28043	4	1	01	1	2	1	99999
1	079/00	00	NB	100.390	1.300	101.690	0	0	1	1	1	7	10	11	38	42	40	2016	29652	4	1	01	1	2	1	99999
1	079/00	00	NB	101.690	0.610	102.300	0	0	1	1	1	7	10	11	38	42	40	2016	29652	4	1	01	1	2	1	99999
1	079/00	00	NB	102.300	1.850	104.150	0	0	1	1	1	7	01	11	32	40	40	2016	29652	4	1	01	1	2	1	99999
1	079/00	00	NB	104.150	0.040	104.190	0	0	1	1	1	7	99	11	32	40	40	2016	29652	4	1	01	1	2	1	99999
1	079/00	00	NB	104.190	0.500	104.690	0	0	1	1	1	7	99	11	32	40	60	2016	29652	4	1	01	1	2	1	99999
1	079/00	00	NB	104.690	0.680	105.370	0	0	1	1	1	7	99	11	32	40	40	2016	29717	4	1	01	1	2	1	99999
1	079/00	00	NB	105.370	0.950	106.320	0	0	1	1	1	7	99	11	32	40	99	2016	29717	4	1	01	1	2	1	99999
1	079/00	00	NB	106.320	0.090	106.410	0	0	1	1	1	7	99	11	40	40	40	2016	29717	4	1	01	1	2	1	99999
1	079/00	00	NB	106.410	0.010	106.420	0	0	1	1	1	7	99	11	24	36	40	2016	29717	4	1	01	1	2	1	99999

ROUTE TOTAL: 22.870

Lewis County TOTAL for the PRIMARY DIRECTION:

22.870

2016 ROAD INVENTORY LOG - INTERSTATES

WVDOT - HIGHWAYS
PLANNING DIVISION

MARION COUNTY - (25)

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	END LENGTH	MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	URB CODE	
1	079/00	00	NB	129.220	0.300	129.520	0	1	1	1	11	7	00	11	24	34	40	2016	45412	4	1	01	1	2	1	99998
1	079/00	00	NB	129.520	0.320	129.840	0	1	1	1	11	7	05	11	30	30	22	2016	45412	4	1	01	1	2	1	99998
1	079/00	00	NB	129.840	0.020	129.860	0	1	1	1	11	7	00	11	30	30	22	2016	45412	4	1	01	1	2	1	99998
1	079/00	00	NB	129.860	0.027	129.887	1	1	1	1	11	7	00	11	30	30	22	2016	45412	4	1	01	1	2	1	99998
1	079/00	00	NB	129.887	0.003	129.890	0	1	1	1	11	7	00	11	30	30	22	2016	45412	4	1	01	1	2	1	99998
1	079/00	00	NB	129.890	0.300	130.190	0	1	1	1	11	7	00	11	24	34	22	2016	45412	4	1	01	1	2	1	99998
1	079/00	00	NB	130.190	0.290	130.480	0	1	1	1	11	7	00	12	24	34	12	2016	45412	4	1	01	1	2	1	99998
1	079/00	00	NB	130.480	0.050	130.530	0	1	1	1	11	7	00	11	24	34	40	2016	45412	4	1	01	1	2	1	99998
1	079/00	00	NB	130.530	0.281	130.811	0	1	1	1	11	7	00	11	24	34	40	2016	47651	4	1	01	1	2	1	99998
1	079/00	00	NB	130.811	0.689	131.500	1	1	1	1	11	7	00	11	24	34	40	2016	47651	4	1	01	1	2	1	99998
1	079/00	00	NB	131.500	0.570	132.070	1	1	1	1	11	7	00	11	24	34	22	2016	47651	4	1	01	1	2	1	99998
1	079/00	00	NB	132.070	0.038	132.108	1	1	1	1	11	7	00	11	30	30	22	2016	47651	4	1	01	1	2	1	99998
1	079/00	00	NB	132.108	0.012	132.120	0	1	1	1	11	7	00	11	30	30	22	2016	47651	4	1	01	1	2	1	99998
1	079/00	00	NB	132.120	0.190	132.310	0	1	1	1	11	7	00	11	24	34	22	2016	47651	4	1	01	1	2	1	99998
1	079/00	00	NB	132.310	0.530	132.840	0	1	1	1	11	7	00	11	24	34	12	2016	47651	4	1	01	1	2	1	99998
1	079/00	00	NB	132.840	0.076	132.916	0	1	1	1	11	7	00	11	30	30	12	2016	47651	4	1	01	1	2	1	99998
1	079/00	00	NB	132.916	0.104	133.020	2	1	1	1	11	7	00	11	30	30	12	2016	47651	4	1	01	1	2	1	99998
1	079/00	00	NB	133.020	0.350	133.370	2	1	1	1	11	7	00	11	24	34	22	2016	47651	4	1	01	1	2	1	99998
1	079/00	00	NB	133.370	1.570	134.940	2	1	1	1	11	7	00	11	24	34	22	2016	44402	4	1	01	1	2	1	99998
1	079/00	00	NB	134.940	0.030	134.970	2	1	1	1	11	7	00	11	37	37	22	2016	44402	4	1	01	1	2	1	99998
1	079/00	00	NB	134.970	0.650	135.620	2	1	1	1	11	7	00	11	24	34	22	2016	45189	4	1	01	1	2	1	99998
1	079/00	00	NB	135.620	0.040	135.660	2	1	1	1	11	7	00	11	37	37	20	2016	45189	4	1	01	1	2	1	99998
1	079/00	00	NB	135.660	0.416	136.076	2	1	1	1	11	7	00	11	24	34	32	2016	44432	4	1	01	1	2	1	99998
1	079/00	00	NB	136.076	0.411	136.487	4	1	1	1	11	7	00	11	24	34	32	2016	44432	4	1	01	1	2	1	99998
1	079/00	00	NB	136.487	0.153	136.640	0	1	1	1	11	7	00	11	24	34	32	2016	44432	4	1	01	1	2	1	99998
1	079/00	00	NB	136.640	0.040	136.680	0	1	1	1	11	7	00	11	40	40	22	2016	42735	4	1	01	1	2	1	99998
1	079/00	00	NB	136.680	0.080	136.760	0	1	1	1	11	7	00	11	24	34	22	2016	42735	4	1	01	1	2	1	99998
1	079/00	00	NB	136.760	2.010	138.770	0	1	1	1	11	7	00	11	24	36	22	2016	42735	4	1	01	1	2	1	99998
1	079/00	00	NB	138.770	0.030	138.800	0	1	1	1	11	7	00	11	40	40	22	2016	42735	4	1	01	1	2	1	99998
1	079/00	00	NB	138.800	0.300	139.100	0	1	1	1	11	7	00	11	24	36	22	2016	42735	4	1	01	1	2	1	99998
1	079/00	00	NB	139.100	0.720	139.820	0	1	1	1	11	7	00	11	24	36	40	2016	44987	4	1	01	1	2	1	99998
1	079/00	00	NB	139.820	0.180	140.000	0	1	1	1	11	7	00	11	24	35	22	2016	28387	4	1	01	1	2	1	99998
1	079/00	00	NB	140.000	0.352	140.352	0	1	1	1	11	7	00	11	24	36	22	2016	28387	4	1	01	1	2	1	99998
1	079/00	00	NB	140.352	0.018	140.370	0	0	1	1	1	7	00	11	24	36	22	2016	28387	4	1	01	1	2	1	99999
1	079/00	00	NB	140.370	0.030	140.400	0	0	1	1	1	7	00	11	39	39	22	2016	28387	4	1	01	1	2	1	99999
1	079/00	00	NB	140.400	1.970	142.370	0	0	1	1	1	7	00	11	24	36	22	2016	28387	4	1	01	1	2	1	99999

ROUTE TOTAL: 13.150

Marion County TOTAL for the PRIMARY DIRECTION: 13.150

2016 ROAD INVENTORY LOG - INTERSTATES

WVDOT - HIGHWAYS
PLANNING DIVISION

MERCER COUNTY - (28)

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	LENGTH	END MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	URB CODE			
1	077/00	00	NB	0.000	0.560	0.560	0	0	1	1	1	7	00	11	26	26	0	2016	28803	4	1	01	1	2	1	99999		
1	077/00	00	NB	0.560	0.072	0.632	0	0	1	1	1	7	00	11	24	36	40	2016	28803	4	1	01	1	2	1	99999		
1	077/00	00	NB	0.632	0.034	0.666	4	0	1	1	1	7	00	11	24	36	40	2016	28803	4	1	01	1	2	1	99999		
1	077/00	00	NB	0.666	0.024	0.690	0	0	1	1	1	7	00	11	24	36	40	2016	28803	4	1	01	1	2	1	99999		
1	077/00	00	NB	0.690	1.870	2.560	0	0	1	1	1	7	00	11	24	36	40	2016	28803	4	1	01	1	2	1	99999		
1	077/00	00	NB	2.560	0.390	2.950	0	0	1	1	1	7	00	11	24	36	40	2016	27131	4	1	01	1	2	1	99999		
1	077/00	00	NB	2.950	0.100	3.050	0	0	1	1	1	7	00	11	36	36	40	2016	27131	4	1	01	1	2	1	99999		
1	077/00	00	NB	3.050	2.020	5.070	0	0	1	1	1	7	00	11	24	36	40	2016	27131	4	1	01	1	2	1	99999		
1	077/00	00	NB	5.070	0.040	5.110	0	0	1	1	1	7	00	11	26	26	40	2016	27131	4	1	01	1	2	1	99999		
1	077/00	00	NB	5.110	0.010	5.120	0	0	1	1	1	7	00	11	24	36	40	2016	27131	4	1	01	1	2	1	99999		
1	077/00	00	NB	5.120	1.800	6.920	0	0	1	1	1	7	00	11	24	36	40	2016	26596	4	1	01	1	2	1	99999		
1	077/00	00	NB	6.920	0.050	6.970	0	0	1	1	1	7	00	11	30	30	40	2016	26596	4	1	01	1	2	1	99999		
1	077/00	00	NB	6.970	1.219	8.189	0	0	1	1	1	7	00	11	24	36	40	2016	26596	4	1	01	1	2	1	99999		
1	077/00	00	NB	8.189	0.271	8.460	0	1	1	1	11	7	00	11	24	36	40	2016	26596	4	1	01	1	2	1	99998		
1	077/00	00	NB	8.460	0.520	8.980	0	1	1	1	11	7	00	11	24	40	40	2016	26596	4	1	01	1	2	1	99998		
ROUTE TOTAL:				8.980																								
1	077/00	16	NB	8.980	0.210	9.190	0	1	1	1	11	7	00	11	24	40	40	2016	28607	4	1	01	1	2	1	99998		
1	077/00	16	NB	9.190	0.310	9.500	0	1	1	1	11	7	00	11	24	40	40	2016	30658	4	1	01	1	2	1	99998		
1	077/00	16	NB	9.500	0.150	9.650	0	1	1	1	11	7	00	11	24	40	40	2016	31635	4	1	01	1	2	1	99998		
1	077/00	16	NB	9.650	0.140	9.790	0	1	1	1	11	7	00	11	24	40	99	2016	31635	4	1	01	1	2	1	99998		
1	077/00	16	NB	9.790	1.460	11.250	0	1	1	1	11	7	00	11	24	40	99	2016	31635	4	1	01	1	2	1	99998		
1	077/00	16	NB	11.250	0.190	11.440	0	1	1	1	11	7	00	11	36	46	99	2016	31635	5	1	01	1	2	1	99998		
1	077/00	16	NB	11.440	0.470	11.910	0	1	1	1	11	7	00	11	36	46	99	2016	31635	5	1	01	1	2	1	99998		
1	077/00	16	NB	11.910	0.250	12.160	0	1	1	1	11	7	00	11	24	34	99	2016	31635	5	1	01	1	2	1	99998		
1	077/00	16	NB	12.160	1.270	13.430	0	1	1	1	11	7	00	11	24	34	99	2016	31732	5	1	01	1	2	1	99998		
1	077/00	16	NB	13.430	0.310	13.740	0	1	1	1	11	7	00	11	24	34	99	2016	31732	4	1	01	1	2	1	99998		
1	077/00	16	NB	13.740	0.266	14.006	0	1	1	1	11	7	00	11	24	34	99	2016	31797	4	1	01	1	2	1	99998		
1	077/00	16	NB	14.006	0.764	14.770	0	0	1	1	1	7	00	11	24	34	99	2016	31797	4	1	01	1	2	1	99999		
1	077/00	16	NB	14.770	0.190	14.960	0	0	1	1	1	7	00	11	24	34	40	2016	31797	5	1	01	1	2	1	99999		
1	077/00	16	NB	14.960	0.580	15.540	0	0	1	1	1	7	00	11	24	36	40	2016	31797	5	1	01	1	2	1	99999		
1	077/00	16	NB	15.540	3.980	19.520	0	0	1	1	1	7	00	12	24	37	40	2016	31797	4	1	01	1	2	1	99999		
1	077/00	16	NB	19.520	0.170	19.690	0	0	1	1	1	7	00	11	24	37	40	2016	31797	4	1	01	1	2	1	99999		
1	077/00	16	NB	19.690	0.400	20.090	0	0	1	1	1	7	00	11	24	37	40	2016	29632	4	1	01	1	2	1	99999		
1	077/00	16	NB	20.090	7.080	27.170	0	0	1	1	1	7	00	11	36	46	40	2016	29632	5	1	01	1	2	1	99999		
1	077/00	16	NB	27.170	0.090	27.260	0	0	1	1	1	7	00	11	36	46	40	2016	29632	6	1	01	1	2	1	99999		
ROUTE TOTAL:				18.280																								

Mercer County TOTAL for the PRIMARY DIRECTION: 27.260

2016 ROAD INVENTORY LOG - INTERSTATES

WVDOT - HIGHWAYS
PLANNING DIVISION

MONONGALIA COUNTY - (31)

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	LENGTH	END MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	URB CODE	
1	079/00	00	NB	142.370	0.090	142.460	0	0	1	1	1	7	97	11	32	32	40	2016	43475	4	1	01	1	2	1	99999
1	079/00	00	NB	142.460	1.350	143.810	0	0	1	1	1	7	97	11	24	36	40	2016	43475	4	1	01	1	2	1	99999
1	079/00	00	NB	143.810	0.030	143.840	0	0	1	1	1	7	97	11	38	38	40	2016	43475	4	1	01	1	2	1	99999
1	079/00	00	NB	143.840	1.110	144.950	0	0	1	1	1	7	97	11	24	36	40	2016	43475	4	1	01	1	2	1	99999
1	079/00	00	NB	144.950	0.230	145.180	0	0	1	1	1	7	97	12	24	36	40	2016	43475	4	1	01	1	2	1	99999
1	079/00	00	NB	145.180	0.020	145.200	0	0	1	1	1	7	76	12	40	40	40	2016	43475	4	1	01	1	2	1	99999
1	079/00	00	NB	145.200	0.450	145.650	0	0	1	1	1	7	76	11	24	36	40	2016	43475	4	1	01	1	2	1	99999
1	079/00	00	NB	145.650	0.030	145.680	0	0	1	1	1	7	76	11	38	38	40	2016	50651	4	1	01	1	2	1	99999
1	079/00	00	NB	145.680	2.170	147.850	0	0	1	1	1	7	98	11	24	36	40	2016	50651	4	1	01	1	2	1	99999
1	079/00	00	NB	147.850	0.172	148.022	0	0	1	1	1	7	98	11	36	48	40	2016	50485	5	1	01	1	2	1	99999
1	079/00	00	NB	148.022	0.268	148.290	0	2	1	1	11	7	98	11	36	48	40	2016	50485	5	1	01	1	2	1	59275
1	079/00	00	NB	148.290	0.180	148.470	0	2	1	1	11	7	98	11	36	48	40	2016	50485	6	1	01	1	2	1	59275
1	079/00	00	NB	148.470	0.190	148.660	0	2	1	1	11	7	98	11	36	48	40	2016	50485	5	1	01	1	2	1	59275
1	079/00	00	NB	148.660	0.150	148.810	0	2	1	1	11	7	98	11	24	36	40	2016	40754	4	1	01	1	2	1	59275
1	079/00	00	NB	148.810	0.040	148.850	0	2	1	1	11	7	98	11	48	48	40	2016	40754	4	1	01	1	2	1	59275
1	079/00	00	NB	148.850	0.200	149.050	0	2	1	1	11	7	98	11	24	36	40	2016	40754	4	1	01	1	2	1	59275
1	079/00	00	NB	149.050	0.240	149.290	0	2	1	1	11	7	98	11	36	48	40	2016	40754	6	1	01	1	2	1	59275
1	079/00	00	NB	149.290	0.030	149.320	0	2	1	1	11	7	98	12	53	53	40	2016	40754	6	1	01	1	2	1	59275
1	079/00	00	NB	149.320	0.060	149.380	0	2	1	1	11	7	98	12	42	53	40	2016	40754	6	1	01	1	2	1	59275
1	079/00	00	NB	149.380	0.300	149.680	0	2	1	1	11	7	81	12	53	53	12	2016	40754	6	1	01	1	2	1	59275
1	079/00	00	NB	149.680	1.060	150.740	0	2	1	1	11	7	81	12	36	48	40	2016	40754	5	1	01	1	2	1	59275
1	079/00	00	NB	150.740	0.330	151.070	0	2	1	1	11	7	76	11	24	36	40	2016	40754	4	1	01	1	2	1	59275
1	079/00	00	NB	151.070	1.250	152.320	0	2	1	1	11	7	81	11	36	48	40	2016	40754	5	1	01	1	2	1	59275
1	079/00	00	NB	152.320	0.210	152.530	0	2	1	1	11	7	05	11	80	80	40	2016	38937	5	1	01	1	2	1	59275
1	079/00	00	NB	152.530	0.090	152.620	0	2	1	1	11	7	81	12	80	80	40	2016	38937	5	1	01	1	2	1	59275
1	079/00	00	NB	152.620	0.300	152.920	0	2	1	1	11	7	76	11	24	36	40	2016	38937	4	1	01	1	2	1	59275
1	079/00	00	NB	152.920	0.252	153.172	0	2	1	1	11	7	76	11	24	36	40	2016	34272	4	1	01	1	2	1	59275
1	079/00	00	NB	153.172	1.680	154.852	1	2	1	1	11	7	76	11	24	36	40	2016	34272	4	1	01	1	2	1	59275
1	079/00	00	NB	154.852	0.018	154.870	0	2	1	1	11	7	76	11	24	36	40	2016	34272	4	1	01	1	2	1	59275
1	079/00	00	NB	154.870	0.040	154.910	0	2	1	1	11	7	76	11	50	50	40	2016	34272	4	1	01	1	2	1	59275
1	079/00	00	NB	154.910	1.060	155.970	0	2	1	1	11	7	81	11	24	36	40	2016	34272	4	1	01	1	2	1	59275
1	079/00	00	NB	155.970	0.090	156.060	0	2	1	1	11	7	76	11	45	45	40	2016	34272	4	1	01	1	2	1	59275
1	079/00	00	NB	156.060	0.923	156.983	0	2	1	1	11	7	76	11	24	36	40	2016	34272	4	1	01	1	2	1	59275
1	079/00	00	NB	156.983	0.017	157.000	0	0	1	1	1	7	76	11	24	36	40	2016	34272	4	1	01	1	2	1	99999
1	079/00	00	NB	157.000	1.270	158.270	0	0	1	1	1	7	76	11	24	36	40	2016	25135	4	1	01	1	2	1	99999
1	079/00	00	NB	158.270	0.040	158.310	0	0	1	1	1	7	76	11	44	44	40	2016	25135	4	1	01	1	2	1	99999
1	079/00	00	NB	158.310	1.690	160.000	0	0	1	1	1	7	76	11	24	36	40	2016	25135	4	1	01	1	2	1	99999
1	079/00	00	NB	160.000	0.070	160.070	0	0	1	1	1	7	76	11	44	44	40	2016	25135	4	1	01	1	2	1	99999
1	079/00	00	NB	160.070	0.450	160.520	0	0	1	1	1	7	76	11	24	36	40	2016	25135	4	1	01	1	2	1	99999

2016 ROAD INVENTORY LOG - INTERSTATES

WVDOT - HIGHWAYS
PLANNING DIVISION

MONONGALIA COUNTY - (31)

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	LENGTH	END MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	URB CODE
------	-------	-------------	----------------	-----------	--------	-----------	-----	-----	-----	-----------	-------------	-------------	--------------	--------------	--------------	----------------	--------------	------------	------	-------	--------------	-------------	-----------	-------------	-------------

ROUTE TOTAL: 18.150

Monongalia County TOTAL for the PRIMARY DIRECTION: 35.680

2016 ROAD INVENTORY LOG - INTERSTATES

WVDOT - HIGHWAYS
PLANNING DIVISION

OHIO COUNTY - (35)

SIGN	ROUTE	SUPP	DIRECT	BEG	END		WV			NAT	ACC	YEAR	SURF	PAV	GRADE	MED	AADT	LANES	REV	SPEC	TRK	FAC	URB			
		DSG	SURV	MP	LENGTH	MP	MUN	URB	FAS	FUN	FUNC	CONT	CHNG	TYPE	WIDTH	WIDTH	WIDTH		YR	LANES	SYS	RT	TYPE	CODE		
1	070/00	00	EB	0.000	0.006	0.006	0	2	1	1	11	7	76	12	30	30	4	2016	33431	4	1	01	1	2	1	94726
1	070/00	00	EB	0.006	0.074	0.080	5	2	1	1	11	7	76	12	30	30	4	2016	33431	4	1	01	1	2	1	94726
1	070/00	00	EB	0.080	0.410	0.490	5	2	1	1	11	7	76	12	24	24	4	2016	33431	4	1	01	1	2	1	94726
1	070/00	00	EB	0.490	0.200	0.690	5	2	1	1	11	7	76	12	26	26	4	2016	36850	4	1	01	1	2	1	94726
1	070/00	00	EB	0.690	0.040	0.730	5	2	1	1	11	7	76	12	24	24	4	2016	36850	4	1	01	1	2	1	94726
1	070/00	00	EB	0.730	0.050	0.780	5	2	1	1	11	7	76	12	26	26	4	2016	36850	4	1	01	1	2	1	94726
1	070/00	00	EB	0.780	0.070	0.850	5	2	1	1	11	7	95	12	24	24	52	2016	36850	4	1	01	1	2	1	94726
1	070/00	00	EB	0.850	0.290	1.140	5	2	1	1	11	7	95	12	24	24	56	2016	36850	4	1	01	1	2	1	94726
1	070/00	00	EB	1.140	0.090	1.230	5	2	1	1	11	7	95	11	24	24	56	2016	36850	4	1	01	1	2	1	94726
1	070/00	00	EB	1.230	0.210	1.440	5	2	1	1	11	7	95	11	30	30	56	2016	36850	4	1	01	1	2	1	94726
1	070/00	00	EB	1.440	0.090	1.530	5	2	1	1	11	7	95	11	24	34	56	2016	36735	4	1	01	1	2	1	94726
1	070/00	00	EB	1.530	0.240	1.770	5	2	1	1	11	7	97	11	30	30	56	2016	36735	4	1	01	1	2	1	94726
1	070/00	00	EB	1.770	0.150	1.920	5	2	1	1	11	7	95	11	24	34	56	2016	36735	4	1	01	1	2	1	94726
1	070/00	00	EB	1.920	0.080	2.000	5	2	1	1	11	7	95	11	30	30	56	2016	38855	4	1	01	1	2	1	94726
1	070/00	00	EB	2.000	0.170	2.170	5	2	1	1	11	7	95	11	24	34	56	2016	38855	4	1	01	1	2	1	94726
1	070/00	00	EB	2.170	0.020	2.190	5	2	1	1	11	7	95	11	53	53	56	2016	38855	4	1	01	1	2	1	94726
1	070/00	00	EB	2.190	0.240	2.430	5	2	1	1	11	7	76	11	36	46	56	2016	38855	6	1	01	1	2	1	94726
1	070/00	00	EB	2.430	0.220	2.650	5	2	1	1	11	7	76	11	36	46	56	2016	30165	6	1	01	1	2	1	94726
1	070/00	00	EB	2.650	0.860	3.510	5	2	1	1	11	7	90	11	36	46	56	2016	30165	6	1	01	1	2	1	94726
1	070/00	00	EB	3.510	0.060	3.570	5	2	1	1	11	7	90	11	49	49	56	2016	30165	6	1	01	1	2	1	94726
1	070/00	00	EB	3.570	1.130	4.700	5	2	1	1	11	7	90	11	36	46	56	2016	30165	6	1	01	1	2	1	94726
1	070/00	00	EB	4.700	0.120	4.820	5	2	1	1	11	7	76	11	24	24	56	2016	37255	4	1	01	1	2	1	94726
1	070/00	00	EB	4.820	0.410	5.230	5	2	1	1	11	7	87	11	24	36	16	2016	37255	4	1	01	1	2	1	94726
1	070/00	00	EB	5.230	0.140	5.370	5	2	1	1	11	7	87	11	36	36	56	2016	37255	4	1	01	1	2	1	94726
1	070/00	00	EB	5.370	0.360	5.730	5	2	1	1	11	7	87	11	24	34	40	2016	50051	4	1	01	1	2	1	94726
1	070/00	00	EB	5.730	0.200	5.930	5	2	1	1	11	7	87	11	24	34	56	2016	50051	4	1	01	1	2	1	94726
1	070/00	00	EB	5.930	0.185	6.115	5	2	1	1	11	7	87	11	24	34	60	2016	50051	4	1	01	1	2	1	94726
1	070/00	00	EB	6.115	0.625	6.740	0	2	1	1	11	7	87	11	24	34	60	2016	50051	4	1	01	1	2	1	94726
1	070/00	00	EB	6.740	0.030	6.770	0	2	1	1	11	7	87	11	37	37	60	2016	50051	4	1	01	1	2	1	94726
1	070/00	00	EB	6.770	0.050	6.820	1	2	1	1	11	7	87	11	37	37	60	2016	50051	4	1	01	1	2	1	94726
1	070/00	00	EB	6.820	0.080	6.900	1	2	1	1	11	7	87	11	24	34	60	2016	50051	4	1	01	1	2	1	94726
1	070/00	00	EB	6.900	1.117	8.017	1	2	1	1	11	7	87	11	24	34	60	2016	50051	4	1	01	1	2	1	94726
1	070/00	00	EB	8.017	0.053	8.070	0	2	1	1	11	7	87	11	24	34	60	2016	50051	4	1	01	1	2	1	94726
1	070/00	00	EB	8.070	2.680	10.750	0	2	1	1	11	7	87	11	24	34	60	2016	43965	4	1	01	1	2	1	94726
1	070/00	00	EB	10.750	0.310	11.060	0	2	1	1	11	7	00	11	24	34	60	2016	40513	4	1	01	1	2	1	94726
1	070/00	00	EB	11.060	0.030	11.090	0	2	1	1	11	7	00	11	30	30	60	2016	40019	4	1	01	1	2	1	94726
1	070/00	00	EB	11.090	0.671	11.761	0	2	1	1	11	7	00	11	24	34	60	2016	40019	4	1	01	1	2	1	94726
1	070/00	00	EB	11.761	0.929	12.690	0	0	1	1	1	7	00	11	24	34	60	2016	40019	4	1	01	1	2	1	99999
1	070/00	00	EB	12.690	0.020	12.710	0	0	1	1	1	7	00	11	37	37	60	2016	40019	4	1	01	1	2	1	99999

2016 ROAD INVENTORY LOG - INTERSTATES

WVDOT - HIGHWAYS
PLANNING DIVISION

OHIO COUNTY - (35)

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	LENGTH	END MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	URB CODE				
1	070/00	00	EB	12.710	1.740	14.450	0	0	1	1	1	7	00	11	24	34	60	2016	40019	4	1	01	1	2	1	99999			
ROUTE TOTAL:				14.450																									
1	470/00	00	EB	0.000	0.790	0.790	5	2	1	1	11	7	83	12	42	42	16	2016	43804	4	1	01	1	2	1	94726			
1	470/00	00	EB	0.790	0.141	0.931	5	2	1	1	11	7	97	11	42	42	16	2016	43804	4	1	01	1	2	1	94726			
1	470/00	00	EB	0.931	0.049	0.980	0	2	1	1	11	7	97	11	42	42	16	2016	43804	4	1	01	1	2	1	94726			
1	470/00	00	EB	0.980	0.010	0.990	0	2	1	1	11	7	97	11	42	42	16	2016	36324	4	1	01	1	2	1	94726			
1	470/00	00	EB	0.990	0.376	1.366	0	2	1	1	11	7	97	11	30	38	16	2016	36324	4	1	01	1	2	1	94726			
1	470/00	00	EB	1.366	0.704	2.070	1	2	1	1	11	7	97	11	30	38	16	2016	36324	4	1	01	1	2	1	94726			
1	470/00	00	EB	2.070	0.180	2.250	1	2	1	1	11	7	97	11	36	40	16	2016	36324	4	1	01	1	2	1	94726			
1	470/00	00	EB	2.250	0.746	2.996	1	2	1	1	11	7	97	11	30	36	16	2016	22667	4	1	01	1	2	1	94726			
1	470/00	00	EB	2.996	0.534	3.530	5	2	1	1	11	7	97	11	30	36	16	2016	22667	4	1	01	1	2	1	94726			
1	470/00	00	EB	3.530	0.090	3.620	5	2	1	1	11	7	97	11	24	34	16	2016	22667	4	1	01	1	2	1	94726			
1	470/00	00	EB	3.620	0.240	3.860	5	2	1	1	11	7	83	12	38	38	16	2016	22667	4	1	01	1	2	1	94726			
1	470/00	00	EB	3.860	0.080	3.940	5	2	1	1	11	7	83	12	24	33	16	2016	22667	4	1	01	1	2	1	94726			
ROUTE TOTAL:				3.940																									

Ohio County TOTAL for the PRIMARY DIRECTION: 18.390

2016 ROAD INVENTORY LOG - INTERSTATES

WVDOT - HIGHWAYS
PLANNING DIVISION

PRESTON COUNTY - (39)

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	LENGTH	END MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	URB CODE	
1	068/00	00	EB	14.660	0.650	15.310	0	0	1	1	1	7	94	11	24	40	40	2016	13017	4	1	01	1	2	1	99999
1	068/00	00	EB	15.310	2.730	18.040	0	0	1	1	1	7	94	11	30	43	40	2016	13017	4	1	01	1	2	1	99999
1	068/00	00	EB	18.040	0.080	18.120	0	0	1	1	1	7	94	11	36	36	40	2016	13017	4	1	01	1	2	1	99999
1	068/00	00	EB	18.120	4.760	22.880	0	0	1	1	1	7	94	11	24	40	40	2016	13184	4	1	01	1	2	1	99999
1	068/00	00	EB	22.880	0.030	22.910	0	0	1	1	1	7	94	11	36	36	40	2016	13184	4	1	01	1	2	1	99999
1	068/00	00	EB	22.910	0.430	23.340	0	0	1	1	1	7	94	11	24	40	40	2016	13184	4	1	01	1	2	1	99999
1	068/00	00	EB	23.340	0.960	24.300	0	0	1	1	1	7	94	11	24	40	40	2016	15041	5	1	01	1	2	1	99999
1	068/00	00	EB	24.300	2.450	26.750	0	0	1	1	1	7	94	12	24	40	40	2016	15041	4	1	01	1	2	1	99999
1	068/00	00	EB	26.750	1.890	28.640	0	0	1	1	1	7	94	12	24	40	40	2016	15041	4	1	01	1	2	1	99999
1	068/00	00	EB	28.640	0.590	29.230	0	0	1	1	1	7	94	12	24	40	40	2016	13331	4	1	01	1	2	1	99999
1	068/00	00	EB	29.230	2.010	31.240	0	0	1	1	1	7	07	11	30	42	40	2016	13331	5	1	01	1	2	1	99999
1	068/00	00	EB	31.240	0.180	31.420	0	0	1	1	1	7	07	11	36	44	40	2016	13331	6	1	01	1	2	1	99999
1	068/00	00	EB	31.420	0.640	32.060	0	0	1	1	1	7	07	11	30	42	40	2016	13331	5	1	01	1	2	1	99999

ROUTE TOTAL: 17.400

Preston County TOTAL for the PRIMARY DIRECTION: 17.400

2016 ROAD INVENTORY LOG - INTERSTATES

WVDOT - HIGHWAYS
PLANNING DIVISION

PUTNAM COUNTY - (40)

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	LENGTH	END MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	URB CODE	
1	064/00	00	EB	31.770	0.189	31.959	0	2	1	1	11	7	85	11	24	34	40	2016	38212	4	1	01	1	2	1	40753
1	064/00	00	EB	31.959	0.611	32.570	3	2	1	1	11	7	85	11	24	34	40	2016	38212	4	1	01	1	2	1	40753
1	064/00	00	EB	32.570	0.560	33.130	3	2	1	1	11	7	94	11	24	34	40	2016	38212	4	1	01	1	2	1	40753
1	064/00	00	EB	33.130	0.020	33.150	3	2	1	1	11	7	85	11	30	30	40	2016	38212	4	1	01	1	2	1	40753
1	064/00	00	EB	33.150	0.300	33.450	3	2	1	1	11	7	12	11	24	34	40	2016	38212	4	1	01	1	2	1	40753
1	064/00	00	EB	33.450	0.400	33.850	3	2	1	1	11	7	12	11	24	34	40	2016	38212	4	1	01	1	2	1	40753
1	064/00	00	EB	33.850	0.569	34.419	3	2	1	1	11	7	85	11	24	34	40	2016	38212	4	1	01	1	2	1	40753
1	064/00	00	EB	34.419	0.031	34.450	0	2	1	1	11	7	85	11	24	34	40	2016	38212	4	1	01	1	2	1	40753
1	064/00	00	EB	34.450	0.160	34.610	0	2	1	1	11	7	94	11	24	34	40	2016	36510	4	1	01	1	2	1	40753
1	064/00	00	EB	34.610	0.020	34.630	0	2	1	1	11	7	85	11	37	37	40	2016	36510	4	1	01	1	2	1	40753
1	064/00	00	EB	34.630	0.170	34.800	0	2	1	1	11	7	85	11	24	34	40	2016	36510	4	1	01	1	2	1	40753
1	064/00	00	EB	34.800	1.440	36.240	3	2	1	1	11	7	85	11	24	34	40	2016	36510	4	1	01	1	2	1	40753
1	064/00	00	EB	36.240	0.030	36.270	3	2	1	1	11	7	85	11	37	37	40	2016	36510	4	1	01	1	2	1	40753
1	064/00	00	EB	36.270	0.326	36.596	3	2	1	1	11	7	85	11	24	34	10	2016	36821	5	1	01	1	2	1	40753
1	064/00	00	EB	36.596	2.084	38.680	0	2	1	1	11	7	85	11	24	34	10	2016	36821	5	1	01	1	2	1	40753
1	064/00	00	EB	38.680	0.900	39.580	0	2	1	1	11	7	85	11	24	34	10	2016	44518	5	1	01	1	2	1	40753
1	064/00	00	EB	39.580	0.880	40.460	0	2	1	1	11	7	87	11	24	34	10	2016	44518	4	1	01	1	2	1	40753
1	064/00	00	EB	40.460	1.050	41.510	0	2	1	1	11	7	87	11	24	34	10	2016	59509	4	1	01	1	2	1	40753
1	064/00	00	EB	41.510	0.036	41.546	0	2	1	1	11	7	80	11	30	30	10	2016	59509	4	1	01	1	2	1	40753
1	064/00	00	EB	41.546	0.014	41.560	0	0	1	1	1	7	80	11	30	30	10	2016	59509	4	1	01	1	2	1	99999
1	064/00	00	EB	41.560	0.100	41.660	0	0	1	1	1	7	75	11	24	34	10	2016	59509	4	1	01	1	2	1	99999
1	064/00	00	EB	41.660	0.200	41.860	0	0	1	1	1	7	07	11	24	34	40	2016	59594	4	1	01	1	2	1	99999
1	064/00	00	EB	41.860	0.030	41.890	0	0	1	1	1	7	80	11	30	30	40	2016	59594	4	1	01	1	2	1	99999
1	064/00	00	EB	41.890	0.820	42.710	0	0	1	1	1	7	75	12	24	34	40	2016	59594	4	1	01	1	2	1	99999
1	064/00	00	EB	42.710	0.070	42.780	0	0	1	1	1	7	94	11	24	34	40	2016	59594	4	1	01	1	2	1	99999
1	064/00	00	EB	42.780	0.003	42.783	0	0	1	1	1	7	83	11	24	34	7	2016	60913	4	1	01	1	2	1	99999
1	064/00	00	EB	42.783	0.717	43.500	0	2	1	1	11	7	83	11	24	34	7	2016	60913	4	1	01	1	2	1	15481
1	064/00	00	EB	43.500	0.263	43.763	0	2	1	1	11	7	83	11	24	34	7	2016	60913	4	1	01	1	2	1	15481
1	064/00	00	EB	43.763	0.007	43.770	3	2	1	1	11	7	83	11	24	34	7	2016	60913	4	1	01	1	2	1	15481
1	064/00	00	EB	43.770	0.010	43.780	3	2	1	1	11	7	83	11	24	34	7	2016	64677	4	1	01	1	2	1	15481
1	064/00	00	EB	43.780	0.260	44.040	3	2	1	1	11	7	83	11	29	29	6	2016	64677	4	1	01	1	2	1	15481
1	064/00	00	EB	44.040	0.430	44.470	3	2	1	1	11	7	83	11	24	34	6	2016	64677	4	1	01	1	2	1	15481
1	064/00	00	EB	44.470	0.060	44.530	3	2	1	1	11	7	84	11	41	41	6	2016	59890	4	1	01	1	2	1	15481
1	064/00	00	EB	44.530	0.190	44.720	3	2	1	1	11	7	83	11	24	34	6	2016	59890	4	1	01	1	2	1	15481
1	064/00	00	EB	44.720	0.360	45.080	3	2	1	1	11	7	01	11	24	34	6	2016	59890	6	1	01	1	2	1	15481
1	064/00	00	EB	45.080	0.060	45.140	3	2	1	1	11	7	83	11	24	34	6	2016	59890	6	1	01	1	2	1	15481
1	064/00	00	EB	45.140	0.250	45.390	3	2	1	1	11	7	76	11	24	34	6	2016	59890	6	1	01	1	2	1	15481

ROUTE TOTAL: 13.620

2016 ROAD INVENTORY LOG - INTERSTATES

Putnam County TOTAL for the PRIMARY DIRECTION:

13.620

2016 ROAD INVENTORY LOG - INTERSTATES

WVDOT - HIGHWAYS
PLANNING DIVISION

RALEIGH COUNTY - (41)

SIGN	ROUTE	SUPP	DIRECT	BEG	END		WV				NAT	ACC	YEAR	SURF	PAV	GRADE	MED	AADT	LANES	REV	SPEC	TRK	FAC	URB							
		DSG	SURV	MP	LENGTH	MP	MUN	URB	FAS	FUN	FUNC	CONT	CHNG	TYPE	WIDTH	WIDTH	WIDTH	YR		AADT	LANES	SYS	RT		TYPE	CODE					
1	064/00	00	EB	117.930	0.600	118.530	0	2	1	1	11	7	01	12	36	45	34	2016	11470	6	1	01	1	1	1	06139					
1	064/00	00	EB	118.530	0.390	118.920	0	2	1	1	11	7	01	12	36	51	34	2016	11470	3	1	01	1	1	1	06139					
1	064/00	00	EB	118.920	1.300	120.220	0	2	1	1	11	7	01	12	36	46	34	2016	11470	5	1	01	1	2	1	06139					
1	064/00	00	EB	120.220	0.340	120.560	0	2	1	1	11	7	01	12	36	44	34	2016	11470	6	1	01	1	2	1	06139					
1	064/00	00	EB	120.560	0.130	120.690	0	2	1	1	11	7	01	12	24	34	34	2016	11470	5	1	01	1	2	1	06139					
1	064/00	00	EB	120.690	1.930	122.620	0	2	1	1	11	7	01	12	24	34	34	2016	11470	4	1	01	1	2	1	06139					
1	064/00	00	EB	122.620	0.090	122.710	0	2	1	1	11	7	01	12	36	44	34	2016	11470	6	1	01	1	2	1	06139					
1	064/00	00	EB	122.710	0.470	123.180	0	2	1	1	11	7	01	12	34	64	34	2016	11470	5	1	01	1	2	1	06139					
1	064/00	00	EB	123.180	0.110	123.290	0	2	1	1	11	7	01	12	48	56	34	2016	14807	7	1	01	1	2	1	06139					
1	064/00	00	EB	123.290	0.190	123.480	0	2	1	1	11	7	01	12	36	44	34	2016	14807	7	1	01	1	2	1	06139					
1	064/00	00	EB	123.480	0.150	123.630	0	2	1	1	11	7	01	12	36	44	34	2016	14807	6	1	01	1	2	1	06139					
1	064/00	00	EB	123.630	0.330	123.960	0	2	1	1	11	7	01	12	36	44	34	2016	18871	6	1	01	1	2	1	06139					
1	064/00	00	EB	123.960	0.510	124.470	0	2	1	1	11	7	01	12	36	46	34	2016	18871	6	1	01	1	2	1	06139					
1	064/00	00	EB	124.470	0.190	124.660	0	2	1	1	11	7	01	12	36	46	34	2016	18850	6	1	01	1	2	1	06139					
1	064/00	00	EB	124.660	1.990	126.650	0	2	1	1	11	7	01	12	24	34	34	2016	18850	5	1	01	1	2	1	06139					
1	064/00	00	EB	126.650	0.930	127.580	0	2	1	1	11	7	01	12	24	34	34	2016	14207	5	1	01	1	2	1	06139					
1	064/00	00	EB	127.580	0.858	128.438	0	2	1	1	11	7	01	12	24	34	34	2016	14207	5	1	01	1	2	1	06139					
1	064/00	00	EB	128.438	0.472	128.910	0	0	1	1	1	7	01	12	24	34	34	2016	14207	5	1	01	1	2	1	99999					
1	064/00	00	EB	128.910	0.580	129.490	0	0	1	1	1	7	01	12	24	34	34	2016	12543	5	1	01	1	2	1	99999					
1	064/00	00	EB	129.490	0.650	130.140	0	0	1	1	1	7	01	12	24	34	34	2016	12543	4	1	01	1	2	1	99999					
1	064/00	00	EB	130.140	1.860	132.000	0	0	1	1	1	7	01	12	24	49	34	2016	12543	4	1	01	1	2	1	99999					
1	064/00	00	EB	132.000	0.530	132.530	0	0	1	1	1	7	01	12	24	49	34	2016	12177	4	1	01	1	2	1	99999					
1	064/00	00	EB	132.530	0.310	132.840	0	0	1	1	1	7	01	12	36	51	34	2016	12177	5	1	01	1	2	1	99999					
1	064/00	00	EB	132.840	4.640	137.480	0	0	1	1	1	7	01	12	36	51	34	2016	11561	5	1	01	1	2	1	99999					
1	064/00	00	EB	137.480	0.530	138.010	0	0	1	1	1	7	01	12	24	41	34	2016	11561	4	1	01	1	2	1	99999					
ROUTE TOTAL:				20.080																											
1	064/00	07	WB	0.000	0.450	0.450	0	2	1	1	11	7	01	12	24	39	0	2016	6731	2	1	01	1	1	1	06139					
ROUTE TOTAL:				0.450																											
1	064/00	17	WB	0.000	0.470	0.470	0	2	1	1	11	7	01	12	12	15	99	2016	1052	2	1	01	1	4	1	06139					
1	064/00	17	WB	0.470	0.350	0.820	0	2	1	1	11	7	01	12	36	46	4	2016	1052	2	1	01	1	4	1	06139					
ROUTE TOTAL:				0.820																											
1	077/00	04	NB	0.000	0.430	0.430	0	2	1	1	11	7	01	12	24	41	0	2016	1042	4	1	01	1	1	1	06139					
ROUTE TOTAL:				0.430																											
1	077/00	16	NB	27.260	0.150	27.410	0	0	1	1	1	7	01	11	36	46	40	2016	30935	6	1	01	1	2	1	99999					
1	077/00	16	NB	27.410	0.290	27.700	0	0	1	1	1	7	01	11	24	34	40	2016	30935	5	1	01	1	2	1	99999					
1	077/00	16	NB	27.700	0.280	27.980	0	0	1	1	1	7	01	11	24	34	64	2016	30935	5	1	01	1	2	1	99999					
1	077/00	16	NB	27.980	0.400	28.380	0	0	1	1	1	7	01	11	24	34	40	2016	30935	4	1	01	1	2	1	99999					
1	077/00	16	NB	28.380	0.550	28.930	0	0	1	1	1	7	01	11	24	34	64	2016	30935	4	1	01	1	2	1	99999					
1	077/00	16	NB	28.930	0.030	28.960	0	0	1	1	1	7	01	11	24	34	99	2016	30935	4	1	01	1	2	1	99999					

2016 ROAD INVENTORY LOG - INTERSTATES

WVDOT - HIGHWAYS
PLANNING DIVISION

RALEIGH COUNTY - (41)

SIGN	ROUTE	SUPP	DIRECT	BEG	END		WV				NAT	ACC	YEAR	SURF	PAV	GRADE	MED	AADT	LANES	REV	SPEC	TRK	FAC	URB		
		DSG	SURV	MP	LENGTH	MP	MUN	URB	FAS	FUN	FUNC	CONT	CHNG	TYPE	WIDTH	WIDTH	WIDTH	YR		AADT	LANES	SYS	RT		TYPE	CODE
1	077/00	16	NB	28.960	0.009	28.969	0	0	1	1	1	7	01	11	24	34	99	2016	30763	4	1	01	1	2	1	99999
1	077/00	16	NB	28.969	0.931	29.900	0	2	1	1	11	7	01	11	24	34	99	2016	30763	4	1	01	1	2	1	06139
1	077/00	16	NB	29.900	0.360	30.260	0	2	1	1	11	7	01	12	24	34	40	2016	30763	4	1	01	1	2	1	06139
1	077/00	16	NB	30.260	0.660	30.920	0	2	1	1	11	7	01	11	24	34	40	2016	30763	4	1	01	1	2	1	06139
1	077/00	16	NB	30.920	2.190	33.110	0	2	1	1	11	7	01	11	24	34	40	2016	30763	5	1	01	1	2	1	06139
1	077/00	16	NB	33.110	0.570	33.680	0	2	1	1	11	7	01	11	24	34	40	2016	30763	4	1	01	1	2	1	06139
1	077/00	16	NB	33.680	1.530	35.210	0	2	1	1	11	7	01	11	24	34	40	2016	30763	5	1	01	1	2	1	06139
1	077/00	16	NB	35.210	0.310	35.520	0	2	1	1	11	7	10	11	24	34	40	2016	30763	4	1	01	1	2	1	06139
1	077/00	16	NB	35.520	0.230	35.750	0	2	1	1	11	7	11	11	24	34	40	2016	30763	4	1	01	1	2	1	06139
1	077/00	16	NB	35.750	1.780	37.530	0	2	1	1	11	7	10	11	24	34	40	2016	30763	4	1	01	1	2	1	06139
1	077/00	16	NB	37.530	0.290	37.820	0	2	1	1	11	7	10	11	24	34	99	2016	30763	4	1	01	1	2	1	06139
1	077/00	16	NB	37.820	0.730	38.550	0	2	1	1	11	7	10	11	36	46	99	2016	30763	5	1	01	1	2	1	06139
1	077/00	16	NB	38.550	0.460	39.010	0	2	1	1	11	7	10	11	36	46	40	2016	30763	6	1	01	1	2	1	06139
1	077/00	16	NB	39.010	0.370	39.380	0	2	1	1	11	7	10	11	36	46	99	2016	30763	6	1	01	1	2	1	06139
1	077/00	16	NB	39.380	0.400	39.780	0	2	1	1	11	7	10	11	36	46	99	2016	30763	5	1	01	1	2	1	06139
1	077/00	16	NB	39.780	0.750	40.530	0	2	1	1	11	7	10	11	36	46	99	2016	31688	5	1	01	1	2	1	06139
1	077/00	16	NB	40.530	0.070	40.600	0	2	1	1	11	7	10	11	24	37	99	2016	31688	4	1	01	1	2	1	06139
1	077/00	16	NB	40.600	0.180	40.780	0	2	1	1	11	7	10	11	24	37	99	2016	41603	4	1	01	1	2	1	06139
1	077/00	16	NB	40.780	0.720	41.500	0	2	1	1	11	7	10	11	24	36	99	2016	41603	4	1	01	1	2	1	06139
1	077/00	16	NB	41.500	0.180	41.680	0	2	1	1	11	7	01	11	24	36	99	2016	41603	4	1	01	1	2	1	06139
1	077/00	16	NB	41.680	0.501	42.181	0	2	1	1	11	7	01	11	24	36	99	2016	41603	4	1	01	1	2	1	06139
1	077/00	16	NB	42.181	0.034	42.215	4	2	1	1	11	7	01	11	24	36	99	2016	41603	4	1	01	1	2	1	06139
1	077/00	16	NB	42.215	0.095	42.310	0	2	1	1	11	7	01	11	24	36	99	2016	41603	4	1	01	1	2	1	06139
1	077/00	16	NB	42.310	0.263	42.573	0	2	1	1	11	7	01	11	24	36	99	2016	42052	4	1	01	1	2	1	06139
1	077/00	16	NB	42.573	0.027	42.600	1	2	1	1	11	7	01	11	24	36	99	2016	42052	4	1	01	1	2	1	06139
1	077/00	16	NB	42.600	0.530	43.130	1	2	1	1	11	7	01	11	24	36	64	2016	42052	4	1	01	1	2	1	06139
1	077/00	16	NB	43.130	0.134	43.264	1	2	1	1	11	7	01	11	24	36	64	2016	44919	4	1	01	1	2	1	06139
1	077/00	16	NB	43.264	0.476	43.740	0	2	1	1	11	7	01	11	24	36	64	2016	44919	4	1	01	1	2	1	06139
1	077/00	16	NB	43.740	0.800	44.540	0	2	1	1	11	7	10	11	24	34	64	2016	44919	4	1	01	1	2	1	06139
1	077/00	16	NB	44.540	0.106	44.646	0	2	1	1	11	7	10	11	24	34	64	2016	50441	4	1	01	1	2	1	06139
1	077/00	16	NB	44.646	0.063	44.709	4	2	1	1	11	7	10	11	24	34	64	2016	50441	4	1	01	1	2	1	06139
1	077/00	16	NB	44.709	0.362	45.071	0	2	1	1	11	7	10	11	24	34	64	2016	50441	4	1	01	1	2	1	06139
1	077/00	16	NB	45.071	0.089	45.160	4	2	1	1	11	7	10	11	24	34	64	2016	50441	4	1	01	1	2	1	06139
1	077/00	16	NB	45.160	0.470	45.630	4	2	1	1	11	7	10	11	24	34	40	2016	50441	4	1	01	1	2	1	06139
1	077/00	16	NB	45.630	0.010	45.640	4	2	1	1	11	7	10	11	24	34	40	2016	51898	4	1	01	1	2	1	06139
1	077/00	16	NB	45.640	0.519	46.159	4	2	1	1	11	7	10	11	36	46	40	2016	51898	5	1	01	1	2	1	06139
1	077/00	16	NB	46.159	0.171	46.330	0	2	1	1	11	7	10	11	36	46	40	2016	51898	5	1	01	1	2	1	06139
1	077/00	16	NB	46.330	0.560	46.890	0	2	1	1	11	7	10	11	24	34	64	2016	51898	5	1	01	1	2	1	06139
1	077/00	16	NB	46.890	0.720	47.610	0	2	1	1	11	7	10	11	24	34	64	2016	53719	5	1	01	1	2	1	06139

2016 ROAD INVENTORY LOG - INTERSTATES

WVDOT - HIGHWAYS

PLANNING DIVISION

RALEIGH COUNTY - (41)

Page 35 of 40

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	LENGTH	END MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	URB CODE	
1	077/00	16	NB	47.610	0.440	48.050	0	2	1	1	11	7	01	11	24	34	64	2016	53719	5	1	01	1	2	1	06139
1	077/00	16	NB	48.050	0.290	48.340	0	2	1	1	11	7	01	11	24	34	99	2016	32509	5	1	01	1	2	1	06139
1	077/00	16	NB	48.340	0.150	48.490	0	0	1	1	1	7	01	11	24	34	99	2016	32509	5	1	01	1	2	1	99999
1	077/00	16	NB	48.490	1.510	50.000	0	0	1	1	1	7	01	11	24	34	99	2016	32509	5	1	01	1	2	1	99999
1	077/00	16	NB	50.000	2.580	52.580	0	0	1	1	1	7	01	11	24	34	99	2016	32509	4	1	01	1	2	1	99999

ROUTE TOTAL: 25.320

Raleigh County TOTAL for the PRIMARY DIRECTION: 47.100

2016 ROAD INVENTORY LOG - INTERSTATES

WVDOT - HIGHWAYS
PLANNING DIVISION

ROANE COUNTY - (44)

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	LENGTH	END MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	URB CODE	
1	079/00	00	NB	21.280	1.870	23.150	0	0	1	1	1	7	98	11	24	36	40	2016	11980	4	1	01	1	2	1	99999
1	079/00	00	NB	23.150	0.030	23.180	0	0	1	1	1	7	98	11	41	41	40	2016	11980	4	1	01	1	2	1	99999
1	079/00	00	NB	23.180	2.280	25.460	0	0	1	1	1	7	97	11	24	36	40	2016	11980	4	1	01	1	2	1	99999
1	079/00	00	NB	25.460	0.030	25.490	0	0	1	1	1	7	97	11	41	41	40	2016	11980	4	1	01	1	2	1	99999
1	079/00	00	NB	25.490	0.300	25.790	0	0	1	1	1	7	98	11	24	36	40	2016	11980	4	1	01	1	2	1	99999
1	079/00	00	NB	25.790	0.090	25.880	0	0	1	1	1	7	98	11	51	51	40	2016	11046	4	1	01	1	2	1	99999
1	079/00	00	NB	25.880	3.160	29.040	0	0	1	1	1	7	98	11	44	44	40	2016	11046	4	1	01	1	2	1	99999
1	079/00	00	NB	29.040	0.090	29.130	0	0	1	1	1	7	76	12	44	44	40	2016	11046	4	1	01	1	2	1	99999
1	079/00	00	NB	29.130	0.280	29.410	0	0	1	1	1	7	76	11	24	36	40	2016	11046	4	1	01	1	2	1	99999
1	079/00	00	NB	29.410	0.070	29.480	0	0	1	1	1	7	76	11	44	44	40	2016	11046	4	1	01	1	2	1	99999
1	079/00	00	NB	29.480	4.510	33.990	0	0	1	1	1	7	94	11	24	36	40	2016	11046	4	1	01	1	2	1	99999
1	079/00	00	NB	33.990	0.060	34.050	0	0	1	1	1	7	94	11	75	75	40	2016	11628	4	1	01	1	2	1	99999
1	079/00	00	NB	34.050	1.950	36.000	0	0	1	1	1	7	10	11	24	36	40	2016	11628	4	1	01	1	2	1	99999

ROUTE TOTAL: 14.720

Roane County TOTAL for the PRIMARY DIRECTION:

14.720

2016 ROAD INVENTORY LOG - INTERSTATES

WVDOT - HIGHWAYS

PLANNING DIVISION

SUMMERS COUNTY - (45)

Page 37 of 40

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	LENGTH	END MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	URB CODE	
1	064/00	00	EB	138.010	0.370	138.380	0	0	1	1	1	7	03	12	24	34	34	2016	10248	4	1	01	1	2	1	99999
1	064/00	00	EB	138.380	4.820	143.200	0	0	1	1	1	7	03	12	24	34	34	2016	10248	4	1	01	1	2	1	99999
1	064/00	00	EB	143.200	0.550	143.750	0	0	1	1	1	7	03	12	24	34	34	2016	10248	4	1	01	1	2	1	99999
1	064/00	00	EB	143.750	3.850	147.600	0	0	1	1	1	7	03	12	36	46	34	2016	10248	5	1	01	1	2	1	99999

ROUTE TOTAL: 9.590

Summers County TOTAL for the PRIMARY DIRECTION:

9.590

2016 ROAD INVENTORY LOG - INTERSTATES

WVDOT - HIGHWAYS
PLANNING DIVISION

WAYNE COUNTY - (50)

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	LENGTH	END MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	URB CODE		
1	064/00	00	EB	0.000	0.046	0.046	0	2	1	1	11	7	03	12	30	30	40	2016	24628	4	1	01	1	2	1	40753	
1	064/00	00	EB	0.046	0.064	0.110	2	2	1	1	11	7	03	12	30	30	40	2016	24628	4	1	01	1	2	1	40753	
1	064/00	00	EB	0.110	1.140	1.250	2	2	1	1	11	7	03	11	24	34	40	2016	24628	4	1	01	1	2	1	40753	
1	064/00	00	EB	1.250	0.010	1.260	2	2	1	1	11	7	03	11	30	30	40	2016	24628	4	1	01	1	2	1	40753	
1	064/00	00	EB	1.260	0.030	1.290	1	2	1	1	11	7	03	11	30	30	40	2016	24628	4	1	01	1	2	1	40753	
1	064/00	00	EB	1.290	0.370	1.660	1	2	1	1	11	7	03	11	24	34	40	2016	28842	4	1	01	1	2	1	40753	
1	064/00	00	EB	1.660	0.090	1.750	1	2	1	1	11	7	03	11	24	34	40	2016	28842	4	1	01	1	2	1	40753	
1	064/00	00	EB	1.750	0.030	1.780	1	2	1	1	11	7	03	11	37	37	40	2016	28842	4	1	01	1	2	1	40753	
1	064/00	00	EB	1.780	0.250	2.030	1	2	1	1	11	7	03	11	24	34	40	2016	28842	4	1	01	1	2	1	40753	
1	064/00	00	EB	2.030	0.140	2.170	1	2	1	1	11	7	03	11	30	30	40	2016	28842	4	1	01	1	2	1	40753	
1	064/00	00	EB	2.170	0.010	2.180	1	2	1	1	11	7	01	11	30	30	40	2016	28842	4	1	01	1	2	1	40753	
1	064/00	00	EB	2.180	0.070	2.250	1	2	1	1	11	7	01	11	30	30	0	2016	28842	4	1	01	1	2	1	40753	
1	064/00	00	EB	2.250	0.420	2.670	1	2	1	1	11	7	01	11	24	34	40	2016	28842	4	1	01	1	2	1	40753	
1	064/00	00	EB	2.670	0.080	2.750	1	2	1	1	11	7	01	11	30	30	40	2016	28842	4	1	01	1	2	1	40753	
1	064/00	00	EB	2.750	1.196	3.946	1	2	1	1	11	7	01	11	24	34	40	2016	28842	4	1	01	1	2	1	40753	
1	064/00	00	EB	3.946	0.274	4.220	5	2	1	1	11	7	01	11	24	34	40	2016	28842	4	1	01	1	2	1	40753	
1	064/00	00	EB	4.220	0.200	4.420	5	2	1	1	11	7	01	11	24	34	40	2016	28842	4	1	01	1	2	1	40753	
1	064/00	00	EB	4.420	0.070	4.490	5	2	1	1	11	7	01	11	35	35	40	2016	28842	4	1	01	1	2	1	40753	
1	064/00	00	EB	4.490	0.800	5.290	5	2	1	1	11	7	01	11	24	34	40	2016	28842	4	1	01	1	2	1	40753	
1	064/00	00	EB	5.290	0.080	5.370	5	2	1	1	11	7	01	11	35	35	40	2016	28842	4	1	01	1	2	1	40753	
1	064/00	00	EB	5.370	0.500	5.870	5	2	1	1	11	7	01	11	24	34	40	2016	28842	4	1	01	1	2	1	40753	
ROUTE TOTAL:				5.870																							

Wayne County TOTAL for the PRIMARY DIRECTION:

5.870

2016 ROAD INVENTORY LOG - INTERSTATES

WVDOT - HIGHWAYS
PLANNING DIVISION

WOOD COUNTY - (54)

SIGN	ROUTE	SUPP	DIRECT	BEG	END		WV			NAT	ACC	YEAR	SURF	PAV	GRADE	MED	AADT	LANES	REV	SPEC	TRK	FAC	URB			
		DSG	SURV	MP	LENGTH	MP	MUN	URB	FAS	FUN	FUNC	CONT	CHNG	TYPE	WIDTH	WIDTH	WIDTH		YR	LANES	SYS	RT		TYPE	CODE	
1	077/00	00	NB	156.990	1.700	158.690	0	0	1	1	1	7	04	11	24	36	40	2016	16925	4	1	01	1	2	1	99999
1	077/00	00	NB	158.690	0.030	158.720	0	0	1	1	1	7	08	11	38	38	40	2016	16925	4	1	01	1	2	1	99999
1	077/00	00	NB	158.720	1.630	160.350	0	0	1	1	1	7	04	11	24	36	40	2016	16925	4	1	01	1	2	1	99999
1	077/00	00	NB	160.350	0.030	160.380	0	0	1	1	1	7	04	11	37	37	40	2016	16925	4	1	01	1	2	1	99999
1	077/00	00	NB	160.380	1.280	161.660	0	0	1	1	1	7	15	11	24	36	40	2016	16925	4	1	01	1	2	1	99999
1	077/00	00	NB	161.660	1.070	162.730	0	0	1	1	1	7	15	11	24	36	40	2016	13129	4	1	01	1	2	1	99999
1	077/00	00	NB	162.730	2.420	165.150	0	0	1	1	1	7	15	11	24	36	40	2016	12939	4	1	01	1	2	1	99999
1	077/00	00	NB	165.150	0.030	165.180	0	0	1	1	1	7	04	11	24	24	40	2016	12939	4	1	01	1	2	1	99999
1	077/00	00	NB	165.180	0.470	165.650	0	0	1	1	1	7	04	11	24	36	40	2016	12939	4	1	01	1	2	1	99999
1	077/00	00	NB	165.650	2.555	168.205	0	0	1	1	1	7	04	11	24	36	40	2016	12939	4	1	01	1	2	1	99999
1	077/00	00	NB	168.205	0.165	168.370	0	2	1	1	11	7	04	11	24	36	40	2016	12939	4	1	01	1	2	1	67672
1	077/00	00	NB	168.370	0.030	168.400	0	2	1	1	11	7	04	11	37	37	40	2016	18393	4	1	01	1	2	1	67672
1	077/00	00	NB	168.400	1.050	169.450	0	2	1	1	11	7	04	11	24	36	40	2016	18393	4	1	01	1	2	1	67672
1	077/00	00	NB	169.450	0.040	169.490	0	2	1	1	11	7	04	11	30	30	40	2016	18393	4	1	01	1	2	1	67672
1	077/00	00	NB	169.490	1.847	171.337	0	2	1	1	11	7	04	11	24	36	40	2016	18393	4	1	01	1	2	1	67672
1	077/00	00	NB	171.337	0.953	172.290	5	2	1	1	11	7	04	11	24	36	40	2016	18393	4	1	01	1	2	1	67672
1	077/00	00	NB	172.290	0.920	173.210	5	2	1	1	11	7	04	11	24	36	40	2016	25400	4	1	01	1	2	1	67672
1	077/00	00	NB	173.210	0.030	173.240	5	2	1	1	11	7	04	11	37	37	40	2016	25046	4	1	01	1	2	1	67672
1	077/00	00	NB	173.240	0.460	173.700	5	2	1	1	11	7	04	11	24	36	40	2016	25046	4	1	01	1	2	1	67672
1	077/00	00	NB	173.700	0.020	173.720	0	2	1	1	11	7	04	11	24	36	40	2016	25046	4	1	01	1	2	1	67672
1	077/00	00	NB	173.720	0.120	173.840	0	2	1	1	11	7	04	11	30	30	0	2016	25046	4	1	01	1	2	1	67672
1	077/00	00	NB	173.840	0.070	173.910	0	2	1	1	11	7	04	11	24	36	40	2016	25046	4	1	01	1	2	1	67672
1	077/00	00	NB	173.910	0.030	173.940	0	2	1	1	11	7	04	11	30	30	40	2016	25046	4	1	01	1	2	1	67672
1	077/00	00	NB	173.940	2.480	176.420	0	2	1	1	11	7	04	11	24	36	40	2016	23224	4	1	01	1	2	1	67672
1	077/00	00	NB	176.420	0.040	176.460	0	2	1	1	11	7	04	11	30	30	40	2016	23224	4	1	01	1	2	1	67672
1	077/00	00	NB	176.460	0.300	176.760	0	2	1	1	11	7	04	11	24	36	40	2016	28937	4	1	01	1	2	1	67672
1	077/00	00	NB	176.760	1.168	177.928	0	2	1	1	11	7	04	11	24	36	40	2016	28937	4	1	01	1	2	1	67672
1	077/00	00	NB	177.928	0.012	177.940	0	0	1	1	1	7	04	11	24	36	40	2016	28937	4	1	01	1	2	1	99999
1	077/00	00	NB	177.940	0.060	178.000	0	0	1	1	1	7	04	11	30	30	40	2016	28937	4	1	01	1	2	1	99999
1	077/00	00	NB	178.000	2.180	180.180	0	0	1	1	1	7	04	11	24	36	40	2016	29464	4	1	01	1	2	1	99999
1	077/00	00	NB	180.180	1.494	181.674	0	0	1	1	1	7	04	11	24	36	40	2016	22835	4	1	01	1	2	1	99999
1	077/00	00	NB	181.674	2.136	183.810	0	1	1	1	11	7	04	11	24	36	40	2016	22835	4	1	01	1	2	1	99998
1	077/00	00	NB	183.810	0.020	183.830	0	1	1	1	11	7	04	11	36	36	40	2016	22835	4	1	01	1	2	1	99998
1	077/00	00	NB	183.830	1.770	185.600	0	1	1	1	11	7	04	11	24	36	40	2016	22835	4	1	01	1	2	1	99998
1	077/00	00	NB	185.600	0.040	185.640	0	1	1	1	11	7	05	11	24	36	40	2016	22791	4	1	01	1	2	1	99998
1	077/00	00	NB	185.640	1.080	186.720	0	1	1	1	11	7	04	11	24	36	40	2016	22791	4	1	01	1	2	1	99998
1	077/00	00	NB	186.720	0.050	186.770	0	1	1	1	11	7	04	11	24	47	8	2016	22791	4	1	01	1	2	1	99998
1	077/00	00	NB	186.770	0.440	187.210	0	1	1	1	11	7	04	11	29	29	8	2016	22791	4	1	01	1	2	1	99998

ROUTE TOTAL: 30.220

2016 ROAD INVENTORY LOG - INTERSTATES

Wood County TOTAL for the PRIMARY DIRECTION: 30.220

STATE TOTAL for INTERSTATES (PRIMARY DIRECTION): 554.590