

## 2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS

PLANNING DIVISION

### BARBOUR COUNTY - (01)

Page 1 of 94

SIGN	ROUTE	SUPP	DIRECT	BEG	END		WV			NAT	ACC	YEAR	SURF	PAV	GRADE	MED	AADT	LANES	REV	SPEC	TRK	FAC	URB				
		DSG	SURV	MP	LENGTH	MP	MUN	URB	FAS	FUN	FUNC	CONT	CHNG	TYPE	WIDTH	WIDTH	WIDTH		YR	AADT	LANES	SYS		RT	TYPE	CODE	
2	033/00	00	EB	0.000	1.870	1.870	0	0	2	1	2	4	13	12	24	36	32	2016	9227	4	1	10	2	2	1	99999	
2	033/00	00	EB	1.870	2.240	4.110	0	0	2	1	2	4	13	12	30	42	40	2016	8930	4	1	10	2	2	1	99999	
2	033/00	00	EB	4.110	0.320	4.430	0	0	2	1	2	4	13	12	24	36	40	2016	8930	4	1	10	2	2	1	99999	
<b>ROUTE TOTAL:</b>				<b>4.430</b>																							
2	119/00	00	NB	0.000	2.280	2.280	0	0	3	3	6	1	98	11	20	30	0	2016	1081	2	1	01	4	2	0	99999	
2	119/00	00	NB	2.280	4.390	6.670	0	0	3	3	6	1	98	11	20	30	0	2016	1216	2	1	01	4	2	0	99999	
2	119/00	00	NB	6.670	0.280	6.950	0	0	3	3	6	1	01	11	20	30	0	2016	1294	2	1	01	4	2	0	99999	
2	119/00	00	NB	6.950	2.340	9.290	0	0	3	3	6	1	01	11	20	30	0	2016	1902	2	1	01	4	2	0	99999	
2	119/00	00	NB	9.290	0.073	9.363	0	0	3	3	6	1	16	11	38	50	0	2016	5063	2	1	01	2	2	0	99999	
2	119/00	00	NB	9.363	0.268	9.631	2	0	3	3	6	1	16	11	38	50	0	2016	5063	2	1	01	2	2	0	99999	
2	119/00	00	NB	9.631	0.020	9.651	0	0	3	3	6	1	16	11	38	50	0	2016	5063	2	1	01	2	2	0	99999	
2	119/00	00	NB	9.651	0.679	10.330	2	0	3	3	6	1	16	11	38	50	0	2016	5063	2	1	01	2	2	0	99999	
2	119/00	00	NB	10.330	0.140	10.470	2	0	3	3	6	1	16	11	38	50	0	2016	5432	2	1	01	2	2	0	99999	
2	119/00	00	NB	10.470	0.024	10.494	2	0	3	3	6	1	16	11	35	41	0	2016	5432	2	1	01	2	2	0	99999	
2	119/00	00	NB	10.494	0.442	10.936	2	0	3	3	6	1	16	11	35	41	0	2016	5432	2	1	01	2	2	0	99999	
2	119/00	00	NB	10.936	0.008	10.944	2	0	3	3	6	1	16	11	35	41	0	2016	5432	2	1	01	2	2	0	99999	
2	119/00	00	NB	10.944	0.556	11.500	2	0	3	3	6	1	16	11	35	41	0	2016	5432	2	1	01	2	2	0	99999	
2	119/00	00	NB	11.500	0.110	11.610	2	0	3	2	6	1	02	11	35	41	0	2016	5432	2	1	01	2	2	0	99999	
2	119/00	00	NB	11.610	0.040	11.650	2	0	3	2	6	1	02	11	35	41	0	2016	4011	2	1	01	4	2	0	99999	
2	119/00	00	NB	11.650	0.700	12.350	2	0	3	2	6	1	15	11	25	41	0	2016	4011	2	1	01	4	2	0	99999	
2	119/00	00	NB	12.350	1.125	13.475	2	0	3	2	6	1	14	11	24	24	0	2016	3309	2	1	01	4	2	0	99999	
2	119/00	00	NB	13.475	0.356	13.831	0	0	3	2	6	1	14	11	24	24	0	2016	3309	2	1	01	4	2	0	99999	
2	119/00	00	NB	13.831	0.909	14.740	0	0	3	2	6	1	14	11	24	24	0	2016	3309	2	1	01	4	2	0	99999	
2	119/00	00	NB	14.740	1.240	15.980	0	0	3	2	6	1	15	11	32	36		2016	2236	2	1	01	4	2	0	99999	
2	119/00	00	NB	15.980	1.510	17.490	0	0	3	2	6	1	15	11	27	39	0	2016	2236	2	1	01	4	2	0	99999	
2	119/00	00	NB	17.490	0.040	17.530	0	0	3	2	6	1	04	11	27	39		2016	2236	2	1	01	4	2	0	99999	
2	119/00	00	NB	17.530	1.150	18.680	0	0	3	2	6	1	04	11	27	39		2016	1877	2	1	01	4	2	0	99999	
<b>ROUTE TOTAL:</b>				<b>18.680</b>																							
2	119/00	02	00	0.000	0.050	0.050	0	0	3	3	6	1	71	11	18	26	0	2016	945	2	1	01	4	2	0	99999	
<b>ROUTE TOTAL:</b>				<b>0.050</b>																							
2	250/00	00	NB	0.000	1.025	1.025	0	0	3	2	6	1	08	11	34	34	0	2016	5245	2	1	01	2	2	0	99999	
2	250/00	00	NB	1.025	0.995	2.020	1	0	3	2	6	1	08	11	34	34	0	2016	5245	2	1	01	2	2	0	99999	
2	250/00	00	NB	2.020	0.023	2.043	1	0	3	2	6	1	10	11	28	36	0	2016	5245	2	1	01	2	2	0	99999	
2	250/00	00	NB	2.043	1.927	3.970	0	0	3	2	6	1	10	11	28	36	0	2016	5245	2	1	01	2	2	0	99999	
2	250/00	00	NB	3.970	0.057	4.027	0	0	3	2	6	1	10	11	28	36	0	2016	6354	2	1	01	2	2	0	99999	
2	250/00	00	NB	4.027	0.283	4.310	1	0	3	2	6	1	10	11	28	36	0	2016	6354	2	1	01	2	2	0	99999	
2	250/00	00	NB	4.310	1.120	5.430	1	0	3	2	6	1	08	11	48	48	0	2016	6354	2	1	01	2	2	0	99999	
2	250/00	00	NB	5.430	0.050	5.480	1	0	3	2	6	1	08	11	48	48	0	2016	4282	2	1	01	2	2	0	99999	
2	250/00	00	NB	5.480	0.240	5.720	1	0	3	2	6	1	99	11	45	52	0	2016	4282	2	1	01	2	2	0	99999	

## 2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS

PLANNING DIVISION

### BARBOUR COUNTY - (01)

Page 2 of 94

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	END LENGTH MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	URB CODE			
2	250/00	00	NB	5.720	0.328	6.048	1	0	3	2	6	1	15	11	25	52	0	2016	4282	2	1	01	2	2	0	99999	
2	250/00	00	NB	6.048	0.020	6.068	0	0	3	2	6	1	15	11	25	52	0	2016	4282	2	1	01	2	2	0	99999	
2	250/00	00	NB	6.068	0.021	6.089	1	0	3	2	6	1	15	11	25	52	0	2016	4282	2	1	01	2	2	0	99999	
2	250/00	00	NB	6.089	0.981	7.070	0	0	3	2	6	1	15	11	25	52	0	2016	4282	2	1	01	2	2	0	99999	
2	250/00	00	NB	7.070	2.220	9.290	0	0	3	2	6	1	11	11	25	52	0	2016	4282	2	1	01	2	2	0	99999	
2	250/00	00	NB	9.290	1.190	10.480	0	0	3	2	6	1	15	11	25	45	0	2016	4099	2	1	01	2	2	0	99999	
2	250/00	00	NB	10.480	2.036	12.516	0	0	3	2	6	1	15	11	25	50	0	2016	4959	2	1	01	2	2	0	99999	
2	250/00	00	NB	12.516	1.218	13.734	2	0	3	2	6	1	15	11	25	50	0	2016	4959	2	1	01	2	2	0	99999	
2	250/00	00	NB	13.734	0.286	14.020	2	0	3	2	6	1	15	11	25	50	0	2016	4959	2	1	01	2	2	0	99999	
2	250/00	00	NB	14.020	0.137	14.157	2	0	3	2	6	1	05	11	56	72	0	2016	7777	2	1	01	2	2	0	99999	
2	250/00	00	NB	14.157	0.013	14.170	2	0	3	2	6	1	05	11	56	72	0	2016	7777	2	1	01	2	2	0	99999	
2	250/00	00	NB	14.170	0.970	15.140	2	0	3	2	6	1	05	11	56	72	0	2016	7777	2	1	01	2	2	0	99999	
2	250/00	00	NB	15.140	0.860	16.000	2	0	3	2	6	1	05	11	56	72	0	2016	7118	2	1	01	2	2	0	99999	
2	250/00	00	NB	16.000	0.040	16.040	2	0	3	2	6	1	85	11	22	40	0	2016	7118	2	1	01	2	2	0	99999	
2	250/00	00	NB	16.040	0.020	16.060	2	0	3	2	6	1	85	11	35	35	0	2016	7118	2	1	01	2	2	0	99999	
2	250/00	00	NB	16.060	0.520	16.580	2	0	3	2	6	1	05	11	26	36	0	2016	7118	2	1	01	2	2	0	99999	
2	250/00	00	NB	16.580	0.570	17.150	2	0	3	2	6	1	05	11	35	35	0	2016	7118	2	1	01	2	2	0	99999	
2	250/00	00	NB	17.150	0.090	17.240	2	0	3	2	6	1	05	11	35	35	0	2016	7118	2	1	01	4	2	0	99999	
2	250/00	00	NB	17.240	0.060	17.300	2	0	3	2	6	1	70	11	20	20	0	2016	7118	2	1	01	4	2	0	99999	
2	250/00	00	NB	17.300	0.010	17.310	2	0	3	2	6	1	70	11	31	31	0	2016	7118	2	1	01	4	2	0	99999	
<b>ROUTE TOTAL:</b>				<b>17.310</b>																							
2	250/00	13	00	0.000	0.397	0.397	2	0	3	6	7	1	15	11	36	51	0	2016	1000	2	1	01	4	2	0	99999	
2	250/00	13	00	0.397	0.088	0.485	2	0	3	6	7	1	15	11	36	51	0	2016	1000	2	1	01	4	2	0	99999	
2	250/00	13	00	0.485	0.335	0.820	2	0	3	6	7	1	15	11	36	51	0	2016	1000	2	1	01	4	2	0	99999	
<b>ROUTE TOTAL:</b>				<b>0.820</b>																							

**Barbour County TOTAL for the PRIMARY DIRECTION: 41.290**

## 2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS

PLANNING DIVISION

### BERKELEY COUNTY - (02)

Page 3 of 94

SIGN	ROUTE	SUPP	DIRECT	BEG	END		WV			NAT	ACC	YEAR	SURF	PAV	GRADE	MED	AADT	LANES	REV	SPEC	TRK	FAC	URB			
		DSG	SURV	MP	LENGTH	MP	MUN	URB	FAS	FUN	FUNC	CONT	CHNG	TYPE	WIDTH	WIDTH	WIDTH		YR	AADT	LANES	SYS		RT	TYPE	CODE
2	011/00	00	NB	0.000	0.310	0.310	0	2	3	4	16	1	13	11	30	38	0	2016	7931	2	1	01	4	2	0	36190
2	011/00	00	NB	0.310	2.440	2.750	0	2	3	4	16	1	05	11	22	34	0	2016	7931	2	1	01	1	2	0	36190
2	011/00	00	NB	2.750	0.290	3.040	0	2	3	4	16	1	69	11	22	34	0	2016	7931	2	1	01	4	2	0	36190
2	011/00	00	NB	3.040	0.010	3.050	0	2	3	4	16	1	69	11	22	34	0	2016	9953	2	1	01	4	2	0	36190
2	011/00	00	NB	3.050	0.070	3.120	0	2	3	4	16	1	01	11	40	40	0	2016	9953	2	1	01	4	2	0	36190
2	011/00	00	NB	3.120	0.020	3.140	0	2	3	4	16	1	01	11	28	28	0	2016	9953	2	1	01	4	2	0	36190
2	011/00	00	NB	3.140	0.110	3.250	0	2	3	4	16	1	01	11	40	40	0	2016	9953	2	1	01	4	2	0	36190
2	011/00	00	NB	3.250	1.000	4.250	0	2	3	4	16	1	01	11	22	34	0	2016	9953	2	1	01	4	2	0	36190
2	011/00	00	NB	4.250	0.600	4.850	0	2	3	4	16	1	87	11	22	34	0	2016	9953	2	1	01	4	2	0	36190
2	011/00	00	NB	4.850	0.100	4.950	0	2	3	4	16	1	87	11	36	38	0	2016	9953	2	1	01	4	2	0	36190
2	011/00	00	NB	4.950	0.180	5.130	0	2	3	4	16	1	88	11	36	38	0	2016	10478	2	1	01	4	2	0	36190
2	011/00	00	NB	5.130	0.110	5.240	0	2	3	4	16	1	88	11	36	38	0	2016	10478	2	1	01	2	2	0	36190
2	011/00	00	NB	5.240	0.860	6.100	0	2	3	4	16	1	88	11	22	34	0	2016	10478	2	1	01	2	2	0	36190
2	011/00	00	NB	6.100	0.630	6.730	0	2	3	4	16	1	69	11	22	34	0	2016	10478	2	1	01	2	2	0	36190
2	011/00	00	NB	6.730	0.500	7.230	0	2	3	4	16	1	73	11	30	38	0	2016	10478	2	1	01	2	2	0	36190
2	011/00	00	NB	7.230	0.480	7.710	0	2	3	4	16	1	76	11	30	38	0	2016	10478	2	1	01	2	2	0	36190
2	011/00	00	NB	7.710	1.270	8.980	0	2	3	4	16	1	05	11	30	38	0	2016	12366	2	1	01	2	2	0	36190
2	011/00	00	NB	8.980	1.880	10.860	0	2	3	4	16	1	05	11	30	38	0	2016	12366	2	1	01	2	2	0	36190
2	011/00	00	NB	10.860	0.400	11.260	0	2	3	4	16	1	76	11	30	38	0	2016	16571	2	1	01	2	2	0	36190
2	011/00	00	NB	11.260	0.380	11.640	0	2	3	4	16	1	84	11	30	38	0	2016	16571	2	1	01	2	2	0	36190
2	011/00	00	NB	11.640	0.166	11.806	0	2	3	3	16	1	98	11	30	38	0	2016	9312	2	1	01	4	2	0	36190
2	011/00	00	NB	11.806	0.144	11.950	4	2	3	3	16	1	98	11	30	38	0	2016	9312	2	1	01	4	2	0	36190
2	011/00	00	NB	11.950	0.100	12.050	4	2	3	3	16	1	84	11	36	36	0	2016	9312	2	1	01	4	2	0	36190
2	011/00	00	NB	12.050	0.370	12.420	4	2	3	4	16	1	69	11	44	44	0	2016	9312	2	1	01	4	2	0	36190
2	011/00	00	NB	12.420	0.520	12.940	4	2	3	4	16	1	69	11	30	30	0	2016	9312	2	1	01	4	2	0	36190
2	011/00	00	NB	12.940	0.060	13.000	4	2	3	4	16	1	69	11	45	45	0	2016	9312	2	1	01	4	2	0	36190
2	011/00	00	NB	13.000	0.260	13.260	4	2	3	4	16	1	73	11	45	45	0	2016	12462	2	1	01	4	2	0	36190
2	011/00	00	NB	13.260	0.390	13.650	4	2	2	3	14	1	73	11	45	45	0	2016	20771	2	1	01	4	2	1	36190
2	011/00	00	NB	13.650	0.130	13.780	4	2	2	3	14	1	69	11	29	29	0	2016	24925	2	1	01	4	2	1	36190
2	011/00	00	NB	13.780	0.560	14.340	4	2	2	3	14	1	69	11	36	36	0	2016	24925	2	1	01	4	2	1	36190
2	011/00	00	NB	14.340	0.070	14.410	4	2	2	3	14	1	69	11	21	36	0	2016	24925	2	1	01	4	2	1	36190
2	011/00	00	NB	14.410	0.097	14.507	4	2	2	3	14	1	79	11	33	55	0	2016	24925	2	1	01	4	2	1	36190
2	011/00	00	NB	14.507	0.133	14.640	0	2	2	3	14	1	79	11	33	55	0	2016	24925	2	1	01	4	2	1	36190
2	011/00	00	NB	14.640	0.062	14.702	0	2	2	3	14	1	79	11	33	55	0	2016	20771	2	1	01	4	2	1	36190
2	011/00	00	NB	14.702	0.068	14.770	4	2	2	3	14	1	79	11	33	55	0	2016	20771	2	1	01	4	2	1	36190
2	011/00	00	NB	14.770	0.040	14.810	4	2	2	3	14	1	95	11	24	44	0	2016	20771	2	1	01	4	2	1	36190
2	011/00	00	NB	14.810	0.204	15.014	4	2	3	4	16	1	93	11	24	44	0	2016	10487	2	1	01	4	2	0	36190
2	011/00	00	NB	15.014	0.436	15.450	0	2	3	4	16	1	93	11	24	44	0	2016	10487	2	1	01	4	2	0	36190
2	011/00	00	NB	15.450	1.030	16.480	0	2	3	4	16	1	79	11	21	32	0	2016	10487	2	1	01	4	2	0	36190

2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS  
PLANNING DIVISION

BERKELEY COUNTY - (02)

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	LENGTH	END MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	URB CODE				
2	011/00	00	NB	16.480	1.030	17.510	0	2	3	4	16	1	05	11	21	32	0	2016	10487	2	1	01	4	2	0	36190			
2	011/00	00	NB	17.510	1.430	18.940	0	2	3	4	16	1	05	11	21	32	0	2016	10663	2	1	01	4	2	0	36190			
2	011/00	00	NB	18.940	1.420	20.360	0	2	3	4	16	1	05	11	21	32	0	2016	13176	2	1	01	4	2	0	36190			
2	011/00	00	NB	20.360	3.350	23.710	0	2	3	4	16	1	05	11	21	32	0	2016	10338	2	1	01	4	2	0	36190			
2	011/00	00	NB	23.710	1.000	24.710	0	2	3	4	16	1	05	11	21	32	0	2016	7921	2	1	01	4	2	0	36190			
2	011/00	00	NB	24.710	0.260	24.970	0	2	3	4	16	1	94	11	21	32	0	2016	7921	2	1	01	4	2	0	36190			
2	011/00	00	NB	24.970	1.190	26.160	0	2	3	4	16	1	05	11	21	32	0	2016	7565	2	1	01	4	2	0	36190			
<b>ROUTE TOTAL:</b>				<b>26.160</b>																									
2	011/00	04	NB	0.000	0.030	0.030	4	2	3	6	16	1	79	11	16	16	0	2016	6939	2	1	01	4	2	0	36190			
<b>ROUTE TOTAL:</b>				<b>0.030</b>																									
2	011/00	06	EB	0.000	0.030	0.030	4	2	3	6	16	1	79	11	16	16	0	2016	6939	2	1	01	4	2	0	36190			
<b>ROUTE TOTAL:</b>				<b>0.030</b>																									

Berkeley County TOTAL for the PRIMARY DIRECTION: 26.220

2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS  
PLANNING DIVISION

BOONE COUNTY - (03)

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	END MP	LENGTH	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	URB CODE			
2	119/00	00	NB	0.000	2.930	2.930	0	0	2	1	2	4	00	11	24	34	40	2016	10844	4	1	10	2	2	1	99999		
2	119/00	00	NB	2.930	1.470	4.400	0	0	2	1	2	4	00	11	24	34	40	2016	10870	4	1	10	2	2	1	99999		
2	119/00	00	NB	4.400	2.840	7.240	0	0	2	1	2	4	00	11	24	34	40	2016	10870	4	1	10	2	2	1	99999		
2	119/00	00	NB	7.240	2.200	9.440	0	0	2	1	2	4	00	11	24	34	40	2016	10587	4	1	10	2	2	1	99999		
2	119/00	00	NB	9.440	0.976	10.416	0	0	2	1	2	4	00	11	24	34	40	2016	11467	4	1	10	2	2	1	99999		
2	119/00	00	NB	10.416	0.838	11.254	0	0	2	1	2	4	00	11	24	34	40	2016	11467	4	1	10	2	2	1	99999		
2	119/00	00	NB	11.254	0.236	11.490	1	0	2	1	2	4	00	11	24	34	40	2016	11467	4	1	10	2	2	1	99999		
2	119/00	00	NB	11.490	0.870	12.360	1	0	2	1	2	4	00	11	24	34	40	2016	11190	4	1	10	2	2	1	99999		
2	119/00	00	NB	12.360	0.284	12.644	1	0	2	1	2	4	00	12	24	42	40	2016	11190	4	1	10	2	2	1	99999		
2	119/00	00	NB	12.644	0.016	12.660	0	0	2	1	2	4	00	12	24	42	40	2016	11190	4	1	10	2	2	1	99999		
2	119/00	00	NB	12.660	0.170	12.830	0	0	2	1	2	4	11	11	24	34	40	2016	11190	4	1	10	2	2	1	99999		
2	119/00	00	NB	12.830	0.710	13.540	0	0	2	1	2	4	11	11	24	34	40	2016	13387	4	1	10	2	2	1	99999		
2	119/00	00	NB	13.540	1.078	14.618	0	0	2	1	2	4	11	11	24	34	99	2016	14795	4	1	10	2	2	1	99999		
2	119/00	00	NB	14.618	1.602	16.220	0	0	2	1	2	4	11	11	24	34	99	2016	14795	4	1	10	2	2	1	99999		
2	119/00	00	NB	16.220	0.160	16.380	0	0	2	1	2	4	00	12	24	24	99	2016	14795	4	1	10	2	2	1	99999		
2	119/00	00	NB	16.380	0.050	16.430	0	0	2	1	2	4	00	11	24	34	99	2016	14795	4	1	10	2	2	1	99999		
2	119/00	00	NB	16.430	0.240	16.670	0	0	2	1	2	4	00	12	24	34	99	2016	14795	4	1	10	2	2	1	99999		
2	119/00	00	NB	16.670	0.050	16.720	0	0	2	1	2	4	00	11	24	34	99	2016	14795	4	1	10	2	2	1	99999		
2	119/00	00	NB	16.720	0.160	16.880	0	0	2	1	2	4	00	12	24	24	99	2016	14795	4	1	10	2	2	1	99999		
2	119/00	00	NB	16.880	0.050	16.930	0	0	2	1	2	4	00	11	24	34	99	2016	14795	4	1	10	2	2	1	99999		
2	119/00	00	NB	16.930	0.040	16.970	0	0	2	1	2	4	00	12	24	34	99	2016	14795	4	1	10	2	2	1	99999		
2	119/00	00	NB	16.970	1.220	18.190	0	0	2	1	2	1	00	12	34	36	40	2016	11062	4	1	10	2	2	1	99999		
2	119/00	00	NB	18.190	0.490	18.680	0	0	2	1	2	4	00	12	24	36	40	2016	11062	4	1	10	2	2	1	99999		
2	119/00	00	NB	18.680	2.020	20.700	0	0	2	1	2	4	00	12	24	36	40	2016	11413	4	1	10	2	2	1	99999		
2	119/00	00	NB	20.770	2.180	22.950	0	0	2	1	2	4	00	12	24	36	40	2016	13183	4	1	10	2	2	1	99999		
<b>ROUTE TOTAL:</b>				<b>22.880</b>																								

Boone County TOTAL for the PRIMARY DIRECTION: 22.880

2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS  
PLANNING DIVISION

BRAXTON COUNTY - (04)

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	END LENGTH MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	URB CODE		
2	019/00	00	NB	0.000	0.170	0.170	0	0	2	1	2	4	99	11	36	39	42	2016	12923	6	1	10	1	2	1	99999
2	019/00	00	NB	0.170	1.620	1.790	0	0	2	1	2	4	99	11	24	30	42	2016	12923	5	1	10	1	2	1	99999
2	019/00	00	NB	1.790	0.210	2.000	0	0	2	1	2	4	99	11	24	34	42	2016	12923	4	1	10	1	2	1	99999
2	019/00	00	NB	2.000	1.720	3.720	0	0	2	1	2	4	10	11	37	42	42	2016	12923	4	1	10	1	2	1	99999
2	019/00	00	NB	3.720	3.230	6.950	0	0	2	1	2	4	99	11	24	34	42	2016	10278	4	1	10	1	2	1	99999
2	019/00	00	NB	16.590	0.040	16.630	0	0	3	3	7	1	99	12	16	28	0	2016	3377	2	1	01	4	2	0	99999
2	019/00	00	NB	16.630	0.672	17.302	0	0	3	3	7	1	07	11	22	32	0	2016	3377	2	1	01	4	2	0	99999
2	019/00	00	NB	17.302	1.058	18.360	1	0	3	3	7	1	07	11	22	32	0	2016	3377	2	1	01	4	2	0	99999
2	019/00	00	NB	18.360	0.145	18.505	1	0	3	3	7	1	07	11	22	32	0	2016	2308	2	1	01	4	2	0	99999
2	019/00	00	NB	18.505	3.135	21.640	0	0	3	3	7	1	07	11	22	32	0	2016	2308	2	1	01	4	2	0	99999
2	019/00	00	NB	21.640	1.550	23.190	0	0	3	3	7	1	99	11	22	32	0	2016	1549	2	1	01	4	2	0	99999
2	019/00	00	NB	23.190	0.010	23.200	0	0	3	3	7	1	99	11	18	18	0	2016	1549	2	1	01	4	2	0	99999
2	019/00	00	NB	23.200	3.560	26.760	0	0	3	3	7	1	99	11	22	32	0	2016	979	2	1	01	4	2	0	99999
2	019/00	00	NB	26.760	0.880	27.640	0	0	3	3	7	1	03	11	36	48	0	2016	979	2	1	01	4	2	0	99999
2	019/00	00	NB	27.640	1.450	29.090	0	0	3	3	7	1	03	11	36	48	0	2016	579	2	1	01	4	2	0	99999
2	019/00	00	NB	29.090	5.520	34.610	0	0	3	3	7	1	99	11	22	32	0	2016	579	2	1	01	4	2	0	99999

ROUTE TOTAL: 24.970

Braxton County TOTAL for the PRIMARY DIRECTION: 24.970

2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS  
PLANNING DIVISION

**BROOKE COUNTY - (05)**

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	LENGTH	END MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	URB CODE	
2	022/00	00	EB	0.000	0.279	0.279	4	2	2	1	12	7	96	12	24	36	0	2016	31725	4	1	01	2	2	1	93592
2	022/00	00	EB	0.279	0.011	0.290	0	2	2	1	12	7	96	12	24	36	0	2016	31725	4	1	01	2	2	1	93592
2	022/00	00	EB	0.290	0.310	0.600	0	2	2	1	12	7	97	11	24	36	0	2016	31725	4	1	01	2	2	1	93592
2	022/00	00	EB	0.600	0.400	1.000	0	2	2	1	12	7	96	12	24	36	0	2016	31725	4	1	01	2	2	1	93592
2	022/00	00	EB	1.000	1.060	2.060	0	2	2	1	12	7	96	12	24	34	0	2016	31725	4	1	01	2	2	1	93592
2	022/00	00	EB	2.450	0.720	3.170	4	2	2	1	12	7	96	12	24	50	25	2016	31725	4	1	01	2	2	1	93592
2	022/00	00	EB	3.170	0.280	3.450	4	2	2	1	12	7	04	12	24	34	25	2016	27088	4	1	01	2	2	1	93592
2	022/00	00	EB	3.450	0.390	3.840	4	2	2	1	12	7	04	12	30	40	25	2016	27088	5	1	01	2	2	1	93592
2	022/00	00	EB	3.840	0.890	4.730	4	2	2	1	12	7	96	12	30	40	25	2016	27088	5	1	01	2	2	1	93592
2	022/00	00	EB	4.730	1.160	5.890	4	2	2	1	12	7	96	12	24	36	25	2016	27088	4	1	01	2	2	1	93592
<b>ROUTE TOTAL:</b>				<b>5.500</b>																						
2	022/00	01	00	0.000	0.250	0.250	4	2	5	4	19	1	80	11	26	26	0	2016	13731	2	1	01	4	2	0	93592
<b>ROUTE TOTAL:</b>				<b>0.250</b>																						

Brooke County TOTAL for the PRIMARY DIRECTION: 5.750

## 2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS

PLANNING DIVISION

### CABELL COUNTY - (06)

Page 8 of 94

SIGN	ROUTE	SUPP	DIRECT	BEG	END		WV			NAT	ACC	YEAR	SURF	PAV	GRADE	MED	AADT	LANES	REV	SPEC	TRK	FAC	URB			
		DSG	SURV	MP	LENGTH	MP	MUN	URB	FAS	FUN	FUNC	CONT	CHNG	TYPE	WIDTH	WIDTH	WIDTH		YR	AADT	LANES	SYS		RT	TYPE	CODE
2	052/00	00	EB	0.000	0.007	0.007	0	0	2	2	4	4	87	11	28	28	4	2016	3411	4	1	01	4	2	1	99999
2	052/00	00	EB	0.007	0.001	0.008	5	0	2	2	4	4	87	11	28	28	4	2016	3411	4	1	01	4	2	1	99999
2	052/00	00	EB	0.008	0.322	0.330	5	2	2	2	12	4	87	11	28	28	4	2016	3411	4	1	01	4	2	1	40753
2	052/00	00	EB	0.330	0.120	0.450	5	2	2	2	12	4	87	11	21	24	4	2016	3411	4	1	01	4	2	1	40753
2	052/00	00	EB	0.450	0.030	0.480	5	2	2	2	12	4	94	11	21	21	4	2016	3411	4	1	01	4	2	1	40753
2	052/00	00	EB	0.480	0.040	0.520	5	2	2	2	12	4	94	11	24	24	4	2016	3411	4	1	01	4	2	1	40753
2	052/00	00	EB	0.520	0.030	0.550	5	2	2	2	12	4	94	11	21	21	4	2016	3411	4	1	01	4	2	1	40753
2	052/00	00	EB	0.550	0.050	0.600	5	2	2	2	12	4	94	11	26	26	4	2016	3411	4	1	01	4	2	1	40753
2	052/00	00	EB	0.600	0.080	0.680	5	2	2	2	12	4	94	11	31	31	4	2016	3411	4	1	01	4	2	1	40753
2	052/00	00	EB	0.680	0.050	0.730	5	2	2	2	12	4	94	11	24	34	4	2016	3411	4	1	01	4	2	1	40753
2	052/00	00	EB	0.730	0.020	0.750	5	2	2	2	12	4	94	11	31	31	4	2016	3411	4	1	01	4	2	1	40753
2	052/00	00	EB	0.750	0.260	1.010	5	2	2	2	12	4	94	11	24	34	0	2016	3411	2	1	01	4	2	1	40753
2	052/00	00	EB	1.010	0.080	1.090	5	2	2	2	12	4	81	12	28	28	4	2016	3411	4	1	01	4	2	1	40753
2	052/00	00	EB	1.090	0.050	1.140	5	2	2	2	12	4	81	12	24	34	4	2016	3411	4	1	01	4	2	1	40753
2	052/00	00	EB	1.140	0.160	1.300	5	2	2	2	12	7	81	12	14	20	0	2016	3411	2	1	01	4	2	1	40753
<b>ROUTE TOTAL:</b>					<b>1.300</b>																					
2	052/00	04	NB	0.000	0.460	0.460	6	2	2	2	12	7	84	11	14	26		2016	4605	1	1	01	4	4	1	40753
<b>ROUTE TOTAL:</b>					<b>0.460</b>																					
2	060/00	00	EB	0.000	0.020	0.020	5	2	2	3	14	1	02	11	26	28	4	2016	11031	4	1	01	4	2	1	40753
2	060/00	00	EB	0.020	0.120	0.140	5	2	2	3	14	1	02	11	24	24	4	2016	11031	4	1	01	4	2	1	40753
2	060/00	00	EB	0.140	0.050	0.190	5	2	2	3	14	1	02	11	27	27	4	2016	11031	4	1	01	4	2	1	40753
2	060/00	00	EB	0.190	0.670	0.860	5	2	2	3	14	1	02	11	24	24	0	2016	11031	4	1	01	4	2	1	40753
2	060/00	00	EB	0.860	0.260	1.120	5	2	2	3	14	1	02	11	30	40	0	2016	10155	2	1	01	4	1	1	40753
2	060/00	00	EB	1.120	0.900	2.020	5	2	2	3	14	1	02	11	40	40	0	2016	10155	2	1	01	4	1	1	40753
2	060/00	00	EB	2.020	0.450	2.470	5	2	2	3	14	1	02	11	30	30	0	2016	8430	2	1	01	4	1	1	40753
2	060/00	00	EB	2.470	0.410	2.880	5	2	2	3	14	1	02	11	40	40	0	2016	8430	2	1	01	4	1	1	40753
2	060/00	00	EB	2.880	0.090	2.970	5	2	2	1	14	1	02	11	40	40	0	2016	8430	2	1	01	4	1	1	40753
2	060/00	00	EB	2.970	0.100	3.070	5	2	2	1	14	1	02	11	54	54	0	2016	9237	3	1	01	4	1	1	40753
2	060/00	00	EB	3.070	0.100	3.170	5	2	2	1	14	1	02	11	39	39	0	2016	9237	3	1	01	4	1	1	40753
2	060/00	00	EB	3.170	0.100	3.270	5	2	2	1	14	1	02	11	89	89	0	2016	9237	4	1	01	4	1	1	40753
2	060/00	00	EB	3.270	0.090	3.360	5	2	2	1	14	1	02	11	68	68	0	2016	9237	4	1	01	4	1	1	40753
2	060/00	00	EB	3.360	0.100	3.460	5	2	2	1	14	1	02	11	55	55	0	2016	9237	4	1	01	4	1	1	40753
2	060/00	00	EB	3.460	0.480	3.940	5	2	2	1	14	1	02	11	39	39	0	2016	9237	3	1	01	2	1	1	40753
2	060/00	00	EB	3.940	0.080	4.020	5	2	4	1	14	1	02	11	20	20	0	2016	14619	4	1	01	2	1	3	40753
2	060/00	00	EB	4.020	1.740	5.760	5	2	4	3	14	1	02	11	20	20	0	2016	14619	4	1	01	2	1	3	40753
2	060/00	00	EB	5.760	0.260	6.020	5	2	4	3	14	1	02	11	38	38	0	2016	14619	3	1	01	2	1	3	40753
2	060/00	00	EB	6.020	0.420	6.440	5	2	4	3	14	1	02	11	22	30	12	2016	13004	4	1	01	2	2	3	40753
2	060/00	00	EB	6.440	0.050	6.490	5	2	4	3	14	1	02	11	28	37	4	2016	26279	4	1	01	2	2	3	40753
2	060/00	00	EB	6.490	0.180	6.670	5	2	4	3	14	1	02	11	23	31	10	2016	26279	4	1	01	2	2	3	40753

## 2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS  
PLANNING DIVISION

### CABELL COUNTY - (06)

SIGN	ROUTE	SUPP	DIRECT	BEG	END		WV			NAT	ACC	YEAR	SURF	PAV	GRADE	MED	AADT	LANES	REV	SPEC	TRK	FAC	URB									
		DSG	SURV	MP	LENGTH	MP	MUN	URB	FAS	FUN	FUNC	CONT	CHNG	TYPE	WIDTH	WIDTH	WIDTH		YR	AADT	LANES	SYS		RT	TYPE	CODE						
2	060/00	00	EB	6.670	0.818	7.488	5	2	4	3	14	1	02	11	25	37	4	2016	26279	4	1	01	2	2	3	40753						
2	060/00	00	EB	7.488	0.022	7.510	0	2	4	3	14	1	02	11	25	37	4	2016	26279	4	1	01	2	2	3	40753						
2	060/00	00	EB	7.510	0.920	8.430	0	2	4	3	14	1	02	11	21	32	4	2016	31660	4	1	01	2	2	3	40753						
2	060/00	00	EB	8.430	0.350	8.780	0	2	4	3	14	1	02	11	21	32	4	2016	26099	4	1	01	2	2	3	40753						
2	060/00	00	EB	8.780	0.040	8.820	0	2	4	3	14	1	02	12	21	32	4	2016	26099	4	1	01	2	2	3	40753						
2	060/00	00	EB	8.820	0.155	8.975	0	2	4	3	14	1	02	11	24	38	0	2016	35068	4	1	01	2	2	3	40753						
2	060/00	00	EB	8.975	0.205	9.180	2	2	4	3	14	1	02	11	24	38	0	2016	35068	4	1	01	2	2	3	40753						
2	060/00	00	EB	9.180	0.135	9.315	0	2	4	3	14	1	02	11	24	38	0	2016	35068	4	1	01	2	2	3	40753						
2	060/00	00	EB	9.315	0.185	9.500	2	2	4	3	14	1	02	11	24	38	0	2016	35068	4	1	01	2	2	3	40753						
2	060/00	00	EB	9.500	0.060	9.560	2	2	4	3	14	1	02	11	24	38	0	2016	34171	4	1	01	4	2	3	40753						
2	060/00	00	EB	9.560	0.560	10.120	2	2	3	3	16	1	02	11	24	38	0	2016	24243	4	1	01	4	2	0	40753						
2	060/00	00	EB	10.120	0.150	10.270	2	2	3	3	16	1	02	11	26	36	12	2016	24243	4	1	01	4	2	0	40753						
2	060/00	00	EB	10.270	0.490	10.760	2	2	3	3	16	1	02	11	26	36	16	2016	24243	4	1	01	4	2	0	40753						
2	060/00	00	EB	10.760	0.750	11.510	2	2	3	3	16	1	02	11	26	36	16	2016	19910	4	1	01	4	2	0	40753						
2	060/00	00	EB	11.510	0.720	12.230	2	2	3	3	16	1	02	11	29	34	16	2016	20610	4	1	01	4	2	0	40753						
2	060/00	00	EB	12.230	1.580	13.810	2	2	3	3	16	1	02	11	24	44	0	2016	20610	2	1	01	4	2	0	40753						
2	060/00	00	EB	13.810	0.790	14.600	2	2	3	3	16	1	02	11	36	50	0	2016	14081	2	1	01	4	2	0	40753						
2	060/00	00	EB	14.600	0.449	15.049	2	2	3	3	16	1	02	11	36	50	0	2016	17086	2	1	01	4	2	0	40753						
2	060/00	00	EB	15.049	0.041	15.090	0	2	3	3	16	1	02	11	36	50	0	2016	17086	2	1	01	4	2	0	40753						
2	060/00	00	EB	15.090	0.220	15.310	0	2	3	3	16	1	02	11	24	44	0	2016	17086	2	1	01	4	2	0	40753						
2	060/00	00	EB	15.310	0.280	15.590	0	2	3	3	16	1	02	11	24	44	0	2016	11078	2	1	01	4	2	0	40753						
2	060/00	00	EB	15.590	1.700	17.290	0	2	3	3	16	1	02	11	32	43	0	2016	11078	2	1	01	4	2	0	40753						
2	060/00	00	EB	17.290	1.170	18.460	0	2	3	3	16	1	02	11	52	52	0	2016	11078	2	1	01	4	2	0	40753						
2	060/00	00	EB	18.460	0.350	18.810	0	2	3	3	16	1	02	11	20	30	0	2016	11078	2	1	01	4	2	0	40753						
2	060/00	00	EB	18.810	0.620	19.430	0	2	3	3	16	1	02	11	20	30	0	2016	8153	2	1	01	4	2	0	40753						
2	060/00	00	EB	19.430	0.260	19.690	0	2	3	3	16	1	02	11	36	50	0	2016	8153	2	1	01	4	2	0	40753						
2	060/00	00	EB	19.690	0.800	20.490	0	2	3	3	16	1	02	11	20	30	0	2016	8153	2	1	01	4	2	0	40753						
2	060/00	00	EB	20.490	0.011	20.501	0	2	3	3	16	1	02	11	30	30	0	2016	8153	2	1	01	4	2	0	40753						
2	060/00	00	EB	20.501	0.059	20.560	1	2	3	3	16	1	02	11	30	30	0	2016	8153	2	1	01	4	2	0	40753						
2	060/00	00	EB	20.560	0.830	21.390	1	2	3	3	16	1	02	11	20	30	0	2016	8153	2	1	01	4	2	0	40753						
2	060/00	00	EB	21.390	0.690	22.080	1	2	3	3	16	1	02	11	32	32	2	2016	13901	4	1	01	4	2	0	40753						
2	060/00	00	EB	22.080	0.220	22.300	1	2	3	3	16	1	02	11	32	32	2	2016	15784	4	1	01	2	2	0	40753						
2	060/00	00	EB	22.300	0.090	22.390	1	2	3	3	16	1	02	11	32	32	2	2016	15784	4	1	01	4	2	0	40753						
2	060/00	00	EB	22.390	0.100	22.490	1	2	3	3	16	1	02	11	32	32	2	2016	15784	4	1	01	2	2	0	40753						
2	060/00	00	EB	22.490	1.241	23.731	1	2	3	3	16	1	02	11	20	40	0	2016	15784	2	1	01	4	2	0	40753						
2	060/00	00	EB	23.731	0.959	24.690	0	2	3	3	16	1	02	11	20	40	0	2016	15784	2	1	01	4	2	0	40753						
2	060/00	00	EB	24.690	2.100	26.790	0	2	3	3	16	1	02	11	20	40	0	2016	6830	2	1	01	4	2	0	40753						
<b>ROUTE TOTAL:</b>				<b>26.790</b>																												
2	060/00	01	EB	0.000	0.390	0.390	5	2	2	3	14	1	02	11	36	36	0	2016	5421	3	1	01	4	2	1	40753						

2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS  
PLANNING DIVISION

CABELL COUNTY - (06)

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	LENGTH	END MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	URB CODE				
2	060/00	01	EB	0.390	0.100	0.490	5	2	2	3	14	1	02	11	40	40	0	2016	5421	2	1	01	4	2	1	40753			
<b>ROUTE TOTAL:</b>				<b>0.490</b>																									
2	060/00	07	WB	0.000	0.150	0.150	5	2	4	1	14	1	02	11	22	30	12	2016	17249	4	1	01	4	2	3	40753			
2	060/00	07	WB	0.150	0.280	0.430	5	2	4	1	14	1	02	11	38	38	0	2016	15247	3	1	01	2	1	3	40753			
2	060/00	07	WB	0.430	0.950	1.380	5	2	4	1	14	1	02	11	50	50	0	2016	15247	3	1	01	4	1	3	40753			
2	060/00	07	WB	1.380	0.130	1.510	5	2	4	1	14	1	02	11	65	65	0	2016	15247	3	1	01	4	1	3	40753			
2	060/00	07	WB	1.510	0.060	1.570	5	2	4	1	14	1	05	11	67	67	0	2016	15247	3	1	01	4	1	3	40753			
2	060/00	07	WB	1.570	0.690	2.260	5	2	4	1	14	1	02	11	67	67	0	2016	15247	3	1	01	4	1	3	40753			
2	060/00	07	WB	2.260	0.280	2.540	5	2	2	1	14	1	02	11	67	67	0	2016	8234	3	1	01	4	1	1	40753			
2	060/00	07	WB	2.540	1.320	3.860	5	2	2	1	14	1	02	11	26	26	0	2016	8234	4	1	01	4	2	1	40753			
2	060/00	07	WB	3.860	0.200	4.060	5	2	2	1	14	1	02	11	50	50	0	2016	8234	2	1	01	4	1	1	40753			
2	060/00	07	WB	4.060	1.420	5.480	5	2	2	1	14	1	02	11	42	42	0	2016	8234	2	1	01	4	1	1	40753			
2	060/00	07	WB	5.480	0.080	5.560	5	2	2	1	14	1	02	11	36	36	0	2016	8234	2	1	01	4	2	1	40753			
<b>ROUTE TOTAL:</b>				<b>5.560</b>																									

Cabell County TOTAL for the PRIMARY DIRECTION: 34.600

2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS  
PLANNING DIVISION

CALHOUN COUNTY - (07)

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	LENGTH	END MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	URB CODE	
2	033/00	00	EB	0.000	0.090	0.090	0	0	3	2	6	1	73	11	18	30	0	2016	1846	2	1	01	4	2	0	99999
2	033/00	00	EB	0.090	3.590	3.680	0	0	3	2	6	1	98	11	18	30	0	2016	1846	2	1	01	4	2	0	99999
2	033/00	00	EB	3.680	1.350	5.030	0	0	3	2	6	1	73	11	18	30	0	2016	1837	2	1	01	4	2	0	99999
2	033/00	00	EB	5.030	0.310	5.340	0	0	3	2	6	1	73	11	22	44	0	2016	1837	2	1	01	4	2	0	99999
2	033/00	00	EB	5.340	0.030	5.370	0	0	3	2	6	1	81	11	28	28	0	2016	1837	2	1	01	4	2	0	99999
2	033/00	00	EB	5.370	0.040	5.410	0	0	3	2	6	1	73	11	22	44	0	2016	1837	2	1	01	4	2	0	99999
2	033/00	00	EB	5.410	0.180	5.590	0	0	3	2	6	1	73	11	22	44	0	2016	2914	2	1	01	4	2	0	99999
2	033/00	00	EB	5.590	0.610	6.200	0	0	3	2	6	1	73	11	18	30	0	2016	2914	2	1	01	4	2	0	99999
2	033/00	00	EB	6.200	2.100	8.300	0	0	3	2	6	1	15	11	18	30	0	2016	2675	2	1	01	4	2	0	99999
2	033/00	00	EB	8.300	1.830	10.130	0	0	3	2	6	1	69	11	18	30	0	2016	752	2	1	01	4	2	0	99999
2	033/00	00	EB	10.130	4.170	14.300	0	0	3	2	6	1	69	11	18	30	0	2016	602	2	1	01	4	2	0	99999
2	033/00	00	EB	14.300	0.560	14.860	0	0	3	2	6	1	69	11	18	30	0	2016	501	2	1	01	4	2	0	99999

ROUTE TOTAL: 14.860

Calhoun County TOTAL for the PRIMARY DIRECTION: 14.860

2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS  
PLANNING DIVISION

DODDRIDGE COUNTY - (09)

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	LENGTH	END MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	URB CODE	
2	050/00	00	EB	0.000	3.780	3.780	0	0	2	1	2	4	77	11	24	36	40	2016	13125	4	1	10	1	2	1	99999
2	050/00	00	EB	3.780	1.830	5.610	0	0	2	1	2	4	98	11	24	36	40	2016	13125	4	1	10	1	2	1	99999
2	050/00	00	EB	5.610	0.020	5.630	0	0	2	1	2	4	98	11	24	36	0	2016	13125	4	1	10	1	2	1	99999
2	050/00	00	EB	5.630	2.630	8.260	0	0	2	1	2	4	97	11	24	36	40	2016	13048	4	1	10	1	2	1	99999
2	050/00	00	EB	8.260	2.750	11.010	0	0	2	1	2	4	97	11	24	36	40	2016	17211	4	1	10	1	2	1	99999
2	050/00	00	EB	11.010	0.080	11.090	0	0	2	1	2	4	97	11	21	21	40	2016	20303	4	1	10	1	2	1	99999
2	050/00	00	EB	11.090	0.170	11.260	0	0	2	1	2	4	97	11	24	36	40	2016	20303	4	1	10	1	2	1	99999
2	050/00	00	EB	11.260	0.170	11.430	0	0	2	1	2	4	72	12	24	36	40	2016	20303	4	1	10	1	2	1	99999
2	050/00	00	EB	11.430	0.670	12.100	0	0	2	1	2	4	97	11	24	36	20	2016	20303	4	1	10	1	2	1	99999
2	050/00	00	EB	12.100	0.950	13.050	0	0	2	1	2	4	72	12	24	36	40	2016	20303	4	1	10	1	2	1	99999
2	050/00	00	EB	13.050	1.980	15.030	0	0	2	1	2	4	97	12	24	36	40	2016	20303	4	1	10	1	2	1	99999
2	050/00	00	EB	15.030	0.640	15.670	0	0	2	1	2	4	73	12	24	36	25	2016	20303	4	1	10	1	2	1	99999
2	050/00	00	EB	15.670	2.080	17.750	0	0	2	1	2	4	97	11	24	24	25	2016	20168	4	1	10	1	2	1	99999
2	050/00	00	EB	17.750	1.120	18.870	0	0	2	1	2	4	89	11	24	36	25	2016	18044	4	1	10	1	2	1	99999

ROUTE TOTAL: 18.870

Doddridge County TOTAL for the PRIMARY DIRECTION: 18.870

## 2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS

PLANNING DIVISION

### FAYETTE COUNTY - (10)

Page 13 of 94

SIGN	ROUTE	SUPP	DIRECT	BEG	END		WV			NAT	ACC	YEAR	SURF	PAV	GRADE	MED	AADT	LANES	REV	SPEC	TRK	FAC	URB				
		DSG	SURV	MP	LENGTH	MP	MUN	URB	FAS	FUN	FUNC	CONT	CHNG	TYPE	WIDTH	WIDTH	WIDTH		YR	LANES	SYS	RT		TYPE	CODE		
2	019/00	00	NB	0.000	0.002	0.002	0	2	2	1	14	4	04	11	24	36	49	2016	25144	4	1	10	1	2	1	06139	
2	019/00	00	NB	0.002	0.968	0.970	1	2	2	1	14	4	04	11	24	36	49	2016	25144	4	1	10	1	2	1	06139	
2	019/00	00	NB	0.970	0.050	1.020	1	2	2	1	14	4	04	11	44	44	49	2016	25144	4	1	10	1	2	1	06139	
2	019/00	00	NB	1.020	1.067	2.087	1	2	2	1	14	4	04	11	24	36	40	2016	25144	4	1	10	1	2	1	06139	
2	019/00	00	NB	2.087	0.763	2.850	0	2	2	1	14	4	04	11	24	36	40	2016	25144	4	1	10	1	2	1	06139	
2	019/00	00	NB	2.850	0.970	3.820	0	2	2	1	14	4	04	11	24	36	40	2016	26455	4	1	10	1	2	1	06139	
2	019/00	00	NB	3.820	0.070	3.890	0	2	2	1	14	4	04	11	41	41	26	2016	26455	4	1	10	1	2	1	06139	
2	019/00	00	NB	3.890	1.850	5.740	0	2	2	1	14	4	04	11	24	36	40	2016	26110	4	1	10	1	2	1	06139	
2	019/00	00	NB	5.740	0.420	6.160	0	2	2	1	14	4	04	11	24	36	40	2016	26110	4	1	10	1	2	1	06139	
2	019/00	00	NB	6.160	0.015	6.175	0	2	2	1	14	4	04	11	24	36	40	2016	24591	4	1	10	1	2	1	06139	
2	019/00	00	NB	6.175	0.015	6.190	3	2	2	1	14	4	04	11	24	36	40	2016	24591	4	1	10	1	2	1	06139	
2	019/00	00	NB	6.190	0.470	6.660	3	2	2	1	14	7	04	11	24	36	16	2016	24591	4	1	10	1	2	1	06139	
2	019/00	00	NB	6.660	0.100	6.760	3	2	2	1	14	7	04	11	24	36	16	2016	24384	4	1	10	1	2	1	06139	
2	019/00	00	NB	6.760	0.360	7.120	3	2	2	1	14	7	04	11	24	36	16	2016	24384	4	1	10	4	2	1	06139	
2	019/00	00	NB	7.120	0.070	7.190	3	2	2	1	14	7	04	11	24	36	16	2016	24384	4	1	10	1	2	1	06139	
2	019/00	00	NB	7.190	0.200	7.390	3	2	2	1	14	7	04	11	24	36	16	2016	24384	4	1	10	4	2	1	06139	
2	019/00	00	NB	7.390	0.070	7.460	3	2	2	1	14	7	04	11	24	36	16	2016	24384	4	1	10	1	2	1	06139	
2	019/00	00	NB	7.460	0.770	8.230	3	2	2	1	14	7	04	11	24	36	16	2016	24384	4	1	10	4	2	1	06139	
2	019/00	00	NB	8.230	1.390	9.620	3	2	2	1	14	7	04	11	24	36	16	2016	24370	4	1	10	1	2	1	06139	
2	019/00	00	NB	9.620	0.590	10.210	3	2	2	1	14	4	04	12	24	36	25	2016	25739	4	1	10	1	2	1	06139	
2	019/00	00	NB	10.210	0.207	10.417	3	2	2	1	14	4	04	12	24	36	40	2016	25739	4	1	10	1	2	1	06139	
2	019/00	00	NB	10.417	0.123	10.540	0	2	2	1	14	4	04	12	24	36	40	2016	25739	4	1	10	1	2	1	06139	
2	019/00	00	NB	10.540	0.440	10.980	0	2	2	1	14	4	04	12	24	36	16	2016	25739	4	1	10	1	2	1	06139	
2	019/00	00	NB	10.980	0.007	10.987	0	2	2	1	14	4	04	12	24	36	40	2016	25739	4	1	10	1	2	1	06139	
2	019/00	00	NB	10.987	0.263	11.250	2	2	2	1	14	4	04	12	24	36	40	2016	25739	4	1	10	1	2	1	06139	
2	019/00	00	NB	11.250	3.300	14.550	2	2	2	1	14	4	04	12	24	36	40	2016	23979	4	1	10	1	2	1	06139	
2	019/00	00	NB	14.550	0.090	14.640	2	2	2	1	14	4	04	12	24	36	40	2016	26133	4	1	10	1	2	1	06139	
2	019/00	00	NB	14.640	0.015	14.655	2	2	2	1	14	4	05	12	24	36	40	2016	19973	4	1	10	1	2	1	06139	
2	019/00	00	NB	14.655	0.825	15.480	0	2	2	1	14	4	05	12	24	36	40	2016	19973	4	1	10	1	2	1	06139	
2	019/00	00	NB	15.480	0.140	15.620	2	2	2	1	14	4	05	12	24	36	40	2016	19973	4	1	10	1	2	1	06139	
2	019/00	00	NB	15.620	0.007	15.627	2	2	2	1	14	4	05	12	24	36	40	2016	19973	4	1	10	1	2	1	06139	
2	019/00	00	NB	15.627	0.002	15.629	2	0	2	1	2	4	05	12	24	36	40	2016	19973	4	1	10	1	2	1	99999	
2	019/00	00	NB	15.629	0.591	16.220	0	0	2	1	2	4	05	12	24	36	40	2016	19973	4	1	10	1	2	1	99999	
2	019/00	00	NB	16.220	4.600	20.820	0	0	2	1	2	4	04	12	24	36	57	2016	13419	4	1	10	1	2	1	99999	
2	019/00	00	NB	20.820	1.260	22.080	0	0	2	1	2	4	04	11	24	36	57	2016	16180	4	1	10	1	2	1	99999	
2	019/00	00	NB	22.080	4.040	26.120	0	0	2	1	2	4	04	11	24	36	40	2016	15532	4	1	10	1	2	1	99999	
2	019/00	00	NB	26.120	0.170	26.290	0	0	2	1	2	4	04	11	23	23	40	2016	15532	4	1	10	1	2	1	99999	
<b>ROUTE TOTAL:</b>				<b>26.290</b>																							
2	060/00	00	EB	0.000	0.040	0.040	1	0	3	2	6	1	04	11	24	36	4	2016	6538	4	1	01	2	2	0	99999	

## 2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS

PLANNING DIVISION

### FAYETTE COUNTY - (10)

Page 14 of 94

SIGN	ROUTE	SUPP	DIRECT	BEG	END		WV			NAT	ACC	YEAR	SURF	PAV	GRADE	MED	AADT	LANES	REV	SPEC	TRK	FAC	URB			
		DSG	SURV	MP	LENGTH	MP	MUN	URB	FAS	FUN	FUNC	CONT	CHNG	TYPE	WIDTH	WIDTH	WIDTH		YR	LANES	SYS	RT		TYPE	CODE	
2	060/00	00	EB	0.040	0.280	0.320	1	0	3	2	6	1	04	11	30	40	0	2016	6538	2	1	01	2	2	0	99999
2	060/00	00	EB	0.320	0.020	0.340	1	0	3	2	6	1	04	11	40	40	0	2016	6538	2	1	01	2	2	0	99999
2	060/00	00	EB	0.340	0.690	1.030	1	0	3	2	6	1	04	11	30	50	0	2016	6538	2	1	01	2	2	0	99999
2	060/00	00	EB	1.030	1.081	2.111	1	0	3	2	6	1	04	11	24	36	0	2016	6538	2	1	01	2	2	0	99999
2	060/00	00	EB	2.111	0.679	2.790	0	0	3	2	6	1	04	11	24	36	0	2016	6538	2	1	01	2	2	0	99999
2	060/00	00	EB	2.790	1.130	3.920	0	0	3	2	6	1	04	11	24	36	0	2016	5525	2	1	01	2	2	0	99999
2	060/00	00	EB	3.920	0.190	4.110	0	0	3	2	6	1	04	11	24	36	0	2016	4200	2	1	01	4	2	0	99999
2	060/00	00	EB	4.110	0.030	4.140	0	0	3	2	6	1	04	11	24	36	0	2016	4200	2	1	01	4	2	0	99999
2	060/00	00	EB	4.140	0.392	4.532	0	0	3	2	6	1	04	11	24	42	0	2016	4200	2	1	01	2	2	0	99999
2	060/00	00	EB	4.532	0.758	5.290	0	0	3	2	6	1	04	11	24	42	0	2016	4200	2	1	01	2	2	0	99999
2	060/00	00	EB	5.290	0.390	5.680	0	0	3	2	6	1	04	11	34	42	0	2016	4200	2	1	01	2	2	0	99999
2	060/00	00	EB	5.680	0.500	6.180	0	0	3	2	6	1	04	11	24	40	0	2016	4200	2	1	01	2	2	0	99999
2	060/00	00	EB	6.180	0.460	6.640	0	0	3	2	6	1	04	11	34	40	0	2016	4200	2	1	01	2	2	0	99999
2	060/00	00	EB	6.640	1.260	7.900	0	0	3	2	6	1	04	11	24	36	0	2016	4200	2	1	01	2	2	0	99999
2	060/00	00	EB	7.900	0.450	8.350	0	0	3	2	6	1	04	11	22	24	0	2016	4200	2	1	01	2	2	0	99999
2	060/00	00	EB	8.350	0.090	8.440	0	0	3	2	6	1	04	11	22	30	0	2016	4200	2	1	01	2	2	0	99999
2	060/00	00	EB	8.440	0.110	8.550	0	0	3	2	6	1	04	11	22	30	0	2016	4200	2	1	01	2	2	0	99999
2	060/00	00	EB	8.550	0.015	8.565	0	0	3	2	6	1	04	11	20	20	0	2016	4200	2	1	01	2	2	0	99999
2	060/00	00	EB	8.565	0.040	8.605	0	0	3	2	6	1	04	11	20	20	0	2016	4200	2	1	01	2	2	0	99999
2	060/00	00	EB	8.605	0.111	8.716	0	0	3	2	6	1	04	11	20	20	0	2016	4200	2	1	01	2	2	0	99999
2	060/00	00	EB	8.716	0.220	8.936	0	0	3	2	6	1	04	11	20	20	0	2016	4200	2	1	01	2	2	0	99999
2	060/00	00	EB	8.936	0.044	8.980	0	0	3	2	6	1	04	11	20	20	0	2016	4200	2	1	01	2	2	0	99999
2	060/00	00	EB	8.980	0.644	9.624	0	0	3	2	6	1	04	11	20	20	0	2016	4200	2	1	01	2	2	0	99999
2	060/00	00	EB	9.624	0.046	9.670	0	0	3	2	6	1	04	11	20	20	0	2016	4200	2	1	01	2	2	0	99999
2	060/00	00	EB	9.670	0.420	10.090	0	0	3	2	6	4	04	12	24	34	4	2016	4200	4	1	01	2	2	0	99999
2	060/00	00	EB	10.090	0.003	10.093	0	0	3	2	6	4	04	12	24	34	4	2016	4588	4	1	01	2	2	0	99999
2	060/00	00	EB	10.093	0.457	10.550	1	0	3	2	6	4	04	12	24	34	4	2016	4588	4	1	01	2	2	0	99999
2	060/00	00	EB	10.550	0.075	10.625	1	0	3	2	6	1	04	11	24	34	0	2016	3436	2	1	01	2	2	0	99999
2	060/00	00	EB	10.625	0.075	10.700	0	0	3	2	6	1	04	11	24	34	0	2016	3436	2	1	01	2	2	0	99999
2	060/00	00	EB	10.700	0.035	10.735	0	0	3	2	6	1	04	11	22	32	0	2016	3436	2	1	01	2	2	0	99999
2	060/00	00	EB	10.735	1.054	11.789	1	0	3	2	6	1	04	11	22	32	0	2016	3436	2	1	01	2	2	0	99999
2	060/00	00	EB	11.789	0.571	12.360	0	0	3	2	6	1	04	11	22	32	0	2016	3436	2	1	01	2	2	0	99999
2	060/00	00	EB	12.360	0.180	12.540	0	0	3	2	6	1	04	11	34	44	0	2016	3436	2	1	01	2	2	0	99999
2	060/00	00	EB	12.540	1.930	14.470	0	0	3	2	6	1	04	11	22	32	0	2016	3436	2	1	01	2	2	0	99999
2	060/00	00	EB	14.470	0.660	15.130	0	0	3	2	6	1	04	11	34	44	0	2016	3436	2	1	01	2	2	0	99999
2	060/00	00	EB	15.130	0.170	15.300	0	0	3	2	6	1	04	11	22	32	0	2016	3436	2	1	01	2	2	0	99999
2	060/00	00	EB	15.300	0.030	15.330	0	0	3	2	6	1	04	11	22	32	0	2016	1468	2	1	01	2	2	0	99999
2	060/00	00	EB	15.330	1.050	16.380	0	0	3	2	6	1	04	11	34	44	0	2016	1468	2	1	01	2	2	0	99999
2	060/00	00	EB	16.380	1.623	18.003	0	0	3	2	6	1	04	11	22	32	0	2016	1468	2	1	01	2	2	0	99999
2	060/00	00	EB	18.003	0.157	18.160	1	0	3	2	6	1	04	11	22	32	0	2016	1468	2	1	01	2	2	0	99999

2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS  
PLANNING DIVISION

FAYETTE COUNTY - (10)

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	LENGTH	END MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	URB CODE	
2	060/00	00	EB	18.160	1.680	19.840	1	0	3	2	6	1	04	11	22	32	0	2016	3230	2	1	01	2	2	0	99999
2	060/00	00	EB	19.840	0.060	19.900	1	0	3	2	6	1	04	11	21	21	0	2016	3230	2	1	01	2	2	0	99999
2	060/00	00	EB	19.900	0.110	20.010	1	0	3	2	6	1	04	11	54	54	0	2016	3230	2	1	01	2	2	0	99999
2	060/00	00	EB	20.010	0.060	20.070	1	0	3	2	6	1	04	11	44	44	0	2016	3546	2	1	01	2	2	0	99999
2	060/00	00	EB	20.070	0.130	20.200	1	0	3	2	6	1	04	11	38	38	0	2016	3546	2	1	01	2	2	0	99999
2	060/00	00	EB	20.200	0.801	21.001	1	0	3	2	6	1	04	11	22	36	0	2016	3546	2	1	01	2	2	0	99999
2	060/00	00	EB	21.001	0.009	21.010	0	0	3	2	6	1	04	11	22	36	0	2016	3546	2	1	01	2	2	0	99999
2	060/00	00	EB	21.010	2.130	23.140	0	0	3	2	6	1	04	11	22	36	0	2016	3757	2	1	01	2	2	0	99999
2	060/00	00	EB	23.140	2.760	25.900	0	0	3	2	6	1	04	11	22	36	0	2016	4255	2	1	01	2	2	0	99999
2	060/00	00	EB	25.900	0.070	25.970	0	0	3	2	6	1	04	12	24	36	0	2016	4255	2	1	01	2	2	0	99999
2	060/00	00	EB	25.970	0.200	26.170	0	0	3	2	6	4	04	12	24	40	24	2016	4255	4	1	01	2	2	0	99999
2	060/00	00	EB	26.170	0.050	26.220	0	0	3	2	6	4	04	12	40	40	24	2016	3465	4	1	01	2	2	0	99999
2	060/00	00	EB	26.220	0.420	26.640	0	0	3	2	6	4	04	12	24	40	24	2016	3465	4	1	01	2	2	0	99999
2	060/00	00	EB	26.640	2.920	29.560	0	0	3	2	6	1	04	11	22	36	0	2016	3465	2	1	01	2	2	0	99999
2	060/00	00	EB	29.560	2.310	31.870	0	0	3	2	6	1	04	11	22	36	0	2016	2821	2	1	01	2	2	0	99999
2	060/00	00	EB	31.870	1.510	33.380	0	0	3	2	6	1	04	11	22	36	0	2016	2260	2	1	01	2	2	0	99999
2	060/00	00	EB	33.380	2.460	35.840	0	0	3	2	6	1	04	11	22	36	0	2016	2138	2	1	01	2	2	0	99999
2	060/00	00	EB	35.840	2.290	38.130	0	0	3	2	6	1	04	11	24	36	0	2016	1285	2	1	01	2	2	0	99999
2	060/00	00	EB	38.130	2.890	41.020	0	0	3	2	6	1	04	11	20	36	0	2016	1285	2	1	01	2	2	0	99999
2	060/00	00	EB	41.020	3.450	44.470	0	0	3	2	6	1	04	11	20	36	0	2016	1718	2	1	01	2	2	0	99999
2	060/00	00	EB	44.470	1.590	46.060	0	0	3	2	6	1	04	11	36	56	0	2016	1568	2	1	01	2	2	0	99999

ROUTE TOTAL: 46.060

Fayette County TOTAL for the PRIMARY DIRECTION:

72.350

2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS  
PLANNING DIVISION

GILMER COUNTY - (11)

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	END LENGTH MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	URB CODE		
2	033/00	00	EB	0.000	0.590	0.590	0	0	3	2	6	1	99	11	18	26	0	2016	412	2	1	01	4	2	0	99999
2	033/00	00	EB	0.590	0.020	0.610	0	0	3	2	6	1	99	11	18	18	0	2016	412	2	1	01	4	2	0	99999
2	033/00	00	EB	0.610	0.250	0.860	0	0	3	2	6	1	99	11	18	26	0	2016	412	2	1	01	4	2	0	99999
2	033/00	00	EB	0.860	0.220	1.080	0	0	3	2	6	1	99	11	18	30	0	2016	412	2	1	01	4	2	0	99999
2	033/00	00	EB	1.080	0.040	1.120	0	0	3	2	6	1	99	11	24	24	0	2016	412	2	1	01	4	2	0	99999
2	033/00	00	EB	1.120	0.270	1.390	0	0	3	2	6	1	99	11	18	30	0	2016	412	2	1	01	4	2	0	99999
2	033/00	00	EB	1.390	0.570	1.960	0	0	3	2	6	1	99	11	18	26	0	2016	496	2	1	01	4	2	0	99999
2	033/00	00	EB	1.960	0.240	2.200	0	0	3	2	6	1	99	11	22	22	0	2016	496	2	1	01	4	2	0	99999
2	033/00	00	EB	2.200	4.340	6.540	0	0	3	2	6	1	99	11	22	32	0	2016	496	2	1	01	4	2	0	99999
2	033/00	00	EB	6.540	6.480	13.020	0	0	3	2	6	1	10	11	18	45	0	2016	978	2	1	01	4	2	0	99999
2	033/00	00	EB	13.020	0.030	13.050	0	0	3	2	6	1	99	11	18	24	0	2016	978	2	1	01	4	2	0	99999
2	033/00	00	EB	13.050	2.916	15.966	0	0	3	2	6	1	08	11	28	30	0	2016	1450	2	1	01	4	2	0	99999
2	033/00	00	EB	15.966	0.054	16.020	1	0	3	2	6	1	08	11	28	30	0	2016	1450	2	1	01	4	2	0	99999
2	033/00	00	EB	16.020	0.400	16.420	1	0	3	2	6	1	08	11	41	45	0	2016	1450	2	1	01	4	2	0	99999
2	033/00	00	EB	16.420	0.140	16.560	1	0	3	2	6	1	10	11	18	45	0	2016	1450	2	1	01	4	2	0	99999
2	033/00	00	EB	16.560	1.260	17.820	1	0	3	2	6	1	10	11	18	45	0	2016	6249	2	1	01	4	2	0	99999
2	033/00	00	EB	17.820	0.315	18.135	1	0	3	3	6	1	10	11	22	34	0	2016	6249	2	1	01	4	2	0	99999
2	033/00	00	EB	18.135	0.003	18.138	0	0	3	3	6	1	10	11	22	34	0	2016	6249	2	1	01	4	2	0	99999
2	033/00	00	EB	18.138	0.050	18.188	1	0	3	3	6	1	10	11	22	34	0	2016	6249	2	1	01	4	2	0	99999
2	033/00	00	EB	18.188	0.012	18.200	0	0	3	3	6	1	10	11	22	34	0	2016	6249	2	1	01	4	2	0	99999
2	033/00	00	EB	18.200	0.209	18.409	0	0	3	3	6	1	10	11	22	34	0	2016	2110	2	1	01	4	2	0	99999
2	033/00	00	EB	18.409	1.211	19.620	0	0	3	3	6	1	10	11	22	34	0	2016	2110	2	1	01	4	2	0	99999
2	033/00	00	EB	19.620	0.650	20.270	0	0	3	3	6	1	10	11	22	34	0	2016	1580	2	1	01	4	2	0	99999
2	033/00	00	EB	20.270	1.910	22.180	0	0	3	3	6	1	16	11	21	32	0	2016	1580	2	1	01	4	2	0	99999
2	033/00	00	EB	22.180	2.910	25.090	0	0	3	3	6	1	16	11	21	30	0	2016	1580	2	1	01	4	2	0	99999
2	033/00	00	EB	25.090	1.640	26.730	0	0	3	3	6	1	15	11	20	30	0	2016	1580	2	1	01	4	2	0	99999
2	033/00	00	EB	26.730	0.020	26.750	0	0	3	3	6	1	15	11	20	20	0	2016	1580	2	1	01	4	2	0	99999
2	033/00	00	EB	26.750	0.230	26.980	0	0	3	3	6	1	15	11	20	30	0	2016	1580	2	1	01	4	2	0	99999

ROUTE TOTAL: 26.980

Gilmer County TOTAL for the PRIMARY DIRECTION: 26.980

## 2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS  
PLANNING DIVISION

### GRANT COUNTY - (12)

SIGN	ROUTE	SUPP	DIRECT	BEG	END		WV			NAT	ACC	YEAR	SURF	PAV	GRADE	MED	AADT	LANES	REV	SPEC	TRK	FAC	URB				
		DSG	SURV	MP	LENGTH	MP	MUN	URB	FAS	FUN	FUNC	CONT	CHNG	TYPE	WIDTH	WIDTH	WIDTH		YR	LANES	SYS	RT		TYPE	CODE		
2	048/00	00	EB	0.000	5.820	5.820	0	0	2	1	2	4	11	11	24	44	38	2016	2783	4	1	10	2	2	1	99999	
2	048/00	00	EB	5.820	4.780	10.600	0	0	2	1	2	4	11	11	24	44	38	2016	2720	4	1	10	2	2	1	99999	
2	048/00	00	EB	10.600	5.820	16.420	0	0	2	1	2	4	11	11	24	44	38	2016	3028	4	1	10	2	2	1	99999	
<b>ROUTE TOTAL:</b>				<b>16.420</b>																							
2	050/00	00	EB	0.000	0.030	0.030	0	0	3	2	6	1	00	11	27	27	0	2016	1518	2	1	01	4	2	0	99999	
2	050/00	00	EB	0.030	0.360	0.390	0	0	3	2	6	1	00	11	22	32	0	2016	1751	2	1	01	4	2	0	99999	
2	050/00	00	EB	0.390	1.040	1.430	0	0	3	2	6	1	05	11	34	35	0	2016	1751	2	1	01	4	2	0	99999	
2	050/00	00	EB	1.430	1.770	3.200	0	0	3	2	6	1	05	11	30	40	0	2016	1751	2	1	01	4	2	0	99999	
2	050/00	00	EB	3.200	2.990	6.190	0	0	3	2	6	1	03	11	30	40	0	2016	1751	2	1	01	4	2	0	99999	
2	050/00	00	EB	6.190	0.030	6.220	0	0	3	2	6	1	99	11	20	20	0	2016	1950	2	1	01	4	2	0	99999	
2	050/00	00	EB	6.220	1.230	7.450	0	0	3	2	6	1	99	11	24	40	0	2016	1950	2	1	01	4	2	0	99999	
2	050/00	00	EB	7.450	2.970	10.420	0	0	3	2	6	1	99	11	22	40	0	2016	1360	2	1	01	4	2	0	99999	
2	050/00	00	EB	10.420	0.220	10.640	0	0	3	2	6	1	05	11	27	40	0	2016	1360	2	1	01	4	2	0	99999	
2	050/00	00	EB	10.640	0.020	10.660	0	0	3	2	6	1	00	11	27	48	0	2016	1360	2	1	01	4	2	0	99999	
2	050/00	00	EB	10.660	0.170	10.830	0	0	3	2	6	1	05	11	27	40	0	2016	1360	2	1	01	4	2	0	99999	
2	050/00	00	EB	10.830	1.230	12.060	0	0	3	2	6	1	05	11	27	40	0	2016	1235	2	1	01	4	2	0	99999	
<b>ROUTE TOTAL:</b>				<b>12.060</b>																							
2	220/00	00	NB	0.000	4.090	4.090	0	0	3	3	7	1	99	11	18	28	0	2016	1009	2	1	01	4	2	0	99999	
2	220/00	00	NB	4.090	0.290	4.380	0	0	3	3	7	1	99	11	22	40	0	2016	1009	2	1	01	4	2	0	99999	
2	220/00	00	NB	4.380	0.030	4.410	0	0	3	3	7	1	99	11	26	26	0	2016	1009	2	1	01	4	2	0	99999	
2	220/00	00	NB	4.410	0.730	5.140	0	0	3	3	7	1	99	11	22	40	0	2016	1578	2	1	01	4	2	0	99999	
2	220/00	00	NB	5.140	2.580	7.720	0	0	3	3	7	1	99	11	18	28	0	2016	1578	2	1	01	4	2	0	99999	
2	220/00	00	NB	7.720	1.232	8.952	0	0	3	3	7	1	99	11	22	28	0	2016	2798	2	1	01	4	2	0	99999	
2	220/00	00	NB	8.952	0.516	9.468	0	0	3	3	7	1	99	11	22	28	0	2016	2798	2	1	01	4	2	0	99999	
2	220/00	00	NB	9.468	0.016	9.484	1	0	3	3	7	1	99	11	22	28	0	2016	2798	2	1	01	4	2	0	99999	
2	220/00	00	NB	9.484	0.008	9.492	0	0	3	3	7	1	99	11	22	28	0	2016	2798	2	1	01	4	2	0	99999	
2	220/00	00	NB	9.492	0.058	9.550	1	0	3	3	7	1	99	11	22	28	0	2016	2798	2	1	01	4	2	0	99999	
2	220/00	00	NB	9.550	0.057	9.607	1	0	3	3	7	1	99	11	18	28	0	2016	2798	2	1	01	4	2	0	99999	
2	220/00	00	NB	9.607	0.061	9.668	0	0	3	3	7	1	99	11	18	28	0	2016	2798	2	1	01	4	2	0	99999	
2	220/00	00	NB	9.668	0.001	9.669	1	0	3	3	7	1	99	11	18	28	0	2016	2798	2	1	01	4	2	0	99999	
2	220/00	00	NB	9.669	0.016	9.685	0	0	3	3	7	1	99	11	18	28	0	2016	2798	2	1	01	4	2	0	99999	
2	220/00	00	NB	9.685	0.025	9.710	1	0	3	3	7	1	99	11	18	28	0	2016	2798	2	1	01	4	2	0	99999	
2	220/00	00	NB	9.710	0.064	9.774	1	0	3	3	7	1	99	11	24	42	0	2016	2798	2	1	01	4	2	0	99999	
2	220/00	00	NB	9.774	0.155	9.929	0	0	3	3	7	1	99	11	24	42	0	2016	2798	2	1	01	4	2	0	99999	
2	220/00	00	NB	9.929	0.051	9.980	1	0	3	3	7	1	99	11	24	42	0	2016	2798	2	1	01	4	2	0	99999	
2	220/00	00	NB	9.980	0.040	10.020	1	0	3	3	7	1	99	11	24	42	0	2016	6257	2	1	01	4	2	0	99999	
2	220/00	00	NB	10.020	0.620	10.640	1	0	3	3	7	1	99	11	30	30	0	2016	6257	2	1	01	4	2	0	99999	
2	220/00	00	NB	10.640	0.084	10.724	1	0	3	2	6	1	99	11	30	30	0	2016	6257	2	1	01	4	2	0	99999	
2	220/00	00	NB	10.724	0.031	10.755	1	0	3	2	6	1	99	11	30	30	0	2016	6257	2	1	01	4	2	0	99999	

2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS  
PLANNING DIVISION

GRANT COUNTY - (12)

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	LENGTH	END MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	URB CODE	
2	220/00	00	NB	10.755	0.265	11.020	1	0	3	2	6	1	99	11	30	30	0	2016	6257	2	1	01	4	2	0	99999
2	220/00	00	NB	11.020	0.028	11.048	1	0	3	2	6	1	99	11	20	34	0	2016	6257	2	1	01	4	2	0	99999
2	220/00	00	NB	11.048	0.007	11.055	1	0	3	2	6	1	99	11	20	34	0	2016	6257	2	1	01	4	2	0	99999
2	220/00	00	NB	11.055	0.021	11.076	1	0	3	2	6	1	99	11	20	34	0	2016	6257	2	1	01	4	2	0	99999
2	220/00	00	NB	11.076	0.009	11.085	1	0	3	2	6	1	99	11	20	34	0	2016	6257	2	1	01	4	2	0	99999
2	220/00	00	NB	11.085	0.135	11.220	1	0	3	2	6	1	99	11	20	34	0	2016	6257	2	1	01	4	2	0	99999
2	220/00	00	NB	11.220	0.080	11.300	1	0	3	2	6	1	99	11	20	34	0	2016	6257	2	1	01	4	2	0	99999
2	220/00	00	NB	11.300	0.014	11.314	1	0	3	2	6	1	99	11	18	18	0	2016	6257	2	1	01	4	2	0	99999
2	220/00	00	NB	11.314	0.006	11.320	0	0	3	2	6	1	99	11	18	18	0	2016	6257	2	1	01	4	2	0	99999
2	220/00	00	NB	11.320	1.710	13.030	0	0	3	2	6	1	99	11	20	30	0	2016	5132	2	1	01	4	2	0	99999

ROUTE TOTAL: 13.030

Grant County TOTAL for the PRIMARY DIRECTION:

41.510

## 2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS

PLANNING DIVISION

### GREENBRIER COUNTY - (13)

Page 19 of 94

SIGN	ROUTE	SUPP	DIRECT	BEG	END		WV			NAT	ACC	YEAR	SURF	PAV	GRADE	MED	AADT	LANES	REV	SPEC	TRK	FAC	URB			
		DSG	SURV	MP	LENGTH	MP	MUN	URB	FAS	FUN	FUNC	CONT	CHNG	TYPE	WIDTH	WIDTH	WIDTH		YR	LANES	SYS	RT		TYPE	CODE	
2	060/00	00	EB	0.000	0.040	0.040	0	0	3	2	6	1	04	11	36	50	0	2016	5750	2	1	01	2	2	0	99999
2	060/00	00	EB	0.040	0.050	0.090	0	0	3	2	6	1	04	11	36	50	0	2016	5750	2	1	01	2	2	0	99999
2	060/00	00	EB	0.090	0.048	0.138	0	0	3	2	6	1	04	11	26	36	0	2016	5750	2	1	01	2	2	0	99999
2	060/00	00	EB	0.138	0.132	0.270	1	0	3	2	6	1	04	11	26	36	0	2016	5750	2	1	01	2	2	0	99999
2	060/00	00	EB	0.270	0.320	0.590	1	0	3	2	6	1	04	11	38	40	0	2016	5750	2	1	01	2	2	0	99999
2	060/00	00	EB	0.590	0.260	0.850	1	0	3	2	6	1	04	11	24	41	0	2016	5750	2	1	01	2	2	0	99999
2	060/00	00	EB	0.850	0.140	0.990	1	0	3	2	6	1	04	11	24	36	0	2016	5750	2	1	01	2	2	0	99999
2	060/00	00	EB	0.990	0.160	1.150	1	0	3	2	6	1	04	11	24	41	0	2016	5750	2	1	01	2	2	0	99999
2	060/00	00	EB	1.150	0.090	1.240	1	0	3	2	6	1	04	11	49	49	0	2016	5750	2	1	01	2	2	0	99999
2	060/00	00	EB	1.240	0.560	1.800	1	0	3	2	6	1	04	11	41	41	0	2016	5750	2	1	01	2	2	0	99999
2	060/00	00	EB	1.800	0.050	1.850	1	0	3	2	6	1	04	11	24	40	0	2016	5750	2	1	01	2	2	0	99999
2	060/00	00	EB	1.850	0.116	1.966	1	0	3	2	6	1	04	11	24	40	0	2016	6366	2	1	01	2	2	0	99999
2	060/00	00	EB	1.966	1.474	3.440	0	0	3	2	6	1	04	11	24	40	0	2016	6366	2	1	01	2	2	0	99999
2	060/00	00	EB	3.440	0.440	3.880	0	0	3	2	6	1	04	11	20	36	0	2016	5134	2	1	01	2	2	0	99999
2	060/00	00	EB	3.880	0.280	4.160	0	0	3	2	6	1	04	11	24	36	0	2016	5134	2	1	01	2	2	0	99999
2	060/00	00	EB	4.160	0.850	5.010	0	0	3	2	6	1	04	11	20	36	0	2016	5956	2	1	01	2	2	0	99999
2	060/00	00	EB	5.010	1.860	6.870	0	0	3	2	6	1	04	11	20	36	0	2016	7906	2	1	01	2	2	0	99999
2	060/00	00	EB	6.870	1.720	8.590	0	0	3	2	6	1	04	11	20	36	0	2016	7906	2	1	01	2	2	0	99999
2	060/00	00	EB	8.590	0.010	8.600	1	0	3	2	6	1	04	11	20	36	0	2016	7906	2	1	01	2	2	0	99999
2	060/00	00	EB	8.600	0.170	8.770	1	0	3	2	6	1	04	11	20	36	0	2016	7084	2	1	01	2	2	0	99999
2	060/00	00	EB	8.770	0.230	9.000	1	0	3	2	6	1	04	11	34	42	0	2016	7084	2	1	01	2	2	0	99999
2	060/00	00	EB	9.000	0.170	9.170	1	0	3	2	6	1	04	11	56	56	0	2016	7084	2	1	01	2	2	0	99999
2	060/00	00	EB	9.170	0.400	9.570	1	0	3	2	6	1	04	11	24	36	0	2016	7084	2	1	01	2	2	0	99999
2	060/00	00	EB	9.570	0.020	9.590	1	0	3	2	6	1	04	11	20	20	0	2016	7084	2	1	01	2	2	0	99999
2	060/00	00	EB	9.590	0.003	9.593	1	0	3	2	6	1	04	11	24	28	0	2016	7084	2	1	01	2	2	0	99999
2	060/00	00	EB	9.593	1.537	11.130	0	0	3	2	6	1	04	11	24	28	0	2016	7084	2	1	01	2	2	0	99999
2	060/00	00	EB	11.130	0.310	11.440	0	0	3	2	6	1	04	11	24	28	0	2016	5647	2	1	01	2	2	0	99999
2	060/00	00	EB	11.440	0.020	11.460	0	0	3	2	6	1	04	11	20	20	0	2016	5647	2	1	01	2	2	0	99999
2	060/00	00	EB	11.460	0.970	12.430	0	0	3	2	6	1	04	11	18	40	0	2016	5647	2	1	01	2	2	0	99999
2	060/00	00	EB	12.430	1.760	14.190	0	0	3	2	6	1	04	11	24	40	0	2016	5647	2	1	01	2	2	0	99999
2	060/00	00	EB	14.190	0.650	14.840	0	0	3	2	6	1	04	11	24	40	0	2016	6264	2	1	01	2	2	0	99999
2	060/00	00	EB	14.840	0.240	15.080	0	0	3	2	6	1	04	12	18	40	0	2016	6264	2	1	01	2	2	0	99999
2	060/00	00	EB	15.080	0.100	15.180	0	0	3	2	6	1	04	12	18	40	0	2016	719	2	1	01	2	2	0	99999
2	060/00	00	EB	15.180	0.110	15.290	0	0	3	4	7	1	04	12	18	40	0	2016	722	2	1	01	4	2	0	99999
2	060/00	00	EB	15.290	0.090	15.380	0	0	3	4	7	1	04	11	18	40	0	2016	722	2	1	01	4	2	0	99999
2	060/00	00	EB	15.380	1.100	16.480	0	0	3	4	7	1	04	11	18	30	0	2016	722	2	1	01	4	2	0	99999
2	060/00	00	EB	16.480	0.950	17.430	0	0	3	4	7	1	04	11	36	42	0	2016	722	2	1	01	4	2	0	99999
2	060/00	00	EB	17.430	0.880	18.310	0	0	3	4	7	1	04	11	36	42	0	2016	773	2	1	01	4	2	0	99999
2	060/00	00	EB	18.310	1.380	19.690	0	0	3	4	7	1	04	11	20	30	0	2016	773	2	1	01	4	2	0	99999

## 2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS

PLANNING DIVISION

### GREENBRIER COUNTY - (13)

Page 20 of 94

SIGN	ROUTE	SUPP	DIRECT	BEG	END		WV			NAT	ACC	YEAR	SURF	PAV	GRADE	MED	AADT	LANES	REV	SPEC	TRK	FAC	URB			
		DSG	SURV	MP	LENGTH	MP	MUN	URB	FAS	FUN	FUNC	CONT	CHNG	TYPE	WIDTH	WIDTH	WIDTH		YR	LANES	SYS	RT		TYPE	CODE	
2	060/00	00	EB	19.690	0.210	19.900	0	0	3	4	7	1	04	11	22	34	0	2016	773	2	1	01	4	2	0	99999
2	060/00	00	EB	19.900	0.050	19.950	0	0	3	4	7	1	04	11	38	38	0	2016	773	2	1	01	4	2	0	99999
2	060/00	00	EB	19.950	0.210	20.160	0	0	3	4	7	1	04	11	22	34	0	2016	773	2	1	01	4	2	0	99999
2	060/00	00	EB	20.160	1.740	21.900	0	0	3	4	7	1	04	11	20	30	0	2016	773	2	1	01	4	2	0	99999
2	060/00	00	EB	21.900	0.930	22.830	0	0	3	4	7	1	04	11	20	30	0	2016	1031	2	1	01	4	2	0	99999
2	060/00	00	EB	22.830	4.030	26.860	0	0	3	4	7	1	04	11	22	34	0	2016	1031	2	1	01	4	2	0	99999
2	060/00	00	EB	26.860	1.670	28.530	0	0	3	4	7	1	04	11	22	34	0	2016	1236	2	1	01	4	2	0	99999
2	060/00	00	EB	28.530	2.360	30.890	0	0	3	4	7	1	04	11	22	34	0	2016	3607	2	1	01	4	2	0	99999
2	060/00	00	EB	30.890	0.064	30.954	0	0	3	4	7	1	04	11	30	42	0	2016	3612	2	1	01	4	2	0	99999
2	060/00	00	EB	30.954	0.022	30.976	0	1	3	4	17	1	04	11	30	42	0	2016	3612	2	1	01	4	2	0	99998
2	060/00	00	EB	30.976	0.024	31.000	2	1	3	4	17	1	04	11	30	42	0	2016	3612	2	1	01	4	2	0	99998
2	060/00	00	EB	31.000	0.240	31.240	2	1	3	4	16	1	04	11	30	42	0	2016	3525	2	1	01	4	2	0	99998
2	060/00	00	EB	31.240	0.480	31.720	2	1	3	4	17	1	04	11	30	42	0	2016	3612	2	1	01	4	2	0	99998
2	060/00	00	EB	31.720	0.150	31.870	2	1	3	4	16	1	04	11	36	36	0	2016	3525	2	1	01	4	2	0	99998
2	060/00	00	EB	31.870	0.200	32.070	2	1	3	4	16	1	04	11	36	36	0	2016	4633	2	1	01	4	2	0	99998
2	060/00	00	EB	32.070	0.480	32.550	2	1	3	4	16	1	04	11	34	38	0	2016	4633	2	1	01	4	2	0	99998
2	060/00	00	EB	32.550	0.450	33.000	2	1	3	4	16	1	04	11	22	36	0	2016	6244	2	1	01	4	2	0	99998
2	060/00	00	EB	33.000	0.118	33.118	2	1	3	4	16	1	04	11	22	36	0	2016	6244	2	1	01	4	2	0	99998
2	060/00	00	EB	33.118	0.002	33.120	0	1	3	4	16	1	04	11	22	36	0	2016	6244	2	1	01	4	2	0	99998
2	060/00	00	EB	33.120	0.080	33.200	2	1	3	4	16	1	04	11	22	36	0	2016	6244	2	1	01	4	2	0	99998
2	060/00	00	EB	33.200	0.056	33.256	2	1	3	4	17	1	04	11	22	36	0	2016	6399	2	1	01	4	2	0	99998
2	060/00	00	EB	33.256	0.001	33.257	0	1	3	4	17	1	04	11	22	36	0	2016	6399	2	1	01	4	2	0	99998
2	060/00	00	EB	33.257	1.393	34.650	0	0	3	4	7	1	04	11	22	36	0	2016	6399	2	1	01	4	2	0	99999
2	060/00	00	EB	34.650	0.040	34.690	0	0	3	4	7	1	04	11	22	36	0	2016	6389	2	1	01	4	2	0	99999
2	060/00	00	EB	34.690	0.030	34.720	0	0	3	4	7	1	04	11	24	24	0	2016	6389	2	1	01	4	2	0	99999
2	060/00	00	EB	34.720	0.160	34.880	0	0	3	4	7	1	04	11	22	36	0	2016	6389	2	1	01	4	2	0	99999
2	060/00	00	EB	34.880	0.050	34.930	0	0	3	4	7	1	04	11	22	36	0	2016	5668	2	1	01	4	2	0	99999
2	060/00	00	EB	34.930	0.100	35.030	0	0	3	4	7	1	04	11	36	36	0	2016	5668	2	1	01	4	2	0	99999
2	060/00	00	EB	35.030	0.160	35.190	0	0	3	4	7	1	04	11	20	20	0	2016	5668	2	1	01	4	2	0	99999
2	060/00	00	EB	35.190	2.460	37.650	0	0	3	2	6	1	04	11	22	40	0	2016	5647	2	1	01	4	2	0	99999
2	060/00	00	EB	37.650	0.010	37.660	0	0	3	2	6	1	04	11	22	40	0	2016	8111	2	1	01	4	2	0	99999
2	060/00	00	EB	37.660	0.490	38.150	1	0	3	2	6	1	04	11	22	40	0	2016	8111	2	1	01	4	2	0	99999
2	060/00	00	EB	38.150	1.280	39.430	1	0	3	2	6	1	04	11	22	40	0	2016	8522	2	1	01	4	2	0	99999
2	060/00	00	EB	39.430	0.520	39.950	1	0	3	2	6	1	04	11	24	24	0	2016	8522	2	1	01	4	2	0	99999
2	060/00	00	EB	39.950	0.120	40.070	1	0	3	2	6	1	04	12	22	40	0	2016	8522	2	1	01	4	2	0	99999
2	060/00	00	EB	40.070	0.174	40.244	1	0	3	2	6	1	04	11	22	40	0	2016	8522	2	1	01	4	2	0	99999
2	060/00	00	EB	40.244	0.566	40.810	1	0	3	2	6	1	04	11	22	40	0	2016	8522	2	1	01	4	2	0	99999
2	060/00	00	EB	40.810	0.540	41.350	1	0	3	2	6	1	04	11	36	36	0	2016	8522	2	1	01	4	2	0	99999
2	060/00	00	EB	41.350	0.010	41.360	1	0	3	2	6	1	04	11	40	40	0	2016	7187	2	1	01	4	2	0	99999
2	060/00	00	EB	41.360	0.080	41.440	1	0	3	2	6	1	04	11	60	60	0	2016	7187	2	1	01	4	2	0	99999

## 2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS

PLANNING DIVISION

### GREENBRIER COUNTY - (13)

Page 21 of 94

SIGN	ROUTE	SUPP	DIRECT	BEG	END		WV			NAT	ACC	YEAR	SURF	PAV	GRADE	MED	AADT	LANES	REV	SPEC	TRK	FAC	URB				
		DSG	SURV	MP	LENGTH	MP	MUN	URB	FAS	FUN	FUNC	CONT	CHNG	TYPE	WIDTH	WIDTH	WIDTH		YR	LANES	SYS	RT		TYPE	CODE		
2	060/00	00	EB	41.440	0.200	41.640	1	0	3	2	6	1	04	11	40	40	0	2016	7187	2	1	01	4	2	0	99999	
2	060/00	00	EB	41.640	0.320	41.960	1	0	3	2	6	1	04	11	34	34	0	2016	7187	2	1	01	4	2	0	99999	
2	060/00	00	EB	41.960	0.418	42.378	1	0	3	2	6	1	04	11	22	36	0	2016	7187	2	1	01	4	2	0	99999	
2	060/00	00	EB	42.378	0.292	42.670	0	0	3	2	6	1	04	11	22	36	0	2016	7187	2	1	01	4	2	0	99999	
2	060/00	00	EB	42.670	0.710	43.380	0	0	3	2	6	1	04	11	22	36	0	2016	1232	2	1	01	4	2	0	99999	
2	060/00	00	EB	43.380	0.420	43.800	0	0	3	2	6	1	04	12	14	34	0	2016	1232	2	1	01	4	2	0	99999	
<b>ROUTE TOTAL:</b>				<b>43.800</b>																							
2	219/00	00	NB	0.000	0.010	0.010	0	0	2	2	2	1	04	11	28	28	0	2016	3307	2	1	01	4	2	1	99999	
2	219/00	00	NB	0.010	0.370	0.380	0	0	2	2	2	1	04	11	24	40	0	2016	3006	2	1	01	4	2	1	99999	
2	219/00	00	NB	0.380	0.060	0.440	0	0	2	2	2	1	04	11	24	40	0	2016	3307	2	1	01	4	2	1	99999	
2	219/00	00	NB	0.440	2.130	2.570	0	0	2	2	2	1	04	11	22	30	0	2016	3307	2	1	01	4	2	1	99999	
2	219/00	00	NB	2.570	2.220	4.790	0	0	2	3	2	1	04	11	18	30	0	2016	3006	2	1	01	4	2	1	99999	
2	219/00	00	NB	4.790	0.574	5.364	0	0	2	3	2	1	04	11	22	30	0	2016	3056	2	1	01	4	2	1	99999	
2	219/00	00	NB	5.364	0.006	5.370	0	1	2	3	14	1	04	11	22	30	0	2016	3056	2	1	01	4	2	1	99998	
2	219/00	00	NB	5.370	0.320	5.690	0	1	2	3	14	1	04	11	22	30	0	2016	3056	2	1	01	4	2	1	99998	
2	219/00	00	NB	5.690	0.340	6.030	0	1	2	3	14	1	05	11	22	30	0	2016	3653	2	1	01	4	2	1	99998	
2	219/00	00	NB	6.030	0.010	6.040	0	1	2	3	14	1	04	11	18	32	0	2016	3653	2	1	01	4	2	1	99998	
2	219/00	00	NB	6.040	0.033	6.073	0	1	2	3	14	1	04	11	18	32	0	2016	5741	2	1	01	4	2	1	99998	
2	219/00	00	NB	6.073	0.367	6.440	1	1	2	3	14	1	04	11	18	32	0	2016	5741	2	1	01	4	2	1	99998	
2	219/00	00	NB	6.440	0.080	6.520	1	1	2	3	14	1	04	11	30	30	0	2016	5741	2	1	01	4	2	1	99998	
2	219/00	00	NB	6.520	0.590	7.110	1	1	2	3	14	1	04	11	30	30	0	2016	5741	2	1	01	4	2	1	99998	
2	219/00	00	NB	7.110	0.080	7.190	1	1	2	3	14	1	04	11	20	40	0	2016	7308	2	1	01	4	2	1	99998	
2	219/00	00	NB	7.190	0.240	7.430	1	1	2	3	14	1	04	11	34	34	0	2016	7308	3	1	01	4	2	1	99998	
2	219/00	00	NB	7.430	0.067	7.497	1	1	2	3	14	1	04	11	34	34	0	2016	7308	3	1	01	4	2	1	99998	
2	219/00	00	NB	7.497	1.093	8.590	0	1	2	3	14	1	04	11	34	34	0	2016	7308	3	1	01	4	2	1	99998	
2	219/00	00	NB	8.590	0.150	8.740	0	1	2	3	14	1	04	11	34	34	0	2016	7308	3	1	01	4	1	1	99998	
2	219/00	00	NB	8.740	0.320	9.060	0	1	2	3	14	1	04	11	20	36	0	2016	7308	2	1	01	4	1	1	99998	
2	219/00	00	NB	9.060	0.840	9.900	0	1	2	3	14	1	04	11	20	36	0	2016	18896	2	1	01	4	1	1	99998	
2	219/00	00	NB	9.900	0.110	10.010	0	1	2	3	14	1	04	11	22	36	0	2016	18896	2	1	01	4	1	1	99998	
2	219/00	00	NB	10.010	0.570	10.580	0	1	2	3	14	1	04	11	22	36	0	2016	18896	2	1	01	4	2	1	99998	
2	219/00	00	NB	10.580	0.003	10.583	0	1	2	3	14	1	04	11	22	36	0	2016	18896	2	1	01	4	2	1	99998	
2	219/00	00	NB	10.583	0.677	11.260	2	1	2	3	14	1	04	11	22	36	0	2016	18896	2	1	01	4	2	1	99998	
2	219/00	00	NB	11.260	0.070	11.330	2	1	2	3	14	1	04	11	36	36	0	2016	18896	2	1	01	4	2	1	99998	
2	219/00	00	NB	11.330	0.260	11.590	2	1	2	3	14	1	04	11	36	36	0	2016	24847	2	1	01	4	2	1	99998	
2	219/00	00	NB	11.590	0.250	11.840	2	1	2	3	14	1	04	11	24	38	0	2016	24847	2	1	01	4	2	1	99998	
2	219/00	00	NB	11.840	0.480	12.320	2	1	2	3	14	1	04	11	36	42	0	2016	24847	2	1	01	4	2	1	99998	
2	219/00	00	NB	12.320	0.370	12.690	2	1	2	3	14	1	04	11	36	42	0	2016	24847	2	1	01	4	1	1	99998	
2	219/00	00	NB	12.690	1.470	14.160	2	1	2	3	14	1	04	11	22	38	0	2016	13885	2	1	01	4	2	1	99998	
2	219/00	00	NB	14.160	0.023	14.183	2	1	2	3	14	1	04	11	22	38	0	2016	8556	2	1	01	4	2	1	99998	

2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS  
PLANNING DIVISION

GREENBRIER COUNTY - (13)

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	LENGTH	END MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	URB CODE	
2	219/00	00	NB	14.183	0.157	14.340	0	1	2	3	14	1	04	11	22	38	0	2016	8556	2	1	01	4	2	1	99998
2	219/00	00	NB	14.340	0.110	14.450	0	1	2	3	14	1	04	11	20	32	0	2016	8556	2	1	01	4	2	1	99998
2	219/00	00	NB	14.450	1.290	15.740	0	0	2	3	2	1	04	11	20	32	0	2016	8556	2	1	01	4	2	1	99999
2	219/00	00	NB	15.740	0.630	16.370	0	0	2	3	2	1	04	11	20	32	0	2016	8418	2	1	01	4	2	1	99999
2	219/00	00	NB	16.370	4.970	21.340	0	0	2	3	2	1	04	11	20	32	0	2016	4208	2	1	01	4	2	1	99999
2	219/00	00	NB	21.340	0.520	21.860	0	0	2	3	2	1	04	11	22	30	0	2016	2806	2	1	01	4	2	1	99999
2	219/00	00	NB	21.860	3.610	25.470	0	0	2	3	2	1	04	11	22	30	0	2016	2105	2	1	01	4	2	1	99999
2	219/00	00	NB	25.470	0.020	25.490	0	0	2	3	2	1	04	11	31	31	0	2016	2105	2	1	01	4	2	1	99999
2	219/00	00	NB	25.490	1.270	26.760	0	0	2	3	2	1	04	11	22	30	0	2016	2105	2	1	01	4	2	1	99999
2	219/00	00	NB	26.760	0.061	26.821	0	0	2	3	2	1	04	11	22	30	0	2016	2105	2	1	01	4	2	1	99999
2	219/00	00	NB	26.821	0.509	27.330	1	0	2	3	2	1	04	11	22	30	0	2016	2105	2	1	01	4	2	1	99999
2	219/00	00	NB	27.330	0.090	27.420	1	0	2	3	2	1	04	11	20	32	0	2016	1403	2	1	01	4	2	1	99999
2	219/00	00	NB	27.420	4.140	31.560	0	0	2	3	2	1	04	11	20	32	0	2016	1403	2	1	01	4	2	1	99999
2	219/00	00	NB	31.560	2.660	34.220	0	0	2	3	2	1	04	11	20	32	0	2016	1202	2	1	01	4	2	1	99999
<b>ROUTE TOTAL:</b>				<b>34.220</b>																						
2	219/00	05	SB	0.000	0.330	0.330	0	1	2	3	14	1	04	11	22	24	0	2016	1357	2	1	01	4	1	1	99998
2	219/00	05	SB	0.330	1.310	1.640	0	1	2	3	14	1	04	11	22	24	0	2016	1514	2	1	01	4	1	1	99998
<b>ROUTE TOTAL:</b>				<b>1.640</b>																						

Greenbrier County TOTAL for the PRIMARY DIRECTION: 79.660

## 2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS  
PLANNING DIVISION

### HAMPSHIRE COUNTY - (14)

SIGN	ROUTE	SUPP	DIRECT	BEG	END					WV	NAT	ACC	YEAR	SURF	PAV	GRADE	MED	AADT	LANES	REV	SPEC	TRK	FAC	URB		
		DSG	SURV	MP	LENGTH	MP	MUN	URB	FAS	FUN	FUNC	CONT	CHNG	TYPE	WIDTH	WIDTH	WIDTH	YR		AADT	LANES	SYS	RT		TYPE	CODE
2	050/00	00	EB	0.000	0.550	0.550	0	0	3	2	6	1	72	11	24	30	0	2016	3635	2	1	01	4	2	0	99999
2	050/00	00	EB	0.550	0.350	0.900	0	0	3	2	6	1	72	11	20	30	0	2016	3635	2	1	01	4	2	0	99999
2	050/00	00	EB	0.900	0.300	1.200	0	0	3	2	6	1	72	11	24	30	0	2016	3635	2	1	01	4	2	0	99999
2	050/00	00	EB	1.200	0.380	1.580	0	0	3	2	6	1	70	11	24	30	0	2016	3635	2	1	01	4	2	0	99999
2	050/00	00	EB	1.580	0.030	1.610	0	0	3	2	6	1	70	11	28	28	0	2016	3965	2	1	01	4	2	0	99999
2	050/00	00	EB	1.610	0.510	2.120	0	0	3	2	6	1	70	11	24	30	0	2016	3965	2	1	01	4	2	0	99999
2	050/00	00	EB	2.120	2.070	4.190	0	0	3	2	6	1	77	11	24	30	0	2016	3965	2	1	01	4	2	0	99999
2	050/00	00	EB	4.190	0.280	4.470	0	0	3	2	6	1	69	11	24	38	0	2016	3965	2	1	01	4	2	0	99999
2	050/00	00	EB	4.470	0.030	4.500	0	0	3	2	6	1	69	12	28	28	0	2016	3965	2	1	01	4	2	0	99999
2	050/00	00	EB	4.500	0.770	5.270	0	0	3	2	6	1	69	11	24	38	0	2016	3965	2	1	01	4	2	0	99999
2	050/00	00	EB	5.270	1.560	6.830	0	0	3	2	6	1	04	11	21	40	0	2016	3965	2	1	01	4	2	0	99999
2	050/00	00	EB	6.830	0.400	7.230	0	0	3	2	6	1	04	11	24	32	0	2016	3965	2	1	01	4	2	0	99999
2	050/00	00	EB	7.230	0.150	7.380	0	0	3	2	6	1	04	11	30	30	0	2016	3965	2	1	01	4	2	0	99999
2	050/00	00	EB	7.380	0.580	7.960	0	0	3	2	6	1	04	11	24	32	0	2016	3965	2	1	01	4	2	0	99999
2	050/00	00	EB	7.960	0.020	7.980	1	0	3	2	6	1	04	11	24	32	0	2016	3965	2	1	01	4	2	0	99999
2	050/00	00	EB	7.980	0.280	8.260	1	0	3	2	6	1	69	11	24	32	0	2016	8405	2	1	01	4	2	0	99999
2	050/00	00	EB	8.260	0.180	8.440	1	0	3	2	6	1	69	11	38	38	0	2016	8405	2	1	01	4	2	0	99999
2	050/00	00	EB	8.440	0.120	8.560	1	0	3	2	6	1	69	11	38	38	0	2016	13886	2	1	01	4	2	0	99999
2	050/00	00	EB	8.560	0.396	8.956	1	0	3	2	6	1	69	11	27	37	0	2016	13886	2	1	01	4	2	0	99999
2	050/00	00	EB	8.956	0.014	8.970	0	0	3	2	6	1	69	11	27	37	0	2016	13886	2	1	01	4	2	0	99999
2	050/00	00	EB	8.970	1.090	10.060	0	0	3	2	6	1	98	11	24	36	0	2016	13047	2	1	01	4	2	0	99999
2	050/00	00	EB	10.060	2.730	12.790	0	0	3	2	6	1	00	11	36	40	0	2016	11306	2	1	01	4	2	0	99999
2	050/00	00	EB	12.790	2.040	14.830	0	0	3	2	6	1	70	11	24	36	0	2016	11306	2	1	01	4	2	0	99999
2	050/00	00	EB	14.830	1.000	15.830	0	0	3	2	6	1	71	11	24	36	0	2016	11306	2	1	01	4	2	0	99999
2	050/00	00	EB	15.830	0.050	15.880	0	0	3	2	6	1	71	11	36	38	0	2016	11306	2	1	01	4	2	0	99999
2	050/00	00	EB	15.880	1.090	16.970	0	0	3	2	6	1	71	11	36	38	0	2016	8088	2	1	01	4	2	0	99999
2	050/00	00	EB	16.970	1.670	18.640	0	0	3	2	6	1	71	11	24	36	0	2016	8088	2	1	01	4	2	0	99999
2	050/00	00	EB	18.640	0.460	19.100	0	0	3	2	6	1	99	11	36	40	0	2016	6972	2	1	01	4	2	0	99999
2	050/00	00	EB	19.100	0.900	20.000	0	0	3	2	6	1	99	11	24	36	0	2016	6972	2	1	01	4	2	0	99999
2	050/00	00	EB	20.000	0.250	20.250	0	0	3	2	6	1	99	11	24	52	0	2016	5240	2	1	01	4	2	0	99999
2	050/00	00	EB	20.250	0.030	20.280	0	0	3	2	6	1	99	11	24	36	0	2016	5240	2	1	01	4	2	0	99999
2	050/00	00	EB	20.280	2.690	22.970	0	0	3	2	6	1	04	11	24	36	0	2016	5240	2	1	01	4	2	0	99999
2	050/00	00	EB	22.970	0.150	23.120	0	0	3	2	6	1	73	11	24	36	0	2016	5240	2	1	01	4	2	0	99999
2	050/00	00	EB	23.120	0.360	23.480	0	0	3	2	6	1	69	11	24	36	0	2016	5240	2	1	01	4	2	0	99999
2	050/00	00	EB	23.480	1.990	25.470	0	0	3	2	6	1	71	11	20	30	0	2016	5240	2	1	01	4	2	0	99999
2	050/00	00	EB	25.470	0.750	26.220	0	0	3	2	6	1	71	11	32	36	0	2016	5205	2	1	01	4	2	0	99999
2	050/00	00	EB	26.220	0.280	26.500	0	0	3	2	6	1	95	11	20	30	0	2016	5205	2	1	01	4	2	0	99999
2	050/00	00	EB	26.500	1.100	27.600	0	0	3	2	6	1	95	11	24	42	0	2016	5205	2	1	01	4	2	0	99999
2	050/00	00	EB	27.600	0.500	28.100	0	0	3	2	6	1	88	11	24	44	0	2016	5205	2	1	01	4	2	0	99999

2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS  
PLANNING DIVISION

HAMPSHIRE COUNTY - (14)

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	END MP	LENGTH	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	URB CODE			
2	050/00	00	EB	28.100	0.570	28.670	0	0	3	2	6	1	88	11	20	30	0	2016	5205	2	1	01	4	2	0	99999		
2	050/00	00	EB	28.670	0.260	28.930	0	0	3	2	6	1	85	11	24	42	0	2016	5205	2	1	01	4	2	0	99999		
2	050/00	00	EB	28.930	0.070	29.000	0	0	3	2	6	1	88	11	20	30	0	2016	5205	2	1	01	4	2	0	99999		
2	050/00	00	EB	29.000	0.250	29.250	0	0	3	2	6	1	88	11	24	52	0	2016	5205	2	1	01	4	2	0	99999		
2	050/00	00	EB	29.250	1.062	30.312	0	0	3	2	6	1	88	11	20	30	0	2016	5205	2	1	01	4	2	0	99999		
2	050/00	00	EB	30.312	0.018	30.330	1	0	3	2	6	1	88	11	20	30	0	2016	5205	2	1	01	4	2	0	99999		
2	050/00	00	EB	30.330	0.680	31.010	1	0	3	2	6	1	73	11	20	30	0	2016	6377	2	1	01	4	2	0	99999		
2	050/00	00	EB	31.010	0.030	31.040	1	0	3	2	6	1	00	11	30	30	0	2016	6377	2	1	01	4	2	0	99999		
2	050/00	00	EB	31.040	0.588	31.628	1	0	3	2	6	1	00	11	20	30	0	2016	6834	2	1	01	4	2	0	99999		
2	050/00	00	EB	31.628	0.782	32.410	0	0	3	2	6	1	00	11	20	30	0	2016	6834	2	1	01	4	2	0	99999		
2	050/00	00	EB	32.410	1.640	34.050	0	0	3	2	6	1	01	11	20	30	0	2016	6834	2	1	01	4	2	0	99999		
<b>ROUTE TOTAL:</b>				<b>34.050</b>																								
2	220/00	00	NB	0.000	6.110	6.110	0	0	3	3	7	1	07	11	18	28	0	2016	2615	2	1	01	4	2	0	99999		
2	220/00	00	NB	6.110	2.460	8.570	0	0	3	3	7	1	97	11	22	28	0	2016	2717	2	1	01	4	2	0	99999		
<b>ROUTE TOTAL:</b>				<b>8.570</b>																								

Hampshire County TOTAL for the PRIMARY DIRECTION: 42.620

2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS  
PLANNING DIVISION

HANCOCK COUNTY - (15)

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	LENGTH	END MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	URB CODE		
2	022/00	00	EB	0.000	0.390	0.390	5	2	2	1	12	7	96	11	24	34	0	2016	23087	4	1	01	2	2	1	93592	
<b>ROUTE TOTAL:</b>				<b>0.390</b>																							
2	030/00	00	EB	0.000	0.050	0.050	0	1	2	1	14	4	85	12	58	58	2	2016	19078	4	1	01	2	2	1	99998	
2	030/00	00	EB	0.050	0.236	0.286	0	1	2	1	14	4	85	12	30	30	2	2016	19078	4	1	01	2	2	1	99998	
2	030/00	00	EB	0.286	0.244	0.530	2	1	2	1	14	4	85	12	30	30	2	2016	19078	4	1	01	2	2	1	99998	
2	030/00	00	EB	0.530	0.080	0.610	2	1	2	1	14	4	85	12	28	40	2	2016	12089	4	1	01	2	2	1	99998	
2	030/00	00	EB	0.610	0.230	0.840	2	1	3	1	16	4	93	12	28	40	2	2016	12089	4	1	01	2	2	0	99998	
2	030/00	00	EB	0.840	0.100	0.940	2	1	3	1	16	4	85	12	20	30	30	2016	12089	4	1	01	2	2	0	99998	
2	030/00	00	EB	0.940	0.120	1.060	2	1	3	1	16	4	96	12	20	30	14	2016	12089	4	1	01	2	2	0	99998	
2	030/00	00	EB	1.060	0.094	1.154	2	1	3	1	16	1	85	11	24	30	0	2016	12089	3	1	01	2	2	0	99998	
2	030/00	00	EB	1.154	0.016	1.170	0	1	3	1	16	1	85	11	24	30	0	2016	12089	3	1	01	2	2	0	99998	
2	030/00	00	EB	1.170	0.050	1.220	0	1	3	1	16	1	05	11	24	30	0	2016	12171	3	1	01	4	2	0	99998	
2	030/00	00	EB	1.220	0.323	1.543	0	1	3	1	16	1	94	11	24	30	0	2016	12171	3	1	01	2	2	0	99998	
2	030/00	00	EB	1.543	0.837	2.380	0	0	3	1	6	1	94	11	24	30	0	2016	12171	3	1	01	2	2	0	99999	
2	030/00	00	EB	2.380	0.200	2.580	0	0	3	1	6	1	94	11	23	38	0	2016	12171	2	1	01	2	2	0	99999	
2	030/00	00	EB	2.580	0.910	3.490	0	0	3	1	6	1	85	11	23	38	0	2016	7723	2	1	01	2	2	0	99999	
<b>ROUTE TOTAL:</b>				<b>3.490</b>																							

Hancock County TOTAL for the PRIMARY DIRECTION: 3.880

## 2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS  
PLANNING DIVISION

### HARDY COUNTY - (16)

SIGN	ROUTE	SUPP	DIRECT	BEG	END		WV			NAT	ACC	YEAR	SURF	PAV	GRADE	MED	AADT	LANES	REV	SPEC	TRK	FAC	URB				
		DSG	SURV	MP	LENGTH	MP	MUN	URB	FAS	FUN	FUNC	CONT	CHNG	TYPE	WIDTH	WIDTH	WIDTH		YR	LANES	SYS	RT		TYPE	CODE		
2	048/00	00	EB	0.000	8.171	8.171	0	0	2	1	2	4	11	11	24	44	38	2016	4521	4	1	10	2	2	1	99999	
2	048/00	00	EB	8.171	0.171	8.342	2	0	2	1	2	4	11	11	24	44	38	2016	4521	4	1	10	2	2	1	99999	
2	048/00	00	EB	8.342	0.305	8.647	0	0	2	1	2	4	11	11	24	44	38	2016	4521	4	1	10	2	2	1	99999	
2	048/00	00	EB	8.647	0.019	8.666	2	0	2	1	2	4	11	11	24	44	38	2016	4521	4	1	10	2	2	1	99999	
2	048/00	00	EB	8.666	0.060	8.726	0	0	2	1	2	4	11	11	24	44	38	2016	4521	4	1	10	2	2	1	99999	
2	048/00	00	EB	8.726	0.107	8.833	0	0	2	1	2	4	11	11	24	44	38	2016	4521	4	1	10	2	2	1	99999	
2	048/00	00	EB	8.833	0.013	8.846	2	0	2	1	2	4	11	11	24	44	38	2016	4521	4	1	10	2	2	1	99999	
2	048/00	00	EB	8.846	0.446	9.292	2	0	2	1	2	4	11	11	24	44	38	2016	4521	4	1	10	2	2	1	99999	
2	048/00	00	EB	9.292	0.038	9.330	0	0	2	1	2	4	11	11	24	44	38	2016	4521	4	1	10	2	2	1	99999	
<b>ROUTE TOTAL:</b>				<b>9.330</b>																							
2	220/00	00	NB	0.000	0.210	0.210	0	0	3	2	6	1	04	11	18	32	0	2016	4862	2	1	01	4	2	0	99999	
2	220/00	00	NB	0.210	0.070	0.280	0	0	3	2	6	1	04	11	18	18	0	2016	4862	2	1	01	4	2	0	99999	
2	220/00	00	NB	0.280	2.160	2.440	0	0	3	2	6	1	04	11	24	32	0	2016	4862	2	1	01	4	2	0	99999	
2	220/00	00	NB	2.440	1.730	4.170	0	0	3	2	6	1	07	11	24	32	0	2016	4772	2	1	01	4	2	0	99999	
2	220/00	00	NB	4.170	1.980	6.150	0	0	3	2	6	1	04	11	22	32	0	2016	4772	2	1	01	4	2	0	99999	
2	220/00	00	NB	6.150	2.420	8.570	0	0	3	2	6	1	04	11	22	30	0	2016	4772	2	1	01	4	2	0	99999	
2	220/00	00	NB	8.570	0.475	9.045	0	0	3	2	6	1	04	11	22	30	0	2016	8664	2	1	01	4	2	0	99999	
2	220/00	00	NB	9.045	0.105	9.150	2	0	3	2	6	1	04	11	22	30	0	2016	8664	2	1	01	4	2	0	99999	
2	220/00	00	NB	9.150	0.200	9.350	2	0	3	2	6	1	04	11	18	32	0	2016	8664	2	1	01	4	2	0	99999	
2	220/00	00	NB	9.350	0.220	9.570	2	0	3	2	6	1	04	11	30	30	0	2016	8664	2	1	01	4	2	0	99999	
2	220/00	00	NB	9.570	0.009	9.579	2	0	3	2	6	1	04	11	18	18	0	2016	8664	2	1	01	4	2	0	99999	
2	220/00	00	NB	9.579	0.010	9.589	2	0	3	2	6	1	04	11	18	18	0	2016	8664	2	1	01	4	2	0	99999	
2	220/00	00	NB	9.589	0.021	9.610	2	0	3	2	6	1	04	11	18	18	0	2016	8664	2	1	01	4	2	0	99999	
2	220/00	00	NB	9.610	0.390	10.000	2	0	3	2	6	1	07	11	30	30	0	2016	10797	2	1	01	4	2	0	99999	
2	220/00	00	NB	10.000	0.190	10.190	2	0	3	3	7	1	04	11	30	30	0	2016	10797	2	1	01	4	2	0	99999	
2	220/00	00	NB	10.190	0.340	10.530	2	0	3	3	7	1	04	11	38	38	0	2016	10797	2	1	01	4	2	0	99999	
2	220/00	00	NB	10.530	0.160	10.690	2	0	3	3	7	1	04	11	22	30	0	2016	10797	2	1	01	4	2	0	99999	
2	220/00	00	NB	10.690	0.297	10.987	2	0	3	3	7	1	04	11	22	30	0	2016	12768	2	1	01	4	2	0	99999	
2	220/00	00	NB	10.987	0.155	11.142	2	0	3	3	7	1	04	11	22	30	0	2016	12768	2	1	01	4	2	0	99999	
2	220/00	00	NB	11.142	0.071	11.213	2	0	3	3	7	1	04	11	22	30	0	2016	12768	2	1	01	4	2	0	99999	
2	220/00	00	NB	11.213	0.035	11.248	2	0	3	3	7	1	04	11	22	30	0	2016	12768	2	1	01	4	2	0	99999	
2	220/00	00	NB	11.248	0.060	11.308	0	0	3	3	7	1	04	11	22	30	0	2016	12768	2	1	01	4	2	0	99999	
2	220/00	00	NB	11.308	0.486	11.794	2	0	3	3	7	1	04	11	22	30	0	2016	12768	2	1	01	4	2	0	99999	
2	220/00	00	NB	11.794	1.166	12.960	0	0	3	3	7	1	04	11	22	30	0	2016	12768	2	1	01	4	2	0	99999	
2	220/00	00	NB	12.960	0.030	12.990	0	0	3	3	7	1	04	11	22	30	0	2016	4033	2	1	01	4	2	0	99999	
2	220/00	00	NB	12.990	0.050	13.040	0	0	3	3	7	1	04	11	20	20	0	2016	4033	2	1	01	4	2	0	99999	
2	220/00	00	NB	13.040	0.100	13.140	0	0	3	3	7	1	04	11	22	30	0	2016	4033	2	1	01	4	2	0	99999	
2	220/00	00	NB	13.140	1.890	15.030	0	0	3	3	7	1	04	11	22	42	0	2016	4033	2	1	01	4	2	0	99999	
2	220/00	00	NB	15.030	0.020	15.050	0	0	3	3	7	1	15	11	26	26	0	2016	4033	2	1	01	4	2	0	99999	

2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS  
PLANNING DIVISION

HARDY COUNTY - (16)

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	LENGTH	END MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	URB CODE	
2	220/00	00	NB	15.050	2.800	17.850	0	0	3	3	7	1	15	11	22	42	0	2016	4033	2	1	01	4	2	0	99999
2	220/00	00	NB	17.850	0.040	17.890	0	0	3	3	7	1	15	11	26	26	0	2016	4033	2	1	01	4	2	0	99999
2	220/00	00	NB	17.890	0.630	18.520	0	0	3	3	7	1	15	11	22	42	0	2016	4033	2	1	01	4	2	0	99999
2	220/00	00	NB	18.520	0.780	19.300	0	0	3	3	7	1	04	11	18	30	0	2016	2815	2	1	01	4	2	0	99999
2	220/00	00	NB	19.300	1.700	21.000	0	0	3	3	7	1	12	11	25	30	0	2016	2815	2	1	01	4	2	0	99999

ROUTE TOTAL: 21.000

Hardy County TOTAL for the PRIMARY DIRECTION: 30.330

## 2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS

PLANNING DIVISION

### HARRISON COUNTY - (17)

Page 28 of 94

SIGN	ROUTE	SUPP	DIRECT	BEG	END		WV			NAT	ACC	YEAR	SURF	PAV	GRADE	MED	AADT	LANES	REV	SPEC	TRK	FAC	URB			
		DSG	SURV	MP	LENGTH	MP	MUN	URB	FAS	FUN	FUNC	CONT	CHNG	TYPE	WIDTH	WIDTH	WIDTH		YR	AADT	LANES	SYS		RT	TYPE	CODE
2	019/00	00	NB	0.000	0.220	0.220	0	0	3	4	7	1	00	11	22	32	0	2016	1816	2	1	01	4	2	0	99999
2	019/00	00	NB	0.220	0.010	0.230	0	0	3	3	7	1	00	11	22	22	0	2016	1816	2	1	01	4	2	0	99999
2	019/00	00	NB	0.230	1.160	1.390	0	0	3	3	7	1	00	11	22	32	0	2016	1816	2	1	01	4	2	0	99999
2	019/00	00	NB	1.390	0.010	1.400	0	0	3	3	7	1	00	11	22	22	0	2016	1816	2	1	01	4	2	0	99999
2	019/00	00	NB	1.400	3.000	4.400	0	0	3	3	7	1	00	11	22	32	0	2016	1816	2	1	01	4	2	0	99999
2	019/00	00	NB	4.400	0.090	4.490	0	0	3	3	7	1	00	11	22	32	0	2016	2047	2	1	01	4	2	0	99999
2	019/00	00	NB	4.490	0.030	4.520	0	0	3	3	7	1	00	11	24	24	0	2016	2047	2	1	01	4	2	0	99999
2	019/00	00	NB	4.520	0.480	5.000	0	0	3	3	7	1	00	11	22	32	0	2016	2047	2	1	01	4	2	0	99999
2	019/00	00	NB	5.000	2.600	7.600	0	0	3	3	7	1	00	11	18	22	0	2016	2763	2	1	01	4	2	0	99999
2	019/00	00	NB	7.600	2.050	9.650	0	0	3	3	7	1	00	11	18	22	0	2016	3148	2	1	01	4	2	0	99999
2	019/00	00	NB	9.650	1.040	10.690	0	0	3	3	7	1	00	11	18	22	0	2016	2774	2	1	01	4	2	0	99999
2	019/00	00	NB	10.690	0.630	11.320	0	0	3	3	7	1	00	11	18	28	0	2016	4237	2	1	01	4	2	0	99999
2	019/00	00	NB	11.320	0.785	12.105	0	0	3	3	7	1	00	11	18	28	0	2016	4237	2	1	01	4	2	0	99999
2	019/00	00	NB	12.105	0.005	12.110	0	1	3	3	17	1	00	11	18	28	0	2016	4237	2	1	01	4	2	0	99998
2	019/00	00	NB	12.110	0.200	12.310	0	1	3	3	16	1	05	11	18	28	0	2016	6620	2	1	01	4	2	0	99998
2	019/00	00	NB	12.310	1.199	13.509	0	1	3	3	16	1	00	11	18	28	0	2016	6620	2	1	01	4	2	0	99998
2	019/00	00	NB	13.509	0.250	13.759	4	1	3	3	16	1	00	11	18	28	0	2016	6620	2	1	01	4	2	0	99998
2	019/00	00	NB	13.759	0.006	13.765	0	1	3	3	16	1	00	11	18	28	0	2016	6620	2	1	01	4	2	0	99998
2	019/00	00	NB	13.765	0.006	13.771	4	1	3	3	16	1	00	11	18	28	0	2016	6620	2	1	01	4	2	0	99998
2	019/00	00	NB	13.771	0.069	13.840	0	1	3	3	16	1	00	11	18	28	0	2016	6620	2	1	01	4	2	0	99998
2	019/00	00	NB	13.840	0.209	14.049	0	1	3	3	16	1	00	11	18	28	0	2016	13383	2	1	01	4	2	0	99998
2	019/00	00	NB	14.049	0.097	14.146	4	1	3	3	16	1	00	11	18	28	0	2016	13383	2	1	01	4	2	0	99998
2	019/00	00	NB	14.146	0.174	14.320	0	1	3	3	16	1	00	11	18	28	0	2016	13383	2	1	01	4	2	0	99998
2	019/00	00	NB	14.320	0.050	14.370	0	1	3	3	16	1	00	11	23	24	0	2016	13383	2	1	01	4	2	0	99998
2	019/00	00	NB	14.370	0.030	14.400	0	1	3	3	16	1	00	11	23	24	0	2016	12713	2	1	01	4	2	0	99998
2	019/00	00	NB	14.400	0.019	14.419	0	1	3	3	16	1	00	11	22	27	0	2016	12713	2	1	01	4	2	0	99998
2	019/00	00	NB	14.419	0.041	14.460	4	1	3	3	16	1	00	11	22	27	0	2016	12713	2	1	01	4	2	0	99998
2	019/00	00	NB	14.460	0.870	15.330	4	1	3	3	16	1	00	11	22	22	0	2016	12713	2	1	01	4	2	0	99998
2	019/00	00	NB	15.330	0.220	15.550	4	1	3	3	16	1	00	11	26	26	0	2016	12713	2	1	01	4	2	0	99998
2	019/00	00	NB	15.550	0.030	15.580	4	1	3	3	16	1	00	11	36	36	0	2016	12713	2	1	01	4	2	0	99998
2	019/00	00	NB	15.580	0.040	15.620	4	1	3	3	16	1	00	11	26	26	0	2016	12713	2	1	01	4	2	0	99998
2	019/00	00	NB	15.620	0.010	15.630	4	1	3	3	16	1	00	11	30	30	0	2016	12713	2	1	01	4	2	0	99998
2	019/00	00	NB	15.630	0.010	15.640	4	1	3	3	16	1	00	11	36	36	0	2016	6462	2	1	01	4	2	0	99998
2	019/00	00	NB	15.640	0.630	16.270	4	1	3	3	16	1	00	11	30	30	0	2016	6462	2	1	01	4	2	0	99998
2	019/00	00	NB	16.270	0.050	16.320	4	1	3	3	16	1	00	11	26	26	0	2016	5097	2	1	01	4	2	0	99998
2	019/00	00	NB	16.320	0.070	16.390	4	1	3	3	16	1	00	11	30	30	0	2016	5097	2	1	01	4	2	0	99998
2	019/00	00	NB	16.390	0.120	16.510	4	1	3	3	16	1	00	11	35	35	0	2016	5097	2	1	01	4	2	0	99998
2	019/00	00	NB	16.510	0.510	17.020	4	1	3	3	16	1	00	11	30	30	0	2016	5097	2	1	01	4	2	0	99998
2	019/00	00	NB	17.020	0.080	17.100	4	1	3	3	16	1	00	11	30	30	0	2016	8714	2	1	01	4	2	0	99998

## 2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS

PLANNING DIVISION

### HARRISON COUNTY - (17)

Page 29 of 94

SIGN	ROUTE	SUPP	DIRECT	BEG	END		WV			NAT	ACC	YEAR	SURF	PAV	GRADE	MED	AADT	LANES	REV	SPEC	TRK	FAC	URB				
		DSG	SURV	MP	LENGTH	MP	MUN	URB	FAS	FUN	FUNC	CONT	CHNG	TYPE	WIDTH	WIDTH	WIDTH		YR	LANES	SYS	RT		TYPE	CODE		
2	019/00	00	NB	17.100	0.180	17.280	4	1	3	3	16	1	00	11	24	40	0	2016	8714	2	1	01	4	2	0	99998	
2	019/00	00	NB	17.280	0.880	18.160	4	1	3	3	16	1	00	11	18	38	0	2016	8714	2	1	01	4	2	0	99998	
2	019/00	00	NB	18.160	0.215	18.375	4	1	3	3	16	1	00	11	18	38	0	2016	6462	2	1	01	4	2	0	99998	
2	019/00	00	NB	18.375	0.235	18.610	0	1	3	3	16	1	00	11	18	38	0	2016	6462	2	1	01	4	2	0	99998	
2	019/00	00	NB	18.610	2.010	20.620	0	1	3	3	16	1	00	11	18	38	0	2016	4846	2	1	01	4	2	0	99998	
2	019/00	00	NB	20.620	0.810	21.430	0	1	3	3	16	1	00	11	18	30	0	2016	4846	2	1	01	4	2	0	99998	
2	019/00	00	NB	21.430	0.190	21.620	0	1	3	3	16	1	00	11	22	40	0	2016	4846	2	1	01	4	2	0	99998	
2	019/00	00	NB	21.620	0.500	22.120	0	1	3	3	16	1	00	11	18	30	0	2016	4846	2	1	01	4	2	0	99998	
2	019/00	00	NB	22.120	0.270	22.390	0	1	3	3	16	1	00	11	18	28	0	2016	4846	2	1	01	4	2	0	99998	
2	019/00	00	NB	22.390	0.870	23.260	0	1	3	3	16	1	05	11	18	28	0	2016	8690	2	1	01	4	2	0	99998	
2	019/00	00	NB	23.260	0.100	23.360	0	1	3	3	16	1	00	11	21	21	0	2016	8690	2	1	01	4	2	0	99998	
2	019/00	00	NB	23.360	0.820	24.180	0	1	3	3	16	1	00	11	18	28	0	2016	8690	2	1	01	4	2	0	99998	
2	019/00	00	NB	24.180	0.085	24.265	0	1	3	3	16	1	00	11	33	36	0	2016	9760	2	1	01	4	2	0	99998	
2	019/00	00	NB	24.265	0.035	24.300	1	1	3	3	16	1	00	11	33	36	0	2016	9760	2	1	01	4	2	0	99998	
2	019/00	00	NB	24.300	1.360	25.660	1	1	3	3	16	1	00	11	18	28	0	2016	9760	2	1	01	4	2	0	99998	
2	019/00	00	NB	25.660	0.100	25.760	1	1	3	3	16	1	00	11	36	36	0	2016	9760	2	1	01	4	2	0	99998	
2	019/00	00	NB	25.760	0.010	25.770	1	1	3	3	16	1	00	11	26	26	0	2016	9760	2	1	01	4	2	0	99998	
2	019/00	00	NB	25.770	0.420	26.190	1	1	3	3	16	1	00	11	36	36	0	2016	9760	2	1	01	4	2	0	99998	
2	019/00	00	NB	26.190	0.140	26.330	1	1	3	3	16	1	00	11	27	27	0	2016	9760	2	1	01	4	2	0	99998	
2	019/00	00	NB	26.330	0.320	26.650	1	1	3	3	16	1	00	11	18	36	0	2016	5761	2	1	01	4	2	0	99998	
2	019/00	00	NB	26.650	0.290	26.940	1	1	3	3	16	1	00	11	18	28	0	2016	5761	2	1	01	4	2	0	99998	
2	019/00	00	NB	26.940	0.340	27.280	1	1	3	3	16	1	00	11	34	42	0	2016	5761	2	1	01	4	2	0	99998	
2	019/00	00	NB	27.280	0.528	27.808	1	1	3	3	16	1	00	11	18	28	0	2016	5356	2	1	01	4	2	0	99998	
2	019/00	00	NB	27.808	1.632	29.440	0	1	3	3	16	1	00	11	18	28	0	2016	5356	2	1	01	4	2	0	99998	
<b>ROUTE TOTAL:</b>				<b>29.440</b>																							
2	050/00	00	EB	0.000	3.370	3.370	0	0	2	1	2	4	00	11	24	34	26	2016	10678	4	1	10	1	2	1	99999	
2	050/00	00	EB	3.370	0.430	3.800	0	0	2	1	2	4	00	11	24	24	26	2016	10678	4	1	10	1	2	1	99999	
2	050/00	00	EB	3.800	0.590	4.390	0	0	2	1	2	4	00	11	24	34	26	2016	28683	4	1	10	1	2	1	99999	
2	050/00	00	EB	4.390	0.100	4.490	0	0	2	1	2	4	00	11	20	22	0	2016	28683	4	1	10	1	2	1	99999	
2	050/00	00	EB	4.490	1.590	6.080	0	0	2	1	2	4	00	11	24	34	26	2016	28683	4	1	10	1	2	1	99999	
2	050/00	00	EB	6.080	0.020	6.100	0	0	2	1	2	4	00	12	39	39	26	2016	28683	4	1	10	1	2	1	99999	
2	050/00	00	EB	6.100	0.001	6.101	0	0	2	1	2	4	00	11	24	34	26	2016	30465	4	1	10	1	2	1	99999	
2	050/00	00	EB	6.101	1.059	7.160	0	1	2	1	14	4	00	11	24	34	26	2016	30465	4	1	10	1	2	1	99998	
2	050/00	00	EB	7.160	1.350	8.510	0	1	2	1	14	4	00	11	24	36	20	2016	30465	4	1	10	1	2	1	99998	
2	050/00	00	EB	8.510	1.520	10.030	0	1	2	1	14	4	05	11	24	36	20	2016	30465	4	1	10	1	2	1	99998	
2	050/00	00	EB	10.030	0.270	10.300	0	1	2	1	14	4	00	12	24	36	20	2016	29468	4	1	10	1	2	1	99998	
2	050/00	00	EB	10.300	1.080	11.380	0	1	2	1	14	4	00	11	24	36	40	2016	29468	4	1	10	1	2	1	99998	
2	050/00	00	EB	11.380	0.910	12.290	0	1	2	1	14	4	00	11	24	36	40	2016	27619	4	1	10	1	2	1	99998	
2	050/00	00	EB	12.290	0.590	12.880	0	1	2	1	14	4	00	11	24	36	40	2016	17331	4	1	10	1	2	1	99998	

## 2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS  
PLANNING DIVISION

### HARRISON COUNTY - (17)

Page 30 of 94

SIGN	ROUTE	SUPP	DIRECT	BEG	END				WV	NAT	ACC	YEAR	SURF	PAV	GRADE	MED	AADT				REV	SPEC	TRK	FAC	URB	
		DSG	SURV	MP	LENGTH	MP	MUN	URB	FAS	FUN	FUNC	CONT	CHNG	TYPE	WIDTH	WIDTH	WIDTH	YR	AADT	LANES	LANES	SYS	RT	TYPE	CODE	
2	050/00	00	EB	12.880	0.375	13.255	0	1	2	1	14	4	00	11	24	36	0	2016	17331	4	1	10	1	2	1	99998
2	050/00	00	EB	13.255	0.525	13.780	4	1	2	1	14	4	00	11	24	36	0	2016	17331	4	1	10	1	2	1	99998
2	050/00	00	EB	13.780	0.250	14.030	4	1	2	1	14	4	00	11	24	36	0	2016	43348	4	1	10	1	2	1	99998
2	050/00	00	EB	14.030	0.220	14.250	4	1	2	1	14	4	00	11	24	36	5	2016	43348	4	1	10	1	2	1	99998
2	050/00	00	EB	14.250	0.070	14.320	4	1	2	1	14	4	00	11	24	36	5	2016	47934	4	1	10	1	2	1	99998
2	050/00	00	EB	14.320	0.320	14.640	4	1	2	1	14	4	00	11	24	35	5	2016	47934	4	1	10	1	2	1	99998
2	050/00	00	EB	14.640	0.050	14.690	4	1	2	1	14	4	00	11	24	36	44	2016	47934	4	1	10	1	2	1	99998
2	050/00	00	EB	14.690	0.270	14.960	4	1	2	1	14	4	00	11	24	35	44	2016	47934	4	1	10	1	2	1	99998
2	050/00	00	EB	14.960	0.350	15.310	4	1	2	1	14	4	00	11	24	35	4	2016	54404	4	1	10	1	2	1	99998
2	050/00	00	EB	15.310	0.150	15.460	4	1	2	1	14	4	00	11	26	26	3	2016	54404	4	1	10	1	2	1	99998
2	050/00	00	EB	15.460	0.160	15.620	4	1	2	1	14	4	00	11	24	36	3	2016	54404	4	1	10	1	2	1	99998
2	050/00	00	EB	15.620	0.060	15.680	4	1	2	1	14	4	00	11	24	36	0	2016	54404	4	1	10	1	2	1	99998
2	050/00	00	EB	15.680	0.560	16.240	4	1	2	1	14	4	00	11	24	36	6	2016	59259	4	1	10	1	2	1	99998
2	050/00	00	EB	16.240	0.030	16.270	4	1	2	1	14	4	00	11	24	36	40	2016	59259	4	1	10	1	2	1	99998
2	050/00	00	EB	16.270	1.190	17.460	4	1	2	1	14	4	00	11	24	36	40	2016	62752	4	1	10	1	2	1	99998
2	050/00	00	EB	17.460	0.156	17.616	4	1	2	1	14	4	00	11	24	36	12	2016	62752	4	1	10	1	2	1	99998
2	050/00	00	EB	17.616	0.097	17.713	0	1	2	1	14	4	00	11	24	36	12	2016	62752	4	1	10	1	2	1	99998
2	050/00	00	EB	17.713	0.077	17.790	4	1	2	1	14	4	00	11	24	36	12	2016	62752	4	1	10	1	2	1	99998
2	050/00	00	EB	17.790	0.210	18.000	4	1	2	1	14	4	00	11	27	37	40	2016	62752	4	1	10	1	2	1	99998
2	050/00	00	EB	18.000	0.250	18.250	4	1	2	1	14	4	00	11	27	37	18	2016	56085	4	1	10	1	2	1	99998
2	050/00	00	EB	18.250	0.070	18.320	4	1	2	1	14	4	00	11	27	37	12	2016	56085	4	1	01	1	2	1	99998
2	050/00	00	EB	18.320	0.060	18.380	4	1	3	2	16	4	00	11	27	37	12	2016	43613	4	1	01	4	2	0	99998
2	050/00	00	EB	18.380	0.070	18.450	4	1	3	2	16	4	00	11	27	37	18	2016	43613	4	1	01	4	2	0	99998
2	050/00	00	EB	18.450	0.070	18.520	4	1	3	2	16	4	00	11	27	37	6	2016	43613	4	1	01	4	2	0	99998
2	050/00	00	EB	18.520	0.040	18.560	4	1	3	2	16	1	00	11	33	40	0	2016	30246	2	1	01	4	2	0	99998
2	050/00	00	EB	18.560	0.290	18.850	3	1	3	2	16	1	00	11	33	40	0	2016	30246	2	1	01	4	2	0	99998
2	050/00	00	EB	18.850	0.360	19.210	3	1	3	2	16	1	00	11	33	38	0	2016	30246	2	1	01	4	2	0	99998
2	050/00	00	EB	19.210	0.540	19.750	3	1	3	2	16	1	00	11	33	38	0	2016	18825	2	1	01	4	2	0	99998
2	050/00	00	EB	19.750	0.270	20.020	3	1	3	2	16	1	00	11	28	28	0	2016	18425	2	1	01	4	2	0	99998
2	050/00	00	EB	20.020	0.020	20.040	3	1	3	2	16	1	00	11	20	20	0	2016	18425	2	1	01	4	2	0	99998
2	050/00	00	EB	20.040	0.580	20.620	3	1	3	2	16	1	00	11	28	28	0	2016	18425	2	1	01	4	2	0	99998
2	050/00	00	EB	20.620	0.053	20.673	3	1	3	2	16	1	00	12	24	42	0	2016	13204	2	1	01	2	2	0	99998
2	050/00	00	EB	20.673	0.028	20.701	0	1	3	2	16	1	00	12	24	42	0	2016	13204	2	1	01	2	2	0	99998
2	050/00	00	EB	20.701	0.759	21.460	3	1	3	2	16	1	00	12	24	42	0	2016	13204	2	1	01	2	2	0	99998
2	050/00	00	EB	21.460	0.410	21.870	3	1	3	2	16	1	00	11	24	42	0	2016	7578	2	1	01	4	2	0	99998
2	050/00	00	EB	21.870	1.470	23.340	3	1	3	2	16	1	00	11	24	32	0	2016	7443	2	1	01	4	2	0	99998

ROUTE TOTAL: 23.340

Harrison County TOTAL for the PRIMARY DIRECTION:

52.780

2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS  
PLANNING DIVISION

JACKSON COUNTY - (18)

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	END MP	LENGTH	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	URB CODE	
2	033/00	00	EB	0.000	0.110	0.110	0	0	2	2	2	1	04	11	30	30	0	2016	5056	2	1	01	4	2	1	99999
2	033/00	00	EB	0.110	0.010	0.120	2	0	2	2	2	1	04	11	30	30	0	2016	5056	2	1	01	4	2	1	99999
2	033/00	00	EB	0.120	0.342	0.462	2	0	2	2	2	1	04	11	30	30	0	2016	5056	2	1	01	4	2	1	99999
2	033/00	00	EB	0.462	0.009	0.471	0	0	2	2	2	1	04	11	30	30	0	2016	5056	2	1	01	4	2	1	99999
2	033/00	00	EB	0.471	0.149	0.620	2	0	2	2	2	1	04	11	30	30	0	2016	5056	2	1	01	4	2	1	99999
2	033/00	00	EB	0.620	0.150	0.770	2	0	2	2	2	1	04	11	48	70	0	2016	8715	2	1	01	4	2	1	99999
2	033/00	00	EB	0.770	0.090	0.860	2	0	2	2	2	1	04	11	34	56	0	2016	8715	2	1	01	4	2	1	99999
2	033/00	00	EB	0.860	0.009	0.869	2	0	2	2	2	1	04	11	22	35	0	2016	8715	2	1	01	4	2	1	99999
2	033/00	00	EB	0.869	0.209	1.078	2	0	2	2	2	1	04	11	22	35	0	2016	8715	2	1	01	4	2	1	99999
2	033/00	00	EB	1.078	0.002	1.080	2	0	2	2	2	1	04	11	22	35	0	2016	8715	2	1	01	4	2	1	99999
2	033/00	00	EB	1.080	0.002	1.082	2	0	2	2	2	1	04	11	63	90	0	2016	11512	2	1	01	4	2	1	99999
2	033/00	00	EB	1.082	0.058	1.140	0	0	2	2	2	1	04	11	63	90	0	2016	11512	2	1	01	4	2	1	99999
2	033/00	00	EB	1.140	0.050	1.190	0	0	2	2	2	1	04	11	48	70	0	2016	11512	2	1	01	4	2	1	99999
2	033/00	00	EB	1.190	0.060	1.250	0	0	2	1	2	1	04	11	48	70	0	2016	11512	2	1	01	4	2	1	99999
2	033/00	00	EB	1.250	0.060	1.310	0	0	2	1	2	1	04	12	82	82	0	2016	11512	2	1	01	4	2	1	99999
2	033/00	00	EB	1.310	1.840	3.150	0	0	2	1	2	1	07	11	37	72	0	2016	11512	2	1	01	4	2	1	99999
2	033/00	00	EB	3.150	0.130	3.280	0	0	2	1	2	1	04	11	58	82	0	2016	11512	2	1	01	4	2	1	99999
2	033/00	00	EB	3.280	0.040	3.320	0	0	2	1	2	1	04	11	48	72	0	2016	11512	3	1	01	4	2	1	99999
2	033/00	00	EB	3.320	0.092	3.412	0	0	3	1	6	1	04	11	48	72	0	2016	11512	3	1	01	4	2	0	99999
2	033/00	00	EB	3.412	0.048	3.460	0	0	3	1	6	1	04	11	48	72	0	2016	11512	3	1	01	4	2	0	99999
2	033/00	00	EB	11.090	0.140	11.230	2	0	3	2	6	1	04	11	24	40	0	2016	10759	2	1	01	4	2	0	99999
2	033/00	00	EB	11.230	0.380	11.610	2	0	3	2	6	1	04	11	24	40	0	2016	10759	2	1	01	4	2	0	99999
2	033/00	00	EB	11.610	0.510	12.120	2	0	3	2	6	1	04	11	40	40	0	2016	19797	2	1	01	4	2	0	99999
2	033/00	00	EB	12.120	0.050	12.170	2	0	3	2	6	1	04	11	28	28	0	2016	12157	2	1	01	4	2	0	99999
2	033/00	00	EB	12.170	0.170	12.340	2	0	3	2	6	1	04	11	40	40	0	2016	12157	2	1	01	4	2	0	99999
2	033/00	00	EB	12.340	0.980	13.320	2	0	3	2	6	1	04	11	34	34	0	2016	6562	2	1	01	4	2	0	99999
2	033/00	00	EB	13.320	0.450	13.770	2	0	3	2	6	1	04	11	20	28	0	2016	2773	2	1	01	4	2	0	99999
2	033/00	00	EB	13.770	7.650	21.420	0	0	3	2	6	1	04	11	20	28	0	2016	2773	2	1	01	4	2	0	99999
2	033/00	00	EB	21.420	0.010	21.430	0	0	3	2	6	1	04	11	24	24	0	2016	2797	2	1	01	4	2	0	99999
2	033/00	00	EB	21.430	3.330	24.760	0	0	3	2	6	1	04	11	20	28	0	2016	2367	2	1	01	4	2	0	99999

ROUTE TOTAL: 17.130

Jackson County TOTAL for the PRIMARY DIRECTION:

17.130

## 2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS  
PLANNING DIVISION

### JEFFERSON COUNTY - (19)

SIGN	ROUTE	SUPP	DIRECT	BEG	END					WV	NAT	ACC	YEAR	SURF	PAV	GRADE	MED	AADT				REV	SPEC	TRK	FAC	URB		
		DSG	SURV	MP	LENGTH	MP	MUN	URB	FAS	FUN	FUNC	CONT	CHNG	TYPE	WIDTH	WIDTH	WIDTH	YR	AADT	LANES	LANES	SYS	RT	TYPE	CODE			
2	340/00	00	NB	0.000	2.010	2.010	0	0	2	2	2	1	01	11	20	34	0	2016	10330	2	1	01	4	2	1	99999		
2	340/00	00	NB	2.010	0.230	2.240	0	0	2	2	2	1	01	11	36	36	0	2016	10330	2	1	01	4	2	1	99999		
2	340/00	00	NB	2.240	1.860	4.100	0	0	2	2	2	1	01	11	20	34	0	2016	13212	2	1	01	4	2	1	99999		
2	340/00	00	NB	4.100	0.020	4.120	0	0	2	2	2	4	92	12	24	34	30	2016	16322	4	1	01	4	2	1	99999		
2	340/00	00	NB	4.120	1.234	5.354	0	1	2	2	14	4	92	12	24	34	30	2016	16322	4	1	01	4	2	1	99998		
2	340/00	00	NB	5.354	1.546	6.900	3	1	2	2	14	4	92	12	24	34	30	2016	16322	4	1	01	4	2	1	99998		
2	340/00	00	NB	6.900	0.860	7.760	3	1	2	2	14	1	05	12	24	34	30	2016	20015	4	1	01	4	2	1	99998		
2	340/00	00	NB	7.760	0.800	8.560	0	1	2	2	14	1	05	12	24	34	30	2016	20015	4	1	01	4	2	1	99998		
2	340/00	00	NB	8.560	0.537	9.097	0	1	2	2	14	4	92	12	14	20	20	2016	20015	2	1	01	4	2	1	99998		
2	340/00	00	NB	9.097	0.033	9.130	3	1	2	2	14	4	92	12	14	20	20	2016	20015	2	1	01	4	2	1	99998		
2	340/00	00	NB	9.130	0.110	9.240	3	1	2	2	14	4	92	12	24	36	10	2016	36018	4	1	01	4	2	1	99998		
2	340/00	00	NB	9.240	0.140	9.380	3	1	2	2	14	4	94	12	24	48	40	2016	36018	4	1	01	4	2	1	99998		
2	340/00	00	NB	9.380	0.170	9.550	3	1	2	2	14	4	79	11	24	36	10	2016	36018	4	1	01	4	2	1	99998		
2	340/00	00	NB	9.550	0.860	10.410	3	1	2	2	14	4	79	12	24	36	30	2016	36018	4	1	01	4	2	1	99998		
2	340/00	00	NB	10.410	0.036	10.446	3	1	2	2	14	4	79	12	24	36	40	2016	36018	4	1	01	4	2	1	99998		
2	340/00	00	NB	10.446	1.414	11.860	0	1	2	2	14	4	79	12	24	36	40	2016	36018	4	1	01	4	2	1	99998		
2	340/00	00	NB	11.860	0.040	11.900	0	1	2	2	14	4	79	12	20	20	0	2016	21920	4	1	01	4	2	1	99998		
2	340/00	00	NB	11.900	0.147	12.047	0	1	2	2	14	4	79	11	24	36	40	2016	21920	4	1	01	4	2	1	99998		
2	340/00	00	NB	12.047	0.003	12.050	0	0	2	2	2	4	79	11	24	36	40	2016	21920	4	1	01	4	2	1	99999		
2	340/00	00	NB	12.050	1.770	13.820	0	0	2	2	2	4	79	12	24	36	37	2016	21920	4	1	01	4	2	1	99999		
2	340/00	00	NB	13.820	0.090	13.910	0	0	2	2	2	4	79	11	24	36	0	2016	21920	4	1	01	4	2	1	99999		
2	340/00	00	NB	13.910	0.310	14.220	0	0	2	2	2	4	79	11	22	35	0	2016	21920	4	1	01	4	2	1	99999		
2	340/00	00	NB	14.220	0.130	14.350	1	0	2	2	2	4	79	11	22	35	0	2016	21920	4	1	01	4	2	1	99999		
2	340/00	00	NB	14.350	0.261	14.611	1	0	2	2	2	1	79	11	26	43	0	2016	21920	2	1	01	4	2	1	99999		
2	340/00	00	NB	14.611	0.049	14.660	1	0	2	2	2	1	79	11	26	43	0	2016	21920	2	1	01	4	2	1	99999		
2	340/00	00	NB	14.660	0.183	14.843	1	0	2	2	2	1	79	11	26	26	0	2016	21920	2	1	01	4	2	1	99999		
2	340/00	00	NB	14.843	0.017	14.860	0	0	2	2	2	1	79	11	26	26	0	2016	21920	2	1	01	4	2	1	99999		
2	340/00	00	NB	14.860	0.450	15.310	0	0	2	2	2	1	79	11	22	36	0	2016	29199	2	1	01	4	2	1	99999		
2	340/00	00	NB	15.310	0.720	16.030	0	0	2	2	2	1	79	11	28	44	0	2016	29199	2	1	01	4	2	1	99999		
<b>ROUTE TOTAL:</b>				<b>16.030</b>																								
2	340/00	01	00	0.000	0.060	0.060	0	0	5	4	9	1	79	11	24	38	0	2016	5524	2	1	01	4	2	0	99999		
2	340/00	01	00	0.060	0.070	0.130	0	0	5	4	9	1	79	11	22	36	0	2016	5524	2	1	01	4	2	0	99999		
2	340/00	01	00	0.130	0.896	1.026	1	0	5	4	9	1	79	11	22	36	0	2016	5524	2	1	01	4	2	0	99999		
2	340/00	01	00	1.026	0.024	1.050	1	0	5	4	9	1	79	11	22	36	0	2016	5524	2	1	01	4	2	0	99999		
2	340/00	01	00	1.050	0.370	1.420	1	0	5	4	9	1	79	11	25	37	0	2016	5524	2	1	01	4	2	0	99999		
2	340/00	01	00	1.420	0.170	1.590	1	0	5	4	9	1	79	11	24	28	0	2016	5524	2	1	01	4	2	0	99999		
2	340/00	01	00	1.590	0.240	1.830	1	0	5	4	9	1	79	11	19	19	0	2016	5524	2	1	01	4	2	0	99999		
<b>ROUTE TOTAL:</b>				<b>1.830</b>																								
2	340/00	05	SB	0.000	0.170	0.170	3	1	2	2	14	1	92	11	24	36	0	2016	4927	4	1	01	4	2	1	99998		

2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS  
PLANNING DIVISION

JEFFERSON COUNTY - (19)

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	LENGTH	END MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	URB CODE			
2	340/00	05	SB	0.170	0.023	0.193	3	1	2	2	14	1	92	12	14	18	0	2016	4931	1	1	01	4	1	1	99998		
2	340/00	05	SB	0.193	0.161	0.354	0	1	2	2	14	1	92	12	14	18	0	2016	4931	1	1	01	4	1	1	99998		
2	340/00	05	SB	0.354	0.071	0.425	3	1	2	2	14	1	92	12	14	18	0	2016	4931	1	1	01	4	1	1	99998		
2	340/00	05	SB	0.425	0.175	0.600	0	1	2	2	14	1	92	12	14	18	0	2016	4931	1	1	01	4	1	1	99998		
<b>ROUTE TOTAL:</b>				<b>0.600</b>																								

Jefferson County TOTAL for the PRIMARY DIRECTION: 18.460

## 2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS

PLANNING DIVISION

### KANAWHA COUNTY - (20)

Page 34 of 94

SIGN	ROUTE	SUPP	DIRECT	BEG	END		WV			NAT	ACC	YEAR	SURF	PAV	GRADE	MED	AADT	LANES	REV	SPEC	TRK	FAC	URB			
		DSG	SURV	MP	LENGTH	MP	MUN	URB	FAS	FUN	FUNC	CONT	CHNG	TYPE	WIDTH	WIDTH	WIDTH		YR	AADT	LANES	SYS		RT	TYPE	CODE
2	060/00	00	EB	0.000	1.340	1.340	0	0	3	3	6	1	79	11	25	40	0	2016	6155	2	1	01	4	2	0	99999
2	060/00	00	EB	1.340	0.110	1.450	0	0	3	3	6	1	07	11	25	40	0	2016	6155	2	1	01	4	2	0	99999
2	060/00	00	EB	1.450	0.010	1.460	0	2	3	3	16	1	07	11	25	40	0	2016	6155	2	1	01	4	2	0	15481
2	060/00	00	EB	1.460	0.760	2.220	0	2	3	3	17	1	76	11	25	40	0	2016	6155	2	1	01	4	2	0	15481
2	060/00	00	EB	2.220	0.080	2.300	0	2	3	3	17	1	77	11	25	40	0	2016	6155	2	1	01	4	2	0	15481
2	060/00	00	EB	2.300	0.140	2.440	0	2	3	3	17	1	79	11	22	32	4	2016	17007	4	1	01	4	2	0	15481
2	060/00	00	EB	2.440	0.080	2.520	0	2	2	2	14	1	11	11	26	36	4	2016	17007	4	1	01	2	2	1	15481
2	060/00	00	EB	2.520	0.340	2.860	0	2	2	2	14	1	11	11	24	37	4	2016	17007	4	1	01	2	2	1	15481
2	060/00	00	EB	2.860	0.060	2.920	0	2	2	2	14	1	11	11	24	24	4	2016	20972	4	1	01	2	2	1	15481
2	060/00	00	EB	2.920	0.290	3.210	0	2	2	2	14	1	11	11	24	37	4	2016	20972	4	1	01	2	2	1	15481
2	060/00	00	EB	3.210	0.110	3.320	0	2	2	2	14	1	11	11	22	32	4	2016	20972	4	1	01	2	2	1	15481
2	060/00	00	EB	3.320	0.088	3.408	0	2	2	2	14	1	11	11	24	24	4	2016	20972	4	1	01	2	2	1	15481
2	060/00	00	EB	3.408	0.022	3.430	4	2	2	2	14	1	11	11	24	24	4	2016	20972	4	1	01	2	2	1	15481
2	060/00	00	EB	3.430	0.380	3.810	4	2	2	2	14	1	11	11	22	32	4	2016	20972	4	1	01	2	2	1	15481
2	060/00	00	EB	3.810	0.850	4.660	4	2	2	2	14	1	11	11	22	32	5	2016	20972	4	1	01	2	2	1	15481
2	060/00	00	EB	4.660	1.160	5.820	4	2	2	2	14	1	11	11	22	35	5	2016	21076	4	1	01	2	2	1	15481
2	060/00	00	EB	5.820	0.380	6.200	4	2	2	2	14	1	12	11	22	35	0	2016	21076	4	1	01	2	2	1	15481
2	060/00	00	EB	6.200	0.153	6.353	4	2	2	2	14	1	12	11	22	35	4	2016	20450	4	1	01	2	2	1	15481
2	060/00	00	EB	6.353	0.567	6.920	0	2	2	2	14	1	12	11	22	35	4	2016	20450	4	1	01	2	2	1	15481
2	060/00	00	EB	6.920	0.150	7.070	0	2	2	2	14	1	12	11	22	35	4	2016	25458	4	1	01	2	2	1	15481
2	060/00	00	EB	7.070	1.950	9.020	0	2	2	2	14	1	12	11	22	35	4	2016	23621	4	1	01	2	2	1	15481
2	060/00	00	EB	9.020	0.030	9.050	0	2	2	2	14	1	79	11	22	35	4	2016	23621	4	1	01	2	2	1	15481
2	060/00	00	EB	9.050	0.140	9.190	4	2	2	2	14	1	79	11	22	35	4	2016	23621	4	1	01	2	2	1	15481
2	060/00	00	EB	9.190	1.710	10.900	4	2	2	2	14	1	79	11	26	30	0	2016	29215	4	1	01	2	2	1	15481
2	060/00	00	EB	10.900	0.140	11.040	4	2	2	2	14	1	94	12	35	51	4	2016	27441	4	1	01	2	2	1	15481
2	060/00	00	EB	11.040	0.340	11.380	4	2	2	4	14	1	94	12	35	51	4	2016	27441	4	1	01	2	2	1	15481
2	060/00	00	EB	11.380	0.110	11.490	4	2	2	4	14	1	94	12	35	51	4	2016	21493	4	1	01	4	2	1	15481
2	060/00	00	EB	11.490	0.540	12.030	4	2	2	4	14	1	79	11	24	37	0	2016	21493	4	1	01	4	2	1	15481
2	060/00	00	EB	12.030	0.460	12.490	4	2	2	4	14	1	90	11	30	30	4	2016	19510	4	1	01	4	2	1	15481
2	060/00	00	EB	12.490	0.830	13.320	4	2	2	4	14	1	90	11	22	26	4	2016	19510	4	1	01	4	2	1	15481
2	060/00	00	EB	13.320	0.190	13.510	4	2	2	4	14	1	79	11	24	24	4	2016	19510	4	1	01	4	2	1	15481
2	060/00	00	EB	13.510	0.350	13.860	4	2	2	4	14	1	94	11	22	26	4	2016	19510	4	1	01	4	2	1	15481
2	060/00	00	EB	13.860	0.096	13.956	4	2	2	4	14	1	94	12	22	26	4	2016	19510	4	1	01	4	2	1	15481
2	060/00	00	EB	13.956	0.014	13.970	6	2	2	4	14	1	94	12	22	26	4	2016	19510	4	1	01	4	2	1	15481
2	060/00	00	EB	13.970	0.020	13.990	6	2	2	4	14	1	79	11	20	22	0	2016	19510	4	1	01	4	2	1	15481
2	060/00	00	EB	13.990	0.340	14.330	6	2	2	4	14	1	94	12	20	20	0	2016	16327	4	1	01	4	2	1	15481
2	060/00	00	EB	14.330	0.160	14.490	6	2	2	4	14	1	79	11	20	26	0	2016	16327	4	1	01	4	2	1	15481
2	060/00	00	EB	14.490	0.050	14.540	6	2	2	4	14	1	79	11	24	24	0	2016	16327	4	1	01	4	2	1	15481
2	060/00	00	EB	14.540	0.140	14.680	6	2	2	4	14	1	96	11	40	40	0	2016	19615	3	1	01	2	1	1	15481

## 2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS

PLANNING DIVISION

### KANAWHA COUNTY - (20)

Page 35 of 94

SIGN	ROUTE	SUPP	DIRECT	BEG	END				WV	NAT	ACC	YEAR	SURF	PAV	GRADE	MED	AADT				REV	SPEC	TRK	FAC	URB	
		DSG	SURV	MP	LENGTH	MP	MUN	URB	FAS	FUN	FUNC	CONT	CHNG	TYPE	WIDTH	WIDTH	WIDTH	YR	AADT	LANES	LANES	SYS	RT	TYPE	CODE	
2	060/00	00	EB	14.680	0.090	14.770	6	2	2	4	14	1	85	11	31	31	0	2016	19615	2	1	01	2	1	1	15481
2	060/00	00	EB	14.770	0.070	14.840	6	2	2	4	14	1	85	11	30	30	0	2016	10538	2	1	01	2	2	1	15481
2	060/00	00	EB	14.840	0.080	14.920	6	2	3	4	16	1	78	11	27	27	0	2016	10538	2	1	01	4	2	0	15481
2	060/00	00	EB	14.920	1.080	16.000	6	2	3	4	16	1	79	11	30	30	0	2016	10538	2	1	01	4	2	0	15481
2	060/00	00	EB	16.000	0.070	16.070	6	2	3	4	16	1	79	11	30	30	0	2016	10538	2	1	01	4	1	0	15481
2	060/00	00	EB	16.070	0.410	16.480	6	2	3	4	16	1	79	11	40	40	0	2016	9703	2	1	01	4	1	0	15481
2	060/00	00	EB	16.480	0.080	16.560	6	2	4	4	16	1	80	12	52	52	0	2016	9703	2	1	01	4	1	6	15481
2	060/00	00	EB	16.560	0.010	16.570	6	2	4	4	16	1	96	12	52	52	0	2016	9703	2	1	01	4	1	6	15481
2	060/00	00	EB	16.570	0.080	16.650	6	2	4	4	16	1	79	11	40	40	0	2016	9703	2	1	01	4	1	6	15481
2	060/00	00	EB	16.650	0.040	16.690	6	2	4	4	16	1	94	12	40	40	0	2016	9703	2	1	01	4	1	6	15481
2	060/00	00	EB	16.690	0.030	16.720	6	2	3	4	16	1	08	12	40	40	0	2016	9703	2	1	01	4	1	0	15481
2	060/00	00	EB	16.720	0.460	17.180	6	2	3	4	16	1	96	12	40	40	0	2016	6959	2	1	01	4	1	0	15481
2	060/00	00	EB	17.180	0.470	17.650	6	2	3	4	16	1	94	12	32	32	0	2016	5483	2	1	01	4	1	0	15481
2	060/00	00	EB	17.650	0.110	17.760	6	2	3	4	16	1	79	11	41	41	0	2016	6886	2	1	01	4	2	0	15481
2	060/00	00	EB	17.760	0.590	18.350	6	2	3	4	16	1	79	11	32	32	0	2016	7616	2	1	01	4	2	0	15481
2	060/00	00	EB	18.350	0.290	18.640	6	2	3	4	16	1	90	11	40	40	0	2016	12312	2	1	01	4	2	0	15481
2	060/00	00	EB	18.640	0.230	18.870	6	2	2	4	14	1	10	11	35	35	4	2016	12312	4	1	01	4	2	1	15481
2	060/00	00	EB	18.870	0.680	19.550	6	2	2	4	14	1	10	11	27	27	3	2016	12312	4	1	01	4	2	1	15481
2	060/00	00	EB	19.550	0.420	19.970	6	2	2	4	14	1	90	11	27	27	0	2016	12312	4	1	01	4	2	1	15481
2	060/00	00	EB	19.970	0.110	20.080	6	2	2	4	14	1	90	11	21	21	0	2016	12312	4	1	01	4	2	1	15481
2	060/00	00	EB	20.080	0.385	20.465	6	2	2	4	14	1	90	11	23	23	0	2016	10303	4	1	01	4	2	1	15481
2	060/00	00	EB	20.465	0.155	20.620	0	2	2	4	14	1	90	11	23	23	0	2016	10303	4	1	01	4	2	1	15481
2	060/00	00	EB	20.620	0.210	20.830	0	2	2	4	14	1	90	11	23	23	0	2016	10303	2	1	01	4	1	1	15481
2	060/00	00	EB	21.970	0.260	22.230	0	2	2	4	14	1	90	12	39	44	0	2016	8006	2	1	01	2	1	1	15481
2	060/00	00	EB	22.230	0.040	22.270	0	2	2	4	14	1	90	12	48	48	0	2016	8006	2	1	01	2	1	1	15481
2	060/00	00	EB	22.270	0.080	22.350	0	2	2	4	14	1	94	12	41	49	0	2016	8006	2	1	01	2	1	1	15481
2	060/00	00	EB	22.350	0.180	22.530	0	2	2	4	14	1	94	12	21	25	0	2016	22745	4	1	01	2	2	1	15481
2	060/00	00	EB	22.530	0.210	22.740	0	2	2	2	14	1	94	12	28	28	4	2016	22745	4	1	01	2	2	1	15481
2	060/00	00	EB	22.740	0.050	22.790	0	2	2	2	14	1	13	12	28	28	0	2016	22745	4	1	01	2	2	1	15481
2	060/00	00	EB	22.790	0.090	22.880	0	2	2	2	14	1	94	11	24	24	0	2016	22745	4	1	01	2	2	1	15481
2	060/00	00	EB	22.880	0.640	23.520	0	2	2	2	14	4	90	11	22	30	4	2016	17946	4	1	01	2	2	1	15481
2	060/00	00	EB	23.520	0.240	23.760	0	2	2	2	14	4	90	12	22	34	0	2016	9390	4	1	01	2	2	1	15481
2	060/00	00	EB	23.760	1.450	25.210	0	2	2	2	14	4	90	12	25	37	0	2016	9390	4	1	01	2	2	1	15481
2	060/00	00	EB	25.210	2.020	27.230	0	2	2	2	14	4	90	11	25	37	0	2016	12520	4	1	01	2	2	1	15481
2	060/00	00	EB	27.230	0.160	27.390	0	2	2	2	14	4	90	11	25	37	4	2016	12312	4	1	01	2	2	1	15481
2	060/00	00	EB	27.390	0.230	27.620	1	2	2	2	14	4	90	11	25	37	4	2016	12312	4	1	01	2	2	1	15481
2	060/00	00	EB	27.620	0.060	27.680	1	2	2	2	14	4	90	11	27	27	4	2016	12312	4	1	01	2	2	1	15481
2	060/00	00	EB	27.680	0.170	27.850	1	2	2	2	14	4	90	11	25	37	4	2016	12312	4	1	01	2	2	1	15481
2	060/00	00	EB	27.850	0.020	27.870	1	2	2	2	14	4	90	11	33	33	4	2016	12312	4	1	01	2	2	1	15481
2	060/00	00	EB	27.870	0.410	28.280	1	2	2	2	14	4	90	11	25	37	4	2016	12312	4	1	01	2	2	1	15481

## 2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS

PLANNING DIVISION

### KANAWHA COUNTY - (20)

Page 36 of 94

SIGN	ROUTE	SUPP	DIRECT	BEG	END				WV	NAT	ACC	YEAR	SURF	PAV	GRADE	MED	AADT				REV	SPEC	TRK	FAC	URB			
		DSG	SURV	MP	LENGTH	MP	MUN	URB	FAS	FUN	FUNC	CONT	CHNG	TYPE	WIDTH	WIDTH	WIDTH	YR	AADT	LANES	LANES	SYS	RT	TYPE	CODE			
2	060/00	00	EB	28.280	0.130	28.410	1	2	2	2	14	4	93	11	25	37	4	2016	12312	4	1	01	2	2	1	15481		
2	060/00	00	EB	28.410	0.020	28.430	1	2	2	2	14	4	93	11	27	27	4	2016	12312	4	1	01	2	2	1	15481		
2	060/00	00	EB	28.430	0.750	29.180	1	2	2	2	14	4	93	11	25	37	4	2016	10148	4	1	01	2	2	1	15481		
2	060/00	00	EB	29.180	0.020	29.200	1	2	2	2	14	4	93	11	27	27	4	2016	10148	4	1	01	2	2	1	15481		
2	060/00	00	EB	29.200	0.320	29.520	1	2	2	2	14	4	93	11	25	37	4	2016	10148	4	1	01	2	2	1	15481		
2	060/00	00	EB	29.520	0.217	29.737	1	2	2	2	14	4	93	11	25	37	4	2016	11164	4	1	01	2	2	1	15481		
2	060/00	00	EB	29.737	0.303	30.040	0	2	2	2	14	4	93	11	25	37	4	2016	11164	4	1	01	2	2	1	15481		
2	060/00	00	EB	30.040	0.080	30.120	0	2	2	2	14	4	93	11	30	30	4	2016	11581	4	1	01	2	2	1	15481		
2	060/00	00	EB	30.120	0.530	30.650	0	2	2	2	14	4	93	11	25	37	4	2016	11581	4	1	01	2	2	1	15481		
2	060/00	00	EB	30.650	0.140	30.790	0	2	2	2	14	4	90	11	25	37	4	2016	11581	4	1	01	2	2	1	15481		
2	060/00	00	EB	30.790	1.560	32.350	0	2	2	2	14	1	90	11	24	32	0	2016	12729	2	1	01	2	2	1	15481		
2	060/00	00	EB	32.350	2.810	35.160	0	2	2	2	14	1	90	11	24	34	0	2016	12729	2	1	01	2	2	1	15481		
2	060/00	00	EB	35.160	0.032	35.192	0	2	2	2	14	1	12	11	24	34	0	2016	12729	2	1	01	2	2	1	15481		
2	060/00	00	EB	35.192	0.608	35.800	1	2	2	2	14	1	12	11	24	34	0	2016	12729	2	1	01	2	2	1	15481		
2	060/00	00	EB	35.800	0.430	36.230	1	2	2	2	14	1	12	11	24	35	4	2016	12729	4	1	01	2	2	1	15481		
2	060/00	00	EB	36.230	0.050	36.280	1	2	2	2	14	1	12	11	26	26	4	2016	12729	4	1	01	2	2	1	15481		
2	060/00	00	EB	36.280	0.140	36.420	1	2	2	2	14	1	12	11	24	35	4	2016	12729	4	1	01	2	2	1	15481		
2	060/00	00	EB	36.420	0.040	36.460	1	2	2	2	14	1	12	11	26	26	4	2016	12729	4	1	01	2	2	1	15481		
2	060/00	00	EB	36.460	0.110	36.570	1	2	2	2	14	1	90	11	24	35	0	2016	12729	4	1	01	2	2	1	15481		
2	060/00	00	EB	36.570	0.278	36.848	1	2	2	2	14	1	90	11	24	44	0	2016	12729	2	1	01	2	2	1	15481		
2	060/00	00	EB	36.848	0.019	36.867	0	2	2	2	14	1	90	11	24	44	0	2016	12729	2	1	01	2	2	1	15481		
2	060/00	00	EB	36.867	0.473	37.340	1	2	2	2	14	1	90	11	24	44	0	2016	12729	2	1	01	2	2	1	15481		
2	060/00	00	EB	37.340	0.380	37.720	1	2	2	2	14	1	90	11	24	44	0	2016	10955	2	1	01	2	2	1	15481		
2	060/00	00	EB	37.720	1.230	38.950	0	0	2	2	2	1	90	11	24	44	0	2016	10955	2	1	01	2	2	1	99999		
2	060/00	00	EB	38.950	0.930	39.880	0	0	2	2	2	1	11	11	24	44	0	2016	10955	2	1	01	2	2	1	99999		
2	060/00	00	EB	39.880	0.310	40.190	0	0	2	2	2	4	90	12	25	35	4	2016	10955	4	1	01	2	2	1	99999		
2	060/00	00	EB	40.190	0.020	40.210	0	0	2	2	2	4	90	12	25	25	4	2016	6977	4	1	01	2	2	1	99999		
2	060/00	00	EB	40.210	0.220	40.430	0	0	2	2	2	4	90	12	25	35	4	2016	6977	4	1	01	2	2	1	99999		
2	060/00	00	EB	40.430	3.490	43.920	0	0	2	2	2	1	90	11	24	64	0	2016	6977	2	1	01	2	2	1	99999		
2	060/00	00	EB	43.920	0.110	44.030	0	0	2	2	2	1	90	11	24	44	0	2016	6977	2	1	01	2	2	1	99999		
2	060/00	00	EB	44.030	0.123	44.153	0	0	2	2	2	4	90	11	25	32	0	2016	6977	4	1	01	2	2	1	99999		
2	060/00	00	EB	44.153	0.350	44.503	1	0	2	2	2	4	90	11	25	32	0	2016	6977	4	1	01	2	2	1	99999		
2	060/00	00	EB	44.503	0.047	44.550	1	0	2	2	2	4	90	11	25	32	0	2016	6977	4	1	01	2	2	1	99999		
<b>ROUTE TOTAL:</b>				<b>43.410</b>																								
2	060/00	07	WB	0.000	0.100	0.100	0	2	3	4	16	1	84	12	39	42	0	2016	8278	2	1	01	4	2	0	15481		
2	060/00	07	WB	0.100	0.040	0.140	0	2	3	4	16	1	84	12	48	48	0	2016	8278	2	1	01	4	2	0	15481		
2	060/00	07	WB	0.140	0.240	0.380	0	2	3	4	16	1	84	12	39	42	0	2016	8278	2	1	01	4	2	0	15481		
2	060/00	07	WB	0.880	0.200	1.080	0	2	3	4	16	1	84	12	27	30	0	2016	14332	2	1	01	4	2	0	15481		
2	060/00	07	WB	1.080	0.430	1.510	0	2	3	4	16	1	84	12	27	27	0	2016	14332	2	1	01	4	2	0	15481		

## 2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS  
PLANNING DIVISION

### KANAWHA COUNTY - (20)

Page 37 of 94

SIGN	ROUTE	SUPP	DIRECT	BEG	END		WV			NAT	ACC	YEAR	SURF	PAV	GRADE	MED	AADT	LANES	REV	SPEC	TRK	FAC	URB				
		DSG	SURV	MP	LENGTH	MP	MUN	URB	FAS	FUN	FUNC	CONT	CHNG	TYPE	WIDTH	WIDTH	WIDTH		YR	LANES	SYS	RT		TYPE	CODE		
2	060/00	07	WB	4.650	0.400	5.050	6	2	3	4	16	1	89	11	40	40	0	2016	7971	2	1	01	4	1	0	15481	
2	060/00	07	WB	5.050	0.290	5.340	6	2	3	4	16	1	89	11	40	40	0	2016	8060	2	1	01	4	1	0	15481	
2	060/00	07	WB	5.340	0.210	5.550	6	2	3	4	16	1	89	11	36	36	0	2016	7971	2	1	01	4	1	0	15481	
2	060/00	07	WB	5.550	0.040	5.590	6	2	3	4	16	1	89	12	40	40	0	2016	7971	2	1	01	4	1	0	15481	
2	060/00	07	WB	5.590	0.090	5.680	6	2	3	4	16	1	89	11	40	40	0	2016	7971	2	1	01	4	1	0	15481	
2	060/00	07	WB	5.680	0.070	5.750	6	2	3	4	16	1	89	12	40	40	0	2016	7434	2	1	01	4	1	0	15481	
2	060/00	07	WB	5.750	0.100	5.850	6	2	3	4	16	1	89	11	40	40	0	2016	7434	2	1	01	4	1	0	15481	
2	060/00	07	WB	5.850	0.290	6.140	6	2	3	4	16	1	89	11	35	35	0	2016	7434	2	1	01	4	1	0	15481	
2	060/00	07	WB	6.140	0.150	6.290	6	2	3	4	16	1	89	11	30	30	0	2016	7792	2	1	01	4	1	0	15481	
2	060/00	07	WB	7.450	0.170	7.620	6	2	3	4	16	1	89	11	22	38	0	2016	6538	2	1	01	2	2	0	15481	
2	060/00	07	WB	7.620	0.140	7.760	6	2	3	4	16	1	89	12	25	36	0	2016	6538	2	1	01	2	1	0	15481	
2	060/00	07	WB	7.760	0.040	7.800	6	2	2	4	14	1	89	11	30	30	0	2016	6538	2	1	01	2	1	1	15481	
2	060/00	07	WB	7.800	0.050	7.850	6	2	2	4	14	1	89	12	25	25	0	2016	6538	2	1	01	2	1	1	15481	
2	060/00	07	WB	7.850	0.040	7.890	6	2	2	4	14	1	89	11	25	25	0	2016	6986	2	1	01	2	1	1	15481	
2	060/00	07	WB	7.890	0.040	7.930	6	2	2	4	14	1	89	11	30	30	0	2016	6986	2	1	01	2	1	1	15481	
2	060/00	07	WB	7.930	0.170	8.100	6	2	2	4	14	1	89	12	30	30	0	2016	6986	2	1	01	2	1	1	15481	
<b>ROUTE TOTAL:</b>				<b>3.300</b>																							
2	060/00	18	00	0.000	0.070	0.070	6	2	3	3	16	1	79	11	40	40	0	2016	8508	2	1	01	4	1	0	15481	
<b>ROUTE TOTAL:</b>				<b>0.070</b>																							
2	119/00	00	NB	0.000	0.630	0.630	0	0	2	1	2	4	83	12	24	36	40	2016	11992	4	1	10	2	2	1	99999	
2	119/00	00	NB	0.630	0.300	0.930	0	0	2	1	2	4	83	11	24	36	40	2016	11992	4	1	10	2	2	1	99999	
2	119/00	00	NB	0.930	0.190	1.120	0	0	2	1	2	4	83	12	24	36	40	2016	11992	4	1	10	2	2	1	99999	
2	119/00	00	NB	5.790	1.300	7.090	0	0	2	1	2	4	87	11	24	36	20	2016	15209	4	1	10	2	2	1	99999	
2	119/00	00	NB	7.090	0.001	7.091	0	0	2	1	2	4	87	11	24	36	20	2016	15209	4	1	10	2	2	1	99999	
2	119/00	00	NB	7.091	1.769	8.860	0	2	2	1	14	4	87	11	24	36	20	2016	15209	4	1	10	2	2	1	15481	
2	119/00	00	NB	8.860	0.319	9.179	0	2	2	1	14	4	87	11	24	36	40	2016	19792	4	1	10	2	2	1	15481	
2	119/00	00	NB	9.179	2.161	11.340	4	2	2	1	14	4	87	11	24	36	40	2016	19792	4	1	10	2	2	1	15481	
2	119/00	00	NB	11.340	0.300	11.640	4	2	2	1	14	4	13	11	24	36	40	2016	34223	4	1	10	2	2	1	15481	
2	119/00	00	NB	11.640	0.164	11.804	4	2	2	1	14	4	13	11	24	36	40	2016	34223	6	1	10	2	2	1	15481	
2	119/00	00	NB	11.804	0.336	12.140	6	2	2	1	14	4	13	11	24	36	40	2016	34223	6	1	10	2	2	1	15481	
2	119/00	00	NB	12.140	0.209	12.349	4	2	2	1	14	4	13	11	24	36	40	2016	34223	6	1	10	2	2	1	15481	
2	119/00	00	NB	12.349	0.551	12.900	6	2	2	1	14	4	13	11	24	36	40	2016	34223	6	1	10	2	2	1	15481	
2	119/00	00	NB	12.900	0.904	13.804	6	2	2	1	14	4	87	11	24	36	40	2016	34223	6	1	10	2	2	1	15481	
2	119/00	00	NB	13.804	0.015	13.819	4	2	2	1	14	4	87	11	24	36	40	2016	34223	6	1	10	2	2	1	15481	
2	119/00	00	NB	13.819	0.221	14.040	6	2	2	1	14	4	87	11	24	36	40	2016	34223	6	1	10	2	2	1	15481	
2	119/00	00	NB	14.040	0.180	14.220	6	2	2	1	14	4	87	12	24	36	40	2016	34223	4	1	10	2	2	1	15481	
2	119/00	00	NB	14.220	2.060	16.280	6	2	2	1	14	4	86	12	24	36	0	2016	29640	4	1	10	2	2	1	15481	
2	119/00	00	NB	16.280	0.880	17.160	6	2	2	1	14	4	86	11	20	30	11	2016	41536	4	1	10	2	2	1	15481	
2	119/00	00	NB	17.160	0.480	17.640	6	2	2	1	14	4	86	12	24	24	0	2016	12031	4	1	10	2	2	1	15481	

## 2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS

PLANNING DIVISION

### KANAWHA COUNTY - (20)

Page 38 of 94

SIGN	ROUTE	SUPP	DIRECT	BEG	END		WV			NAT	ACC	YEAR	SURF	PAV	GRADE	MED	AADT	LANES	REV	SPEC	TRK	FAC	URB			
		DSG	SURV	MP	LENGTH	MP	MUN	URB	FAS	FUN	FUNC	CONT	CHNG	TYPE	WIDTH	WIDTH	WIDTH		YR	LANES	SYS	RT		TYPE	CODE	
2	119/00	00	NB	17.820	0.190	18.010	6	2	3	4	16	1	86	12	22	22	0	2016	13649	2	1	01	4	1	0	15481
2	119/00	00	NB	18.010	0.050	18.060	6	2	3	4	16	1	86	12	29	29	0	2016	13649	2	1	01	4	1	0	15481
2	119/00	00	NB	18.060	0.180	18.240	6	2	3	4	16	1	86	12	36	36	0	2016	13649	2	1	01	4	1	0	15481
2	119/00	00	NB	18.240	0.290	18.530	6	2	3	4	16	1	86	12	36	36	0	2016	11700	2	1	01	4	1	0	15481
2	119/00	00	NB	18.530	0.350	18.880	6	2	3	4	16	1	86	11	36	36	0	2016	8190	2	1	01	4	1	0	15481
2	119/00	00	NB	18.880	0.140	19.020	6	2	3	4	16	1	86	11	20	20	0	2016	6629	4	1	01	4	2	0	15481
2	119/00	00	NB	19.020	0.130	19.150	6	2	3	4	16	1	86	12	20	20	0	2016	8872	4	1	01	4	2	0	15481
2	119/00	00	NB	19.150	0.050	19.200	6	2	3	4	16	1	87	12	32	32	0	2016	8872	2	1	01	4	2	0	15481
2	119/00	00	NB	19.200	0.230	19.430	6	2	3	4	16	1	87	11	32	32	0	2016	8872	2	1	01	4	2	0	15481
2	119/00	00	NB	19.430	0.250	19.680	6	2	3	4	16	1	86	11	32	32	0	2016	7312	2	1	01	4	2	0	15481
2	119/00	00	NB	19.680	0.031	19.711	6	2	3	4	16	1	87	11	32	32	0	2016	6336	2	1	01	4	2	0	15481
2	119/00	00	NB	19.711	0.089	19.800	0	2	3	4	16	1	87	11	32	32	0	2016	6336	2	1	01	4	2	0	15481
2	119/00	00	NB	19.800	0.090	19.890	0	2	3	4	16	1	86	11	32	32	0	2016	4732	2	1	01	4	2	0	15481
2	119/00	00	NB	19.890	0.100	19.990	0	2	3	4	16	1	86	11	21	21	0	2016	4732	2	1	01	4	2	0	15481
2	119/00	00	NB	19.990	1.480	21.470	0	2	3	4	16	1	86	11	18	26	0	2016	4732	2	1	01	4	2	0	15481
2	119/00	00	NB	21.470	0.160	21.630	0	2	3	4	16	1	86	11	33	36	0	2016	5849	2	1	01	4	2	0	15481
2	119/00	00	NB	21.630	0.300	21.930	0	2	3	4	16	1	86	11	23	27	0	2016	5849	2	1	01	4	2	0	15481
2	119/00	00	NB	21.930	0.410	22.340	0	2	3	4	16	1	93	11	23	27	0	2016	6336	2	1	01	4	2	0	15481
2	119/00	00	NB	22.340	1.050	23.390	0	2	3	4	17	1	93	11	23	27	0	2016	4679	2	1	01	4	2	0	15481
2	119/00	00	NB	23.390	2.070	25.460	0	2	3	4	17	1	86	11	19	58	0	2016	4679	2	1	01	4	2	0	15481
2	119/00	00	NB	25.460	0.070	25.530	0	2	3	4	16	1	93	11	19	58	0	2016	4679	2	1	01	4	2	0	15481
2	119/00	00	NB	25.530	0.030	25.560	0	2	3	4	16	1	86	11	23	23	0	2016	4679	2	1	01	4	2	0	15481
2	119/00	00	NB	25.560	0.340	25.900	0	2	3	4	16	1	86	11	18	26	0	2016	4380	2	1	01	4	2	0	15481
2	119/00	00	NB	25.900	0.070	25.970	0	2	3	4	16	1	86	11	30	36	0	2016	4380	2	1	01	4	2	0	15481
2	119/00	00	NB	25.970	1.650	27.620	0	2	3	4	16	1	86	11	18	26	0	2016	4380	2	1	01	4	2	0	15481
2	119/00	00	NB	27.620	0.030	27.650	0	2	3	4	16	1	86	11	20	20	0	2016	4380	2	1	01	4	2	0	15481
2	119/00	00	NB	27.650	2.650	30.300	0	2	3	4	16	1	86	11	18	26	0	2016	7214	2	1	01	4	2	0	15481
2	119/00	00	NB	30.300	0.110	30.410	0	2	3	4	16	1	86	11	32	56	0	2016	7214	2	1	01	4	2	0	15481
2	119/00	00	NB	30.410	0.120	30.530	0	2	3	4	16	1	93	11	32	56	0	2016	6922	2	1	01	4	2	0	15481
2	119/00	00	NB	30.530	0.610	31.140	0	2	3	4	16	1	86	11	32	32	0	2016	6922	2	1	01	4	2	0	15481
2	119/00	00	NB	31.140	0.390	31.530	0	2	3	4	16	1	93	11	18	26	0	2016	6922	2	1	01	4	2	0	15481
2	119/00	00	NB	31.530	0.320	31.850	0	2	3	4	16	1	93	11	23	41	0	2016	6922	2	1	01	4	2	0	15481
2	119/00	00	NB	31.850	4.390	36.240	0	2	3	4	16	1	93	11	18	26	0	2016	3900	2	1	01	4	2	0	15481
2	119/00	00	NB	36.240	1.310	37.550	0	2	3	4	17	1	86	11	18	26	0	2016	3997	2	1	01	4	2	0	15481
2	119/00	00	NB	37.550	1.400	38.950	1	2	3	4	17	1	86	11	18	26	0	2016	3997	2	1	01	4	2	0	15481
2	119/00	00	NB	38.950	0.180	39.130	1	2	3	4	17	1	86	11	34	38	0	2016	3997	2	1	01	4	2	0	15481
2	119/00	00	NB	39.130	0.348	39.478	1	2	3	3	17	1	86	11	19	26	0	2016	4484	2	1	01	4	2	0	15481
2	119/00	00	NB	39.478	0.492	39.970	0	2	3	3	17	1	86	11	19	26	0	2016	4484	2	1	01	4	2	0	15481
2	119/00	00	NB	39.970	0.003	39.973	0	2	3	3	17	1	86	11	19	26	0	2016	4484	2	1	01	4	2	0	15481
2	119/00	00	NB	39.973	1.187	41.160	0	0	3	3	7	1	86	11	19	26	0	2016	4484	2	1	01	4	2	0	99999

2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS  
PLANNING DIVISION

KANAWHA COUNTY - (20)

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	END LENGTH MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	URB CODE		
2	119/00	00	NB	41.160	0.440	41.600	0	0	3	3	7	1	86	11	22	28	0	2016	4484	2	1	01	4	2	0	99999
2	119/00	00	NB	41.600	0.070	41.670	0	0	3	3	7	1	86	11	34	38	0	2016	4484	2	1	01	4	2	0	99999
2	119/00	00	NB	41.670	0.060	41.730	0	0	3	2	7	1	86	11	23	38	0	2016	4484	2	1	01	4	2	0	99999
2	119/00	00	NB	41.730	0.260	41.990	0	0	3	2	7	1	86	11	21	25	0	2016	4484	2	1	01	4	2	0	99999
2	119/00	00	NB	41.990	1.250	43.240	0	0	3	2	7	1	86	11	23	38	0	2016	2514	2	1	01	4	2	0	99999
2	119/00	00	NB	43.240	0.650	43.890	0	0	3	2	7	1	86	11	22	24	0	2016	2242	2	1	01	4	2	0	99999
<b>ROUTE TOTAL:</b>				<b>39.040</b>																						
2	119/00	01	00	0.000	0.080	0.080	6	2	3	4	16	1	86	11	26	26	0	2016	5015	2	1	01	4	1	0	15481
<b>ROUTE TOTAL:</b>				<b>0.080</b>																						
2	119/00	03	EB	0.000	0.300	0.300	6	2	4	4	14	4	83	12	30	30	0	2016	17397	4	1	01	4	2	4	15481
<b>ROUTE TOTAL:</b>				<b>0.300</b>																						
2	119/00	05	SB	0.000	0.030	0.030	6	2	3	4	16	1	84	11	53	53	0	2016	4478	2	1	01	4	1	0	15481
2	119/00	05	SB	0.030	0.090	0.120	6	2	3	4	16	1	84	11	52	52	0	2016	4478	2	1	01	4	1	0	15481
2	119/00	05	SB	0.120	0.130	0.250	6	2	3	4	16	1	84	11	36	36	0	2016	4478	2	1	01	4	1	0	15481
2	119/00	05	SB	0.250	0.030	0.280	6	2	3	4	16	1	84	12	24	24	0	2016	4478	2	1	01	4	1	0	15481
2	119/00	05	SB	0.280	0.070	0.350	6	2	4	4	16	1	84	12	36	36	0	2016	9852	2	1	01	4	1	6	15481
2	119/00	05	SB	0.350	0.060	0.410	6	2	4	4	16	1	84	11	36	36	0	2016	9852	2	1	01	4	1	6	15481
2	119/00	05	SB	0.410	0.080	0.490	6	2	4	4	16	1	84	11	59	59	0	2016	13436	2	1	01	4	1	6	15481
2	119/00	05	SB	0.490	0.030	0.520	6	2	4	4	16	1	84	12	27	27	0	2016	13436	2	1	01	4	1	6	15481
2	119/00	05	SB	0.520	0.120	0.640	6	2	4	4	16	1	84	12	36	36	0	2016	13436	2	1	01	4	1	6	15481
2	119/00	05	SB	0.640	0.050	0.690	6	2	4	4	16	1	84	11	45	45	0	2016	13436	2	1	01	4	1	6	15481
2	119/00	05	SB	0.690	0.040	0.730	6	2	4	4	16	1	84	11	55	55	0	2016	13436	2	1	01	4	1	6	15481
2	119/00	05	SB	0.730	0.190	0.920	6	2	3	4	16	1	84	11	40	40	0	2016	13436	2	1	01	4	1	0	15481
2	119/00	05	SB	0.920	0.030	0.950	6	2	3	4	16	1	84	12	47	47	0	2016	13436	2	1	01	4	1	0	15481
2	119/00	05	SB	0.950	0.160	1.110	6	2	3	4	16	1	84	12	22	22	0	2016	4657	2	1	01	4	2	0	15481
<b>ROUTE TOTAL:</b>				<b>1.110</b>																						
2	119/00	18	NB	0.000	0.510	0.510	6	2	2	1	14	7	92	12	18	24	0	2016	12862	1	1	10	2	1	1	15481
2	119/00	18	NB	0.700	0.470	1.170	6	2	2	1	14	7	92	12	18	24	0	2016	12862	1	1	10	2	1	1	15481
<b>ROUTE TOTAL:</b>				<b>0.980</b>																						

Kanawha County TOTAL for the PRIMARY DIRECTION: 88.290

## 2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS

PLANNING DIVISION

### LEWIS COUNTY - (21)

Page 40 of 94

SIGN	ROUTE	SUPP	DIRECT	BEG	END		WV			NAT	ACC	YEAR	SURF	PAV	GRADE	MED	AADT	LANES	REV	SPEC	TRK	FAC	URB			
		DSG	SURV	MP	LENGTH	MP	MUN	URB	FAS	FUN	FUNC	CONT	CHNG	TYPE	WIDTH	WIDTH	WIDTH		YR	LANES	SYS	RT		TYPE	CODE	
2	019/00	00	NB	0.000	3.180	3.180	0	0	3	3	7	1	16	11	25	39	0	2016	937	2	1	01	4	2	0	99999
2	019/00	00	NB	3.180	0.010	3.190	0	0	3	3	7	1	15	11	25	32	0	2016	1143	2	1	01	4	2	0	99999
2	019/00	00	NB	3.190	3.300	6.490	0	0	3	3	7	1	15	11	24	28	0	2016	1143	2	1	01	4	2	0	99999
2	019/00	00	NB	6.490	0.020	6.510	0	0	3	3	7	1	99	11	22	32	0	2016	1143	2	1	01	4	2	0	99999
2	019/00	00	NB	6.510	0.050	6.560	0	0	3	3	7	1	13	11	22	32	0	2016	1143	2	1	01	4	2	0	99999
2	019/00	00	NB	6.560	0.150	6.710	0	0	3	3	7	1	13	11	22	28	0	2016	1372	2	1	01	4	2	0	99999
2	019/00	00	NB	6.710	3.050	9.760	0	0	3	3	7	1	13	11	28	32	0	2016	1372	2	1	01	4	2	0	99999
2	019/00	00	NB	9.760	0.950	10.710	0	0	3	3	7	1	08	11	23	32	0	2016	1372	2	1	01	4	2	0	99999
2	019/00	00	NB	10.710	3.180	13.890	0	0	3	3	7	1	01	11	22	27	0	2016	1372	2	1	01	4	2	0	99999
2	019/00	00	NB	13.890	0.540	14.430	0	0	3	3	7	1	99	11	18	26	0	2016	1372	2	1	01	4	2	0	99999
2	019/00	00	NB	14.430	0.020	14.450	0	0	3	3	7	1	99	11	20	20	0	2016	1372	2	1	01	4	2	0	99999
2	019/00	00	NB	14.450	0.140	14.590	0	0	3	3	7	1	99	11	18	26	0	2016	1372	2	1	01	4	2	0	99999
2	019/00	00	NB	14.590	2.880	17.470	0	0	3	3	7	1	99	11	18	26	0	2016	2413	2	1	01	4	2	0	99999
2	019/00	00	NB	17.470	0.260	17.730	0	0	3	3	7	1	99	12	18	26	0	2016	1459	2	1	01	4	2	0	99999
2	019/00	00	NB	17.730	2.030	19.760	0	0	3	4	7	1	15	11	24	26	0	2016	1459	2	1	01	4	2	0	99999
2	019/00	00	NB	19.760	2.200	21.960	0	0	3	4	7	1	15	11	24	26	0	2016	2360	2	1	01	4	2	0	99999
2	019/00	00	NB	21.960	0.040	22.000	0	0	3	4	7	1	15	11	24	26	0	2016	2360	2	1	01	4	2	0	99999
2	019/00	00	NB	22.000	0.030	22.030	0	0	3	4	7	1	15	11	24	36	0	2016	2360	2	1	01	4	2	0	99999
2	019/00	00	NB	22.030	0.007	22.037	0	0	3	4	6	1	99	11	40	40	0	2016	2517	2	1	01	4	2	0	99999
2	019/00	00	NB	22.037	0.043	22.080	0	1	3	4	16	1	99	11	40	40	0	2016	2517	2	1	01	4	2	0	99998
2	019/00	00	NB	22.080	0.290	22.370	0	1	3	4	16	1	09	11	40	40	0	2016	2517	2	1	01	4	2	0	99998
2	019/00	00	NB	22.370	0.210	22.580	0	1	3	4	16	1	09	11	40	40	0	2016	4464	2	1	01	4	2	0	99998
2	019/00	00	NB	22.580	0.820	23.400	0	1	3	4	16	1	09	11	40	40	0	2016	4660	2	1	01	4	2	0	99998
2	019/00	00	NB	23.400	0.360	23.760	2	1	3	4	16	1	09	11	40	40	0	2016	4660	2	1	01	4	2	0	99998
2	019/00	00	NB	23.760	0.210	23.970	2	1	3	4	16	1	09	11	40	40	0	2016	4821	2	1	01	4	2	0	99998
2	019/00	00	NB	23.970	0.270	24.240	2	1	3	4	16	1	09	11	40	40	0	2016	6391	2	1	01	4	1	0	99998
2	019/00	00	NB	24.240	0.110	24.350	2	1	3	3	16	1	09	11	39	39	0	2016	6391	2	1	01	4	1	0	99998
2	019/00	00	NB	24.350	0.080	24.430	2	1	3	3	16	1	09	11	40	40	0	2016	6391	2	1	01	4	1	0	99998
2	019/00	00	NB	24.430	0.320	24.750	2	1	3	4	16	1	01	11	40	40	0	2016	5216	2	1	01	4	2	0	99998
2	019/00	00	NB	24.750	0.010	24.760	2	1	3	4	16	1	99	11	30	30	0	2016	5216	2	1	01	4	2	0	99998
2	019/00	00	NB	24.760	0.609	25.369	2	1	3	4	16	1	15	11	30	56	0	2016	5216	2	1	01	4	2	0	99998
2	019/00	00	NB	25.369	1.071	26.440	0	1	3	4	16	1	15	11	30	56	0	2016	5216	2	1	01	4	2	0	99998
2	019/00	00	NB	26.440	0.774	27.214	0	1	3	4	16	1	10	11	22	22	0	2016	2403	2	1	01	4	2	0	99998
2	019/00	00	NB	27.214	0.006	27.220	0	0	3	4	6	1	10	11	22	22	0	2016	2403	2	1	01	4	2	0	99999
2	019/00	00	NB	27.220	3.972	31.192	0	0	3	4	7	1	12	11	22	22	0	2016	2403	2	1	01	4	2	0	99999
2	019/00	00	NB	31.192	0.008	31.200	1	0	3	4	7	1	12	11	22	22	0	2016	2403	2	1	01	4	2	0	99999
2	019/00	00	NB	31.200	0.740	31.940	1	0	3	4	7	1	12	11	26	40	0	2016	3487	2	1	01	4	2	0	99999
2	019/00	00	NB	31.940	0.003	31.943	1	0	3	4	7	1	12	11	26	40	0	2016	2403	2	1	01	4	2	0	99999
2	019/00	00	NB	31.943	0.067	32.010	0	0	3	4	7	1	12	11	26	40	0	2016	2403	2	1	01	4	2	0	99999

2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS  
PLANNING DIVISION

LEWIS COUNTY - (21)

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	END LENGTH MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	URB CODE			
2	019/00	00	NB	32.010	1.270	33.280	0	0	3	4	7	1	03	11	24	40	0	2016	2403	2	1	01	4	2	0	99999	
<b>ROUTE TOTAL:</b>				<b>33.280</b>																							
2	019/00	05	SB	0.000	0.140	0.140	2	1	3	3	16	1	87	11	40	40	0	2016	3666	2	1	01	4	1	0	99998	
2	019/00	05	SB	0.140	0.210	0.350	2	1	3	4	16	1	87	12	40	40	0	2016	3666	2	1	01	4	1	0	99998	
<b>ROUTE TOTAL:</b>				<b>0.350</b>																							
2	033/00	00	EB	0.000	2.730	2.730	0	0	3	3	6	1	05	11	24	36	0	2016	1439	2	1	01	4	2	0	99999	
2	033/00	00	EB	2.730	3.520	6.250	0	0	3	3	6	1	16	11	25	45	0	2016	1439	2	1	01	4	2	0	99999	
2	033/00	00	EB	6.250	0.370	6.620	0	0	3	3	6	1	05	11	24	45	0	2016	1439	2	1	01	4	2	0	99999	
2	033/00	00	EB	6.620	6.330	12.950	0	0	3	3	6	1	04	11	36	48	0	2016	1762	2	1	01	4	2	0	99999	
2	033/00	00	EB	12.950	0.170	13.120	0	0	3	3	6	1	99	11	23	27	0	2016	1762	2	1	01	4	2	0	99999	
2	033/00	00	EB	13.120	0.040	13.160	0	0	3	3	6	1	05	11	23	28	0	2016	2981	2	1	01	4	2	0	99999	
2	033/00	00	EB	13.160	0.615	13.775	0	0	3	3	6	1	98	11	23	27	0	2016	2981	2	1	01	4	2	0	99999	
2	033/00	00	EB	13.775	0.005	13.780	0	1	3	3	16	1	98	11	23	27	0	2016	2981	2	1	01	4	2	0	99998	
2	033/00	00	EB	13.780	0.720	14.500	0	1	3	3	16	1	98	11	23	27	0	2016	2981	2	1	01	4	2	0	99998	
2	033/00	00	EB	14.500	0.450	14.950	0	1	3	3	16	1	98	11	23	27	0	2016	4215	2	1	01	4	2	0	99998	
2	033/00	00	EB	14.950	0.450	15.400	0	1	3	3	16	1	03	11	53	61	0	2016	4215	2	1	01	4	2	0	99998	
2	033/00	00	EB	15.400	0.013	15.413	0	1	3	3	16	1	03	11	53	61	0	2016	6116	2	1	01	4	2	0	99998	
2	033/00	00	EB	15.413	0.587	16.000	2	1	3	3	16	1	03	11	53	61	0	2016	6116	2	1	01	4	2	0	99998	
2	033/00	00	EB	16.000	0.620	16.620	2	1	3	3	16	1	03	11	53	61	0	2016	6364	2	1	01	4	2	0	99998	
2	033/00	00	EB	16.620	0.540	17.160	2	1	3	3	16	1	03	11	53	61	0	2016	6253	2	1	01	4	2	0	99998	
2	033/00	00	EB	17.160	0.040	17.200	2	1	3	3	16	1	12	11	53	61	0	2016	6253	2	1	01	4	2	0	99998	
2	033/00	00	EB	17.200	0.070	17.270	2	1	3	3	16	1	12	11	39	39	0	2016	11891	2	1	01	4	1	0	99998	
2	033/00	00	EB	17.380	0.060	17.440	2	1	3	3	16	1	99	11	30	30	0	2016	9665	2	1	01	4	2	0	99998	
2	033/00	00	EB	17.440	0.150	17.590	2	1	3	3	16	1	02	11	39	39	0	2016	5450	2	1	01	4	2	0	99998	
2	033/00	00	EB	17.590	0.520	18.110	2	1	3	3	16	1	02	11	39	39	0	2016	17885	2	1	01	4	2	0	99998	
2	033/00	00	EB	18.110	0.060	18.170	2	1	3	3	16	1	02	11	39	39	0	2016	17340	2	1	01	4	2	0	99998	
2	033/00	00	EB	18.170	0.240	18.410	2	1	3	3	16	1	02	11	53	61	0	2016	17340	2	1	01	4	2	0	99998	
2	033/00	00	EB	18.410	1.210	19.620	2	1	3	3	16	1	02	11	53	61	0	2016	13606	2	1	01	4	2	0	99998	
2	033/00	00	EB	19.620	0.090	19.710	2	1	3	3	16	4	14	11	25	36	40	2016	13606	4	1	01	4	2	0	99998	
2	033/00	00	EB	19.710	0.130	19.840	2	1	3	3	16	4	14	11	25	54	40	2016	12751	4	1	01	2	2	0	99998	
2	033/00	00	EB	19.840	0.030	19.870	2	1	2	1	14	4	14	11	25	42	40	2016	18298	4	1	10	4	2	1	99998	
2	033/00	00	EB	19.870	0.320	20.190	2	1	2	1	14	4	14	11	25	42	40	2016	18298	4	1	10	2	2	1	99998	
2	033/00	00	EB	20.190	0.120	20.310	2	1	2	1	14	4	14	11	25	65	40	2016	19464	4	1	10	2	2	1	99998	
2	033/00	00	EB	20.310	0.422	20.732	2	1	2	1	14	4	14	11	25	65	40	2016	19464	4	1	10	2	2	1	99998	
2	033/00	00	EB	20.732	0.518	21.250	0	1	2	1	14	4	14	11	25	65	40	2016	19464	4	1	10	2	2	1	99998	
2	033/00	00	EB	21.250	0.970	22.220	0	1	2	1	14	4	14	11	25	65	40	2016	15116	4	1	10	2	2	1	99998	
2	033/00	00	EB	22.220	0.030	22.250	0	1	2	1	14	4	06	11	49	65	40	2016	15116	4	1	10	2	2	1	99998	
2	033/00	00	EB	22.250	0.590	22.840	0	1	2	1	14	4	03	11	49	61	40	2016	15116	4	1	10	2	2	1	99998	
2	033/00	00	EB	22.840	0.090	22.930	0	1	2	1	14	4	03	11	49	61	99	2016	15116	4	1	10	2	2	1	99998	

2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS  
PLANNING DIVISION

LEWIS COUNTY - (21)

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	LENGTH	END MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	URB CODE	
2	033/00	00	EB	22.930	0.001	22.931	0	1	2	1	14	4	03	11	49	61	99	2016	15116	4	1	10	2	2	1	99998
2	033/00	00	EB	22.931	0.689	23.620	0	0	2	1	2	4	03	11	49	61	99	2016	15116	4	1	10	2	2	1	99999
2	033/00	00	EB	23.620	0.790	24.410	0	0	2	1	2	4	03	11	49	61	50	2016	16589	4	1	10	2	2	1	99999
2	033/00	00	EB	24.410	0.820	25.230	0	0	2	1	2	4	03	11	49	61	99	2016	16589	4	1	10	2	2	1	99999
2	033/00	00	EB	25.230	0.950	26.180	0	0	2	1	2	4	03	11	49	61	70	2016	16589	4	1	10	2	2	1	99999
2	033/00	00	EB	26.180	0.860	27.040	0	0	2	1	2	4	03	11	49	61	99	2016	16589	4	1	10	2	2	1	99999

ROUTE TOTAL: 26.930

Lewis County TOTAL for the PRIMARY DIRECTION: 60.560

## 2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS

PLANNING DIVISION

### LINCOLN COUNTY - (22)

Page 43 of 94

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	LENGTH	END MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	URB CODE	
2	119/00	00	NB	0.000	0.070	0.070	0	0	2	1	2	4	83	12	24	36	40	2016	11932	4	1	10	4	2	1	99999
2	119/00	00	NB	3.370	2.030	5.400	0	0	2	1	2	4	83	12	24	36	40	2016	11932	4	1	10	4	2	1	99999
2	119/00	00	NB	5.400	1.010	6.410	0	0	2	1	2	4	90	11	24	36	40	2016	11737	4	1	10	4	2	1	99999
2	119/00	00	NB	6.410	1.570	7.980	0	0	2	1	2	4	90	11	24	36	40	2016	12435	4	1	10	4	2	1	99999
2	119/00	00	NB	7.980	0.060	8.040	0	0	2	1	2	4	83	11	24	36	40	2016	12435	4	1	10	4	2	1	99999

**ROUTE TOTAL: 4.740**

**Lincoln County TOTAL for the PRIMARY DIRECTION: 4.740**

2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS  
PLANNING DIVISION

LOGAN COUNTY - (23)

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	END LENGTH MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	URB CODE			
2	052/00	00	EB	0.000	0.100	0.100	0	0	2	2	2	1	82	11	36	44		2016	2136	2	1	01	4	2	1	99999	
2	052/00	00	EB	0.100	0.240	0.340	0	0	2	2	2	1	82	11	24	34		2016	2136	2	1	01	4	2	1	99999	
2	052/00	00	EB	0.340	0.090	0.430	0	0	2	2	2	1	82	11	20	24		2016	2136	2	1	01	4	2	1	99999	
<b>ROUTE TOTAL:</b>				<b>0.430</b>																							
2	119/00	00	NB	0.000	0.850	0.850	0	0	2	1	2	4	85	11	24	34	4	2016	6514	4	1	10	2	2	1	99999	
2	119/00	00	NB	0.850	0.588	1.438	0	0	2	1	2	4	95	11	24	34	18	2016	6514	4	1	10	2	2	1	99999	
2	119/00	00	NB	1.438	0.002	1.440	0	1	2	1	14	4	95	11	24	34	18	2016	6514	4	1	10	2	2	1	99998	
2	119/00	00	NB	1.440	0.760	2.200	0	1	2	1	14	4	05	11	24	34	11	2016	6514	4	1	10	2	2	1	99998	
2	119/00	00	NB	2.200	0.340	2.540	0	1	2	1	14	4	95	11	24	34	11	2016	6514	4	1	10	2	2	1	99998	
2	119/00	00	NB	2.540	0.130	2.670	0	1	2	1	14	4	95	11	24	34	18	2016	6514	4	1	10	2	2	1	99998	
2	119/00	00	NB	2.670	0.920	3.590	0	1	2	1	14	4	98	11	24	34	6	2016	6514	4	1	10	2	2	1	99998	
2	119/00	00	NB	3.590	1.680	5.270	0	1	2	1	14	4	98	11	24	36	18	2016	6514	4	1	10	2	2	1	99998	
2	119/00	00	NB	5.270	0.645	5.915	0	1	2	1	14	4	05	11	24	36	18	2016	7680	4	1	10	2	2	1	99998	
2	119/00	00	NB	5.915	0.005	5.920	0	0	2	1	2	4	05	11	24	36	18	2016	7680	4	1	10	2	2	1	99999	
2	119/00	00	NB	5.920	0.190	6.110	0	0	2	1	2	4	05	11	24	36	18	2016	7680	4	1	10	2	2	1	99999	
2	119/00	00	NB	6.110	3.760	9.870	0	0	2	1	2	4	98	11	24	36	18	2016	7504	4	1	10	2	2	1	99999	
2	119/00	00	NB	9.870	0.750	10.620	0	0	2	1	2	4	98	11	24	36	18	2016	7504	5	1	10	2	2	1	99999	
2	119/00	00	NB	10.620	1.250	11.870	0	0	2	1	2	4	98	11	24	36	10	2016	7504	5	1	10	2	2	1	99999	
2	119/00	00	NB	11.870	0.413	12.283	0	0	2	1	2	4	98	11	24	36	11	2016	7504	4	1	10	2	2	1	99999	
2	119/00	00	NB	12.283	0.002	12.285	0	1	2	1	14	4	98	11	24	36	11	2016	7504	4	1	10	2	2	1	99998	
2	119/00	00	NB	12.285	0.825	13.110	0	1	2	1	14	4	98	11	24	36	11	2016	7504	4	1	10	2	2	1	99998	
2	119/00	00	NB	13.110	0.600	13.710	0	1	2	1	14	4	98	11	24	36	8	2016	7504	4	1	10	2	2	1	99998	
2	119/00	00	NB	13.710	1.000	14.710	0	1	2	1	14	4	98	11	24	36	30	2016	12930	4	1	10	2	2	1	99998	
2	119/00	00	NB	14.710	0.110	14.820	0	1	2	1	14	4	98	11	24	36	24	2016	12930	4	1	10	2	2	1	99998	
2	119/00	00	NB	14.820	0.045	14.865	0	1	2	1	14	4	98	11	24	36	8	2016	14406	4	1	10	2	2	1	99998	
2	119/00	00	NB	14.865	0.124	14.989	1	1	2	1	14	4	98	11	24	36	8	2016	14406	4	1	10	2	2	1	99998	
2	119/00	00	NB	14.989	0.310	15.299	0	1	2	1	14	4	98	11	24	36	8	2016	14406	4	1	10	2	2	1	99998	
2	119/00	00	NB	15.299	0.011	15.310	1	1	2	1	14	4	98	11	24	36	8	2016	14406	4	1	10	2	2	1	99998	
2	119/00	00	NB	15.310	0.120	15.430	1	1	2	1	14	4	98	12	24	36	0	2016	14406	4	1	10	2	2	1	99998	
2	119/00	00	NB	15.430	0.180	15.610	1	1	2	1	14	4	98	11	24	36	10	2016	14406	4	1	10	2	2	1	99998	
2	119/00	00	NB	15.610	0.573	16.183	1	1	2	1	14	4	98	11	24	36	10	2016	13392	4	1	10	2	2	1	99998	
2	119/00	00	NB	16.183	0.097	16.280	0	1	2	1	14	4	98	11	24	36	10	2016	13392	4	1	10	2	2	1	99998	
2	119/00	00	NB	16.280	0.294	16.574	0	1	2	1	14	4	98	11	24	36	24	2016	13392	4	1	10	2	2	1	99998	
2	119/00	00	NB	16.574	0.003	16.577	0	1	2	1	14	4	98	11	24	36	24	2016	13392	4	1	10	2	2	1	99998	
2	119/00	00	NB	16.577	0.613	17.190	0	0	2	1	2	4	98	11	24	36	24	2016	13392	4	1	10	2	2	1	99999	
2	119/00	00	NB	17.190	1.230	18.420	0	0	2	1	2	4	98	11	24	36	40	2016	13392	4	1	10	2	2	1	99999	

ROUTE TOTAL: 18.420

Logan County TOTAL for the PRIMARY DIRECTION:

18.850

## 2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS

PLANNING DIVISION

### MARION COUNTY - (25)

Page 45 of 94

SIGN	ROUTE	SUPP	DIRECT	BEG	END		WV			NAT	ACC	YEAR	SURF	PAV	GRADE	MED	AADT	LANES	REV	SPEC	TRK	FAC	URB			
		DSG	SURV	MP	LENGTH	MP	MUN	URB	FAS	FUN	FUNC	CONT	CHNG	TYPE	WIDTH	WIDTH	WIDTH		YR	LANES	SYS	RT		TYPE	CODE	
2	019/00	00	NB	0.000	0.030	0.030	0	1	3	3	16	1	00	11	20	20	0	2016	5489	2	1	01	4	2	0	99998
2	019/00	00	NB	0.030	0.020	0.050	0	1	3	3	16	1	00	11	18	24	0	2016	7071	2	1	01	4	2	0	99998
2	019/00	00	NB	0.050	1.543	1.593	0	1	3	3	16	1	00	11	18	24	0	2016	4729	2	1	01	4	2	0	99998
2	019/00	00	NB	1.593	0.257	1.850	1	1	3	3	16	1	00	11	18	24	0	2016	4729	2	1	01	4	2	0	99998
2	019/00	00	NB	1.850	0.180	2.030	1	1	3	3	16	1	00	11	23	23	0	2016	4729	2	1	01	4	2	0	99998
2	019/00	00	NB	2.030	0.120	2.150	1	1	3	3	16	1	00	11	28	28	0	2016	4729	2	1	01	4	2	0	99998
2	019/00	00	NB	2.150	0.282	2.432	1	1	3	3	16	1	00	11	18	28	0	2016	4729	2	1	01	4	2	0	99998
2	019/00	00	NB	2.432	0.001	2.433	1	0	3	3	6	1	00	11	18	28	0	2016	4729	2	1	01	4	2	0	99999
2	019/00	00	NB	2.433	0.177	2.610	0	0	3	3	6	1	00	11	18	28	0	2016	4729	2	1	01	4	2	0	99999
2	019/00	00	NB	2.610	0.393	3.003	0	0	3	3	6	1	00	11	18	28	0	2016	6522	2	1	01	4	2	0	99999
2	019/00	00	NB	3.003	1.272	4.275	0	1	3	3	16	1	00	11	18	28	0	2016	6522	2	1	01	4	2	0	99998
2	019/00	00	NB	4.275	0.592	4.867	1	1	3	3	16	1	00	11	18	28	0	2016	6522	2	1	01	4	2	0	99998
2	019/00	00	NB	4.867	0.043	4.910	0	1	3	3	16	1	00	11	18	28	0	2016	6522	2	1	01	4	2	0	99998
2	019/00	00	NB	4.910	0.410	5.320	0	1	3	3	16	1	00	11	18	28	0	2016	3195	2	1	01	4	2	0	99998
2	019/00	00	NB	5.320	1.320	6.640	0	1	3	3	17	1	00	11	18	28	0	2016	4127	2	1	01	4	2	0	99998
2	019/00	00	NB	6.640	0.250	6.890	0	1	3	3	16	1	05	11	18	28	0	2016	4127	2	1	01	4	2	0	99998
2	019/00	00	NB	6.890	0.270	7.160	0	1	3	3	16	1	00	11	22	40	0	2016	4127	2	1	01	4	2	0	99998
2	019/00	00	NB	7.160	0.729	7.889	0	1	3	3	16	1	00	11	22	40	0	2016	6216	2	1	01	4	2	0	99998
2	019/00	00	NB	7.889	0.011	7.900	4	1	3	3	16	1	00	11	22	40	0	2016	6216	2	1	01	4	2	0	99998
2	019/00	00	NB	7.900	0.070	7.970	4	1	3	3	16	1	00	11	22	40	0	2016	9395	2	1	01	4	2	0	99998
2	019/00	00	NB	7.970	0.500	8.470	4	1	3	3	16	1	00	11	20	40	0	2016	8313	2	1	01	4	2	0	99998
2	019/00	00	NB	8.470	0.260	8.730	4	1	3	3	16	1	00	11	22	24	0	2016	8313	2	1	01	4	2	0	99998
2	019/00	00	NB	8.730	0.170	8.900	4	1	3	3	16	1	00	11	30	32	0	2016	8313	2	1	01	4	2	0	99998
2	019/00	00	NB	8.900	0.040	8.940	4	1	3	3	16	1	00	11	28	28	0	2016	8313	2	1	01	4	2	0	99998
2	019/00	00	NB	8.940	0.910	9.850	4	1	3	3	16	1	00	11	28	28	0	2016	10409	2	1	01	4	2	0	99998
2	019/00	00	NB	9.850	0.090	9.940	4	1	3	2	16	1	00	11	28	28	0	2016	10409	2	1	01	4	2	0	99998
2	019/00	00	NB	9.940	0.300	10.240	4	1	3	3	16	1	00	11	37	37	0	2016	9736	2	1	01	4	1	0	99998
2	019/00	00	NB	10.240	0.070	10.310	4	1	3	3	16	1	00	11	32	32	0	2016	9736	2	1	01	4	1	0	99998
2	019/00	00	NB	10.310	0.060	10.370	4	1	3	3	16	1	00	11	32	32	0	2016	11494	2	1	01	4	2	0	99998
2	019/00	00	NB	10.370	0.650	11.020	4	1	3	3	16	1	00	11	37	37	0	2016	11494	2	1	01	4	2	0	99998
2	019/00	00	NB	11.020	0.330	11.350	4	1	3	3	16	1	00	11	30	30	0	2016	11494	2	1	01	4	2	0	99998
2	019/00	00	NB	11.350	0.310	11.660	4	1	3	3	16	1	00	11	20	20	0	2016	7098	2	1	01	4	2	0	99998
2	019/00	00	NB	11.660	0.284	11.944	4	1	3	3	16	1	00	11	18	28	0	2016	7098	2	1	01	4	2	0	99998
2	019/00	00	NB	11.944	1.609	13.553	0	1	3	3	16	1	00	11	18	28	0	2016	7098	2	1	01	4	2	0	99998
2	019/00	00	NB	13.553	0.317	13.870	1	1	3	3	16	1	00	11	18	28	0	2016	7098	2	1	01	4	2	0	99998
2	019/00	00	NB	13.870	0.060	13.930	1	1	3	3	16	1	00	11	24	32	0	2016	4758	2	1	01	4	2	0	99998
2	019/00	00	NB	13.930	0.030	13.960	1	1	3	3	16	1	00	12	28	28	0	2016	4758	2	1	01	4	2	0	99998
2	019/00	00	NB	13.960	0.040	14.000	1	1	3	3	16	1	00	11	24	34	0	2016	4758	2	1	01	4	2	0	99998
2	019/00	00	NB	14.000	0.180	14.180	1	1	3	3	16	1	00	11	34	34	0	2016	4758	2	1	01	4	2	0	99998

## 2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS  
PLANNING DIVISION

### MARION COUNTY - (25)

SIGN	ROUTE	SUPP	DIRECT	BEG	END					WV	NAT	ACC	YEAR	SURF	PAV	GRADE	MED	AADT				REV	SPEC	TRK	FAC	URB						
		DSG	SURV	MP	LENGTH	MP	MUN	URB	FAS	FUN	FUNC	CONT	CHNG	TYPE	WIDTH	WIDTH	WIDTH	YR	AADT	LANES	LANES	SYS	RT	TYPE	CODE							
2	019/00	00	NB	14.180	0.170	14.350	1	1	3	3	16	1	00	11	24	34	0	2016	4758	2	1	01	4	2	0	99998						
2	019/00	00	NB	14.350	0.325	14.675	1	1	3	3	16	1	00	11	20	28	0	2016	2232	2	1	01	4	2	0	99998						
2	019/00	00	NB	14.675	0.285	14.960	0	1	3	3	16	1	00	11	20	28	0	2016	2232	2	1	01	4	2	0	99998						
2	019/00	00	NB	14.960	0.007	14.967	0	1	3	3	17	1	00	11	20	28	0	2016	2232	2	1	01	4	2	0	99998						
2	019/00	00	NB	14.967	0.383	15.350	0	0	3	3	7	1	00	11	20	28	0	2016	2232	2	1	01	4	2	0	99999						
2	019/00	00	NB	15.350	0.840	16.190	0	0	3	3	6	1	00	11	20	28	0	2016	2232	2	1	01	4	2	0	99999						
2	019/00	00	NB	16.190	1.240	17.430	0	0	3	3	7	1	05	11	20	28	0	2016	2232	2	1	01	4	2	0	99999						
<b>ROUTE TOTAL:</b>				<b>17.430</b>																												
2	019/00	03	EB	0.000	1.050	1.050	4	1	3	3	16	1	00	11	20	30	0	2016	13397	2	1	01	4	2	0	99998						
<b>ROUTE TOTAL:</b>				<b>1.050</b>																												
2	019/00	05	SB	0.000	0.300	0.300	4	1	3	3	16	1	00	11	32	32	0	2016	12138	2	1	01	4	1	0	99998						
<b>ROUTE TOTAL:</b>				<b>0.300</b>																												
2	250/00	00	NB	0.000	0.420	0.420	0	1	3	2	16	1	00	11	20	30	0	2016	6509	2	1	01	4	2	0	99998						
2	250/00	00	NB	0.420	0.770	1.190	0	1	3	2	16	1	05	11	20	30	0	2016	6509	2	1	01	4	2	0	99998						
2	250/00	00	NB	1.190	0.445	1.635	0	1	3	2	16	1	00	11	20	30	0	2016	6984	2	1	01	4	2	0	99998						
2	250/00	00	NB	1.635	0.285	1.920	1	1	3	2	16	1	00	11	20	30	0	2016	6984	2	1	01	4	2	0	99998						
2	250/00	00	NB	1.920	0.880	2.800	1	1	3	2	16	1	00	11	20	30	0	2016	16918	2	1	01	4	2	0	99998						
2	250/00	00	NB	2.800	0.070	2.870	1	1	3	2	16	1	00	11	24	52	0	2016	16918	2	1	01	4	2	0	99998						
2	250/00	00	NB	2.870	0.284	3.154	1	1	3	2	16	1	00	11	36	62	0	2016	31609	2	1	01	4	2	0	99998						
2	250/00	00	NB	3.154	0.266	3.420	0	1	3	2	16	1	00	11	36	62	0	2016	31609	2	1	01	4	2	0	99998						
2	250/00	00	NB	3.420	0.078	3.498	0	1	3	2	16	1	00	11	22	30	0	2016	31609	2	1	01	4	2	0	99998						
2	250/00	00	NB	3.498	0.662	4.160	1	1	3	2	16	1	00	11	22	30	0	2016	31609	2	1	01	4	2	0	99998						
2	250/00	00	NB	4.160	0.052	4.212	1	1	3	2	16	1	07	11	22	30	0	2016	15700	2	1	01	4	2	0	99998						
2	250/00	00	NB	4.212	0.578	4.790	0	1	3	2	16	1	07	11	22	30	0	2016	15700	2	1	01	4	2	0	99998						
2	250/00	00	NB	4.790	0.108	4.898	0	1	3	2	16	1	00	11	22	30	0	2016	15700	2	1	01	4	2	0	99998						
2	250/00	00	NB	4.898	0.002	4.900	4	1	3	2	16	1	00	11	22	30	0	2016	15700	2	1	01	4	2	0	99998						
2	250/00	00	NB	4.900	1.000	5.900	4	1	3	2	16	1	00	11	22	30	0	2016	13691	2	1	01	4	2	0	99998						
2	250/00	00	NB	5.900	0.320	6.220	4	1	3	2	16	1	00	11	33	40	0	2016	13691	2	1	01	4	2	0	99998						
2	250/00	00	NB	6.220	0.090	6.310	4	1	3	2	16	1	00	11	40	40	0	2016	13691	2	1	01	4	2	0	99998						
2	250/00	00	NB	6.310	0.200	6.510	4	1	3	2	16	1	00	11	30	30	0	2016	14774	2	1	01	4	2	0	99998						
2	250/00	00	NB	6.510	0.100	6.610	4	1	3	2	16	1	00	11	30	30	0	2016	13424	2	1	01	4	2	0	99998						
2	250/00	00	NB	6.610	1.020	7.630	4	1	3	2	16	1	00	11	34	34	0	2016	15768	2	1	01	4	2	0	99998						
2	250/00	00	NB	7.630	0.070	7.700	4	1	3	2	16	1	00	11	56	56	0	2016	15768	2	1	01	4	2	0	99998						
2	250/00	00	NB	7.700	0.010	7.710	4	1	3	2	16	1	00	11	40	40	0	2016	8910	2	1	01	4	2	0	99998						
2	250/00	00	NB	7.780	0.070	7.850	4	1	3	3	16	1	00	11	40	40	0	2016	8910	2	1	01	4	1	0	99998						
2	250/00	00	NB	7.920	0.020	7.940	4	1	3	2	16	1	00	11	25	25	0	2016	8910	2	1	01	4	2	0	99998						
2	250/00	00	NB	7.940	0.990	8.930	4	1	3	2	16	1	00	11	22	24	0	2016	11626	2	1	01	4	2	0	99998						
2	250/00	00	NB	8.930	0.100	9.030	4	1	3	2	16	1	00	11	22	30	0	2016	10359	2	1	01	4	2	0	99998						
2	250/00	00	NB	9.030	0.340	9.370	0	1	3	2	16	1	00	11	22	30	0	2016	10359	2	1	01	4	2	0	99998						

2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS  
PLANNING DIVISION

MARION COUNTY - (25)

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	LENGTH	END MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	URB CODE	
2	250/00	00	NB	9.370	0.220	9.590	1	1	3	2	16	1	00	11	22	30	0	2016	10359	2	1	01	4	2	0	99998
2	250/00	00	NB	9.590	0.119	9.709	1	1	3	2	16	1	07	11	21	30	0	2016	5528	2	1	01	4	2	0	99998
2	250/00	00	NB	9.709	0.607	10.316	0	1	3	2	16	1	07	11	21	30	0	2016	5528	2	1	01	4	2	0	99998
2	250/00	00	NB	10.316	0.254	10.570	0	0	3	2	6	1	07	11	21	30	0	2016	5528	2	1	01	4	2	0	99999
2	250/00	00	NB	10.570	1.120	11.690	0	0	3	2	6	1	07	11	21	30	0	2016	5528	2	1	01	4	2	0	99999
2	250/00	00	NB	11.690	3.234	14.924	0	0	3	2	6	1	00	11	20	30	0	2016	6206	2	1	01	4	2	0	99999
2	250/00	00	NB	14.924	0.216	15.140	1	0	3	2	6	1	00	11	20	30	0	2016	6206	2	1	01	4	2	0	99999
2	250/00	00	NB	15.140	0.270	15.410	1	0	3	2	6	1	00	11	33	41	0	2016	6206	2	1	01	4	2	0	99999
2	250/00	00	NB	15.410	0.575	15.985	1	0	3	2	6	1	00	11	20	30	0	2016	9420	2	1	01	4	2	0	99999
2	250/00	00	NB	15.985	2.525	18.510	0	0	3	2	6	1	00	11	20	30	0	2016	9420	2	1	01	4	2	0	99999
2	250/00	00	NB	18.510	0.841	19.351	0	0	3	2	6	1	00	11	22	30	0	2016	9420	2	1	01	4	2	0	99999
2	250/00	00	NB	19.351	0.029	19.380	1	0	3	2	6	1	00	11	22	30	0	2016	9420	2	1	01	4	2	0	99999
2	250/00	00	NB	19.380	0.060	19.440	1	0	3	2	6	1	00	11	34	34	0	2016	9420	2	1	01	4	2	0	99999
2	250/00	00	NB	19.440	0.260	19.700	1	0	3	2	6	1	00	11	22	30	0	2016	9420	2	1	01	4	2	0	99999
2	250/00	00	NB	19.700	0.580	20.280	1	0	3	2	6	1	00	11	22	30	0	2016	9534	2	1	01	4	2	0	99999
2	250/00	00	NB	20.280	0.820	21.100	1	0	3	2	6	1	00	11	20	20	0	2016	9534	2	1	01	4	2	0	99999
2	250/00	00	NB	21.100	0.200	21.300	1	0	3	2	6	1	00	11	30	30	0	2016	4680	2	1	01	4	2	0	99999
2	250/00	00	NB	21.300	0.070	21.370	1	0	3	2	6	1	00	11	30	30	0	2016	3954	2	1	01	4	2	0	99999
2	250/00	00	NB	21.370	0.551	21.921	1	0	3	2	6	1	00	11	22	36	0	2016	3954	2	1	01	4	2	0	99999
2	250/00	00	NB	21.921	0.949	22.870	0	0	3	2	6	1	00	11	22	36	0	2016	3954	2	1	01	4	2	0	99999
2	250/00	00	NB	22.870	0.320	23.190	0	0	3	2	6	1	00	11	20	26	0	2016	3954	2	1	01	4	2	0	99999
2	250/00	00	NB	23.190	2.500	25.690	0	0	3	2	6	1	00	11	20	26	0	2016	2571	2	1	01	4	2	0	99999
2	250/00	00	NB	25.690	3.700	29.390	0	0	3	2	6	1	00	11	22	30	0	2016	1652	2	1	01	4	2	0	99999
2	250/00	00	NB	29.390	1.970	31.360	0	0	3	2	6	1	00	11	22	28	0	2016	1652	2	1	01	4	2	0	99999

ROUTE TOTAL: 31.220

Marion County TOTAL for the PRIMARY DIRECTION: 50.000

2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS  
PLANNING DIVISION

MARSHALL COUNTY - (26)

SIGN	ROUTE	SUPP	DIRECT	BEG	END		WV			NAT	ACC	YEAR	SURF	PAV	GRADE	MED	AADT	LANES	REV	SPEC	TRK	FAC	URB			
		DSG	SURV	MP	LENGTH	MP	MUN	URB	FAS	FUN	FUNC	CONT	CHNG	TYPE	WIDTH	WIDTH	WIDTH		YR	LANES	SYS	RT		TYPE	CODE	
2	250/00	00	NB	0.000	3.560	3.560	0	0	2	3	2	1	70	11	16	30	0	2016	610	2	1	01	4	2	1	99999
2	250/00	00	NB	3.560	1.060	4.620	0	0	2	3	2	1	70	11	16	30	0	2016	487	2	1	01	4	2	1	99999
2	250/00	00	NB	4.620	0.030	4.650	0	0	2	3	2	1	70	11	18	18	0	2016	487	2	1	01	4	2	1	99999
2	250/00	00	NB	4.650	3.420	8.070	0	0	2	3	2	1	03	11	22	30	0	2016	553	2	1	01	4	2	1	99999
2	250/00	00	NB	8.070	2.784	10.854	0	0	2	3	2	1	72	11	22	28	0	2016	553	2	1	01	4	2	1	99999
2	250/00	00	NB	10.854	0.036	10.890	1	0	2	3	2	1	72	11	22	28	0	2016	553	2	1	01	4	2	1	99999
2	250/00	00	NB	10.890	0.270	11.160	1	0	2	3	2	1	70	11	16	30	0	2016	1760	2	1	01	4	2	1	99999
2	250/00	00	NB	11.160	0.220	11.380	1	0	2	3	2	1	70	11	16	18	0	2016	1760	2	1	01	4	2	1	99999
2	250/00	00	NB	11.380	0.200	11.580	1	0	2	3	2	1	70	11	24	24	0	2016	1760	2	1	01	4	2	1	99999
2	250/00	00	NB	11.580	0.070	11.650	1	0	2	3	2	1	98	11	24	24	0	2016	1760	2	1	01	4	2	1	99999
2	250/00	00	NB	11.650	0.508	12.158	1	0	2	3	2	1	70	11	18	22	0	2016	1760	2	1	01	4	2	1	99999
2	250/00	00	NB	12.158	0.192	12.350	0	0	2	3	2	1	70	11	18	22	0	2016	1760	2	1	01	4	2	1	99999
2	250/00	00	NB	12.350	0.120	12.470	0	0	2	3	2	1	00	11	18	22	0	2016	1760	2	1	01	4	2	1	99999
2	250/00	00	NB	12.470	0.900	13.370	0	0	2	3	2	1	00	11	18	22	0	2016	1645	2	1	01	4	2	1	99999
2	250/00	00	NB	13.370	0.030	13.400	0	0	2	3	2	1	00	11	20	26	0	2016	1645	2	1	01	4	2	1	99999
2	250/00	00	NB	13.400	1.910	15.310	0	0	2	3	2	1	00	11	20	26	0	2016	1743	2	1	01	4	2	1	99999
2	250/00	00	NB	15.310	2.530	17.840	0	0	2	3	2	1	00	11	20	26	0	2016	3290	2	1	01	4	2	1	99999
2	250/00	00	NB	17.840	1.420	19.260	0	0	2	3	2	1	00	11	20	26	0	2016	2550	2	1	01	4	2	1	99999
2	250/00	00	NB	19.260	2.550	21.810	0	0	2	3	2	1	01	11	20	26	0	2016	2550	2	1	01	4	2	1	99999
2	250/00	00	NB	21.810	2.830	24.640	0	0	2	3	2	1	01	11	20	26	0	2016	4099	2	1	01	4	2	1	99999
2	250/00	00	NB	24.640	0.780	25.420	0	0	2	3	2	1	01	11	20	26	0	2016	4207	2	1	01	4	2	1	99999
2	250/00	00	NB	25.420	3.045	28.465	0	0	2	3	2	1	01	11	20	30	0	2016	3897	2	1	01	4	2	1	99999
2	250/00	00	NB	28.465	0.002	28.467	0	2	2	3	14	1	01	11	20	30	0	2016	3897	2	1	01	4	2	1	94726
2	250/00	00	NB	28.467	0.023	28.490	0	2	2	3	14	1	05	11	20	30	0	2016	3897	2	1	01	4	2	1	94726
2	250/00	00	NB	28.490	0.580	29.070	0	2	2	3	14	1	05	11	20	30	0	2016	3452	2	1	01	4	2	1	94726
2	250/00	00	NB	29.070	0.640	29.710	0	2	2	3	14	1	07	11	20	30	0	2016	3452	2	1	01	4	2	1	94726
2	250/00	00	NB	29.710	0.081	29.791	0	2	2	3	14	1	00	11	20	30	0	2016	4710	2	1	01	4	2	1	94726
2	250/00	00	NB	29.791	0.299	30.090	3	2	2	3	14	1	00	11	20	30	0	2016	4710	2	1	01	4	2	1	94726
2	250/00	00	NB	30.090	0.830	30.920	3	2	2	3	14	1	70	11	36	36	0	2016	12000	2	1	01	4	2	1	94726
2	250/00	00	NB	30.920	0.080	31.000	3	2	2	3	14	1	03	11	36	36	0	2016	12000	2	1	01	4	2	1	94726
2	250/00	00	NB	31.000	0.340	31.340	3	2	2	3	14	1	03	11	20	30	0	2016	12000	2	1	01	4	2	1	94726
2	250/00	00	NB	31.340	0.010	31.350	3	2	2	3	14	1	03	11	21	21	0	2016	12000	2	1	01	4	2	1	94726
2	250/00	00	NB	31.350	0.280	31.630	3	2	2	3	14	1	03	11	20	30	0	2016	12000	2	1	01	4	2	1	94726
2	250/00	00	NB	31.630	0.100	31.730	3	2	2	1	14	1	79	11	22	26	0	2016	28139	2	1	20	2	2	1	94726
2	250/00	00	NB	31.730	0.036	31.766	3	2	2	1	14	1	00	11	22	26	0	2016	28139	2	1	20	2	2	1	94726
2	250/00	00	NB	31.766	1.104	32.870	1	2	2	1	14	1	00	11	22	26	0	2016	28139	2	1	20	2	2	1	94726
2	250/00	00	NB	32.870	0.542	33.412	1	2	2	1	14	1	00	11	22	26	0	2016	20988	2	1	20	2	2	1	94726
2	250/00	00	NB	33.412	0.008	33.420	0	2	2	1	14	1	00	11	22	26	0	2016	20988	2	1	20	2	2	1	94726
2	250/00	00	NB	33.420	0.100	33.520	0	2	2	1	14	1	79	11	26	28	0	2016	20988	2	1	20	2	2	1	94726

2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS  
PLANNING DIVISION

MARSHALL COUNTY - (26)

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	LENGTH	END MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	URB CODE	
2	250/00	00	NB	33.520	1.270	34.790	0	2	2	1	14	1	76	11	26	28	0	2016	21534	4	1	20	2	2	1	94726
2	250/00	00	NB	34.790	0.214	35.004	0	2	2	1	14	7	88	11	25	35	4	2016	21534	4	1	20	2	2	1	94726
2	250/00	00	NB	35.004	0.256	35.260	1	2	2	1	14	7	88	11	25	35	4	2016	21534	4	1	20	2	2	1	94726
2	250/00	00	NB	35.260	1.175	36.435	1	2	2	1	14	7	88	11	25	35	4	2016	19957	4	1	20	2	2	1	94726
2	250/00	00	NB	36.435	0.035	36.470	1	2	2	1	14	7	88	11	25	35	4	2016	19957	4	1	20	2	2	1	94726
2	250/00	00	NB	36.470	0.220	36.690	1	2	2	1	14	7	97	11	25	35	4	2016	20555	4	1	20	2	2	1	94726
2	250/00	00	NB	36.690	0.020	36.710	1	2	2	1	14	7	97	11	35	35	4	2016	20555	4	1	20	2	2	1	94726
2	250/00	00	NB	36.710	0.270	36.980	1	2	2	1	14	7	97	11	25	35	4	2016	20555	4	1	20	2	2	1	94726
2	250/00	00	NB	36.980	0.900	37.880	1	2	2	1	14	7	97	11	26	38	4	2016	21624	4	1	20	2	2	1	94726
2	250/00	00	NB	37.880	0.060	37.940	1	2	2	1	14	7	97	11	27	27	4	2016	21624	4	1	20	2	2	1	94726
2	250/00	00	NB	37.940	0.790	38.730	1	2	2	1	14	7	97	11	26	38	4	2016	21658	4	1	20	2	2	1	94726
2	250/00	00	NB	38.730	0.020	38.750	1	2	2	1	14	7	97	11	39	39	4	2016	21658	4	1	20	2	2	1	94726
2	250/00	00	NB	38.750	0.434	39.184	1	2	2	1	14	7	97	11	26	38	4	2016	21658	4	1	20	2	2	1	94726
2	250/00	00	NB	39.184	0.016	39.200	5	2	2	1	14	7	97	11	26	38	4	2016	21658	4	1	20	2	2	1	94726

ROUTE TOTAL: 39.200

Marshall County TOTAL for the PRIMARY DIRECTION: 39.200

2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS  
PLANNING DIVISION

MASON COUNTY - (27)

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	LENGTH	END MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	URB CODE			
2	035/00	00	NB	0.000	2.780	2.780	0	0	2	2	2	1	87	11	24	36	0	2016	9153	2	1	01	1	2	1	99999		
2	035/00	00	NB	2.780	0.020	2.800	0	0	2	2	2	1	71	11	28	28	0	2016	9153	2	1	01	1	2	1	99999		
2	035/00	00	NB	2.800	5.730	8.530	0	0	2	2	2	1	87	11	24	36	0	2016	14601	2	1	01	1	2	1	99999		
2	035/00	00	NB	8.530	0.588	9.118	0	0	2	2	2	4	87	11	24	36	0	2016	14601	2	1	01	1	2	1	99999		
2	035/00	00	NB	9.118	7.292	16.410	0	0	2	2	2	4	11	12	24	34	38	2016	14601	4	1	01	1	2	1	99999		
2	035/00	00	NB	16.410	0.190	16.600	0	0	2	2	2	4	11	11	24	36	38	2016	7410	4	1	01	1	2	1	99999		
2	035/00	00	NB	16.600	0.040	16.640	0	0	2	2	2	4	05	11	24	36	38	2016	7410	4	1	01	1	2	1	99999		
2	035/00	00	NB	16.640	0.722	17.362	0	0	2	2	2	4	87	11	24	36	38	2016	7410	4	1	01	1	2	1	99999		
2	035/00	00	NB	17.362	0.228	17.590	1	1	2	2	14	7	87	11	24	36	38	2016	7410	4	1	01	1	2	1	99998		
2	035/00	00	NB	17.590	0.260	17.850	1	1	2	2	14	7	11	11	24	36	0	2016	7410	4	1	01	1	2	1	99998		
2	035/00	00	NB	17.850	0.130	17.980	1	1	2	2	14	7	71	11	24	36	6	2016	24953	4	1	01	1	2	1	99998		
2	035/00	00	NB	17.980	0.232	18.212	1	1	2	2	14	7	05	11	24	36	0	2016	24953	4	1	01	1	2	1	99998		
2	035/00	00	NB	18.212	0.005	18.217	1	1	2	2	14	7	05	11	24	36	0	2016	24953	4	1	01	1	2	1	99998		
2	035/00	00	NB	18.217	0.133	18.350	0	1	2	2	14	7	05	11	24	36	0	2016	24953	4	1	01	1	2	1	99998		
2	035/00	00	NB	18.350	0.390	18.740	0	1	2	2	14	7	11	12	30	30	6	2016	24953	4	1	01	1	2	1	99998		
				<b>ROUTE TOTAL:</b>	<b>18.740</b>																							
2	035/00	05	SB	0.000	0.350	0.350	1	1	2	2	14	7	84	12	16	26	0	2016	6246	1	1	01	1	1	1	99998		
2	035/00	05	SB	0.350	0.130	0.480	1	1	2	2	14	7	84	11	22	32	0	2016	6246	2	1	01	1	2	1	99998		
				<b>ROUTE TOTAL:</b>	<b>0.480</b>																							

Mason County TOTAL for the PRIMARY DIRECTION: 19.220

2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS  
PLANNING DIVISION

MCDOWELL COUNTY - (24)

SIGN	ROUTE	SUPP	DIRECT	BEG	END		WV			NAT	ACC	YEAR	SURF	PAV	GRADE	MED	AADT	LANES	REV	SPEC	TRK	FAC	URB			
		DSG	SURV	MP	LENGTH	MP	MUN	URB	FAS	FUN	FUNC	CONT	CHNG	TYPE	WIDTH	WIDTH	WIDTH		YR	LANES	SYS	RT		TYPE	CODE	
2	052/00	00	EB	0.000	1.090	1.090	0	0	2	2	2	1	82	11	34	44	0	2016	2388	2	1	01	4	2	1	99999
2	052/00	00	EB	1.090	1.450	2.540	0	0	2	2	2	1	82	11	24	30	0	2016	2388	2	1	01	4	2	1	99999
2	052/00	00	EB	2.540	1.129	3.669	0	0	2	2	2	1	82	11	24	30	0	2016	4204	2	1	01	4	2	1	99999
2	052/00	00	EB	3.669	0.391	4.060	1	0	2	2	2	1	82	11	24	30	0	2016	4204	2	1	01	4	2	1	99999
2	052/00	00	EB	4.060	1.127	5.187	1	0	2	2	2	1	82	11	24	30	0	2016	3378	2	1	01	4	2	1	99999
2	052/00	00	EB	5.187	4.393	9.580	0	0	2	2	2	1	82	11	24	30	0	2016	3378	2	1	01	4	2	1	99999
2	052/00	00	EB	9.580	0.010	9.590	0	0	2	2	2	1	82	11	20	20	0	2016	4150	2	1	01	4	2	1	99999
2	052/00	00	EB	9.590	3.230	12.820	0	0	2	2	2	1	82	11	24	30	0	2016	4150	2	1	01	4	2	1	99999
2	052/00	00	EB	12.820	0.050	12.870	0	0	2	2	2	1	82	11	20	36	0	2016	4150	2	1	01	4	2	1	99999
2	052/00	00	EB	12.870	5.510	18.380	0	0	2	2	2	1	82	11	24	36	0	2016	3395	2	1	01	4	2	1	99999
2	052/00	00	EB	18.380	0.150	18.530	0	0	2	2	2	1	82	11	37	40	0	2016	3395	2	1	01	4	2	1	99999
2	052/00	00	EB	18.530	0.080	18.610	0	0	2	2	2	1	82	11	37	37	0	2016	4534	2	1	01	4	2	1	99999
2	052/00	00	EB	18.610	0.212	18.822	0	0	2	2	2	1	82	11	37	40	0	2016	4534	2	1	01	4	2	1	99999
2	052/00	00	EB	18.822	0.318	19.140	1	0	2	2	2	1	82	11	37	40	0	2016	4534	2	1	01	4	2	1	99999
2	052/00	00	EB	19.140	0.680	19.820	1	0	2	2	2	1	82	11	37	40	0	2016	6468	2	1	01	4	2	1	99999
2	052/00	00	EB	19.820	0.160	19.980	1	0	2	2	2	1	82	11	20	36	0	2016	6468	2	1	01	4	2	1	99999
2	052/00	00	EB	19.980	0.080	20.060	1	0	2	2	2	1	82	11	56	56	0	2016	6468	2	1	01	4	2	1	99999
2	052/00	00	EB	20.060	0.010	20.070	1	0	2	2	2	1	82	11	23	42	0	2016	6468	2	1	01	4	2	1	99999
2	052/00	00	EB	20.070	0.125	20.195	1	0	2	2	2	1	82	11	23	42	0	2016	5123	2	1	01	4	2	1	99999
2	052/00	00	EB	20.195	0.008	20.203	1	0	2	2	2	1	82	11	23	42	0	2016	5123	2	1	01	4	2	1	99999
2	052/00	00	EB	20.203	0.024	20.227	1	0	2	2	2	1	82	11	23	42	0	2016	5123	2	1	01	4	2	1	99999
2	052/00	00	EB	20.227	0.005	20.232	1	0	2	2	2	1	82	11	23	42	0	2016	5123	2	1	01	4	2	1	99999
2	052/00	00	EB	20.232	0.028	20.260	1	0	2	2	2	1	82	11	23	42	0	2016	5123	2	1	01	4	2	1	99999
2	052/00	00	EB	20.260	0.062	20.322	1	0	2	2	2	1	82	11	23	42	0	2016	5123	2	1	01	4	2	1	99999
2	052/00	00	EB	20.322	0.951	21.273	1	0	2	2	2	1	82	11	23	42	0	2016	5123	2	1	01	4	2	1	99999
2	052/00	00	EB	21.273	0.001	21.274	1	0	2	2	2	1	82	11	23	42	0	2016	5123	2	1	01	4	2	1	99999
2	052/00	00	EB	21.274	0.001	21.275	1	0	2	2	2	1	82	11	23	42	0	2016	5123	2	1	01	4	2	1	99999
2	052/00	00	EB	21.275	0.105	21.380	1	0	2	2	2	1	82	11	23	42	0	2016	5123	2	1	01	4	2	1	99999
2	052/00	00	EB	21.380	0.022	21.402	1	0	2	2	2	1	82	11	32	42	0	2016	5123	2	1	01	4	2	1	99999
2	052/00	00	EB	21.402	0.017	21.419	1	0	2	2	2	1	82	11	32	42	0	2016	5123	2	1	01	4	2	1	99999
2	052/00	00	EB	21.419	0.017	21.436	1	0	2	2	2	1	82	11	32	42	0	2016	5123	2	1	01	4	2	1	99999
2	052/00	00	EB	21.436	0.015	21.451	1	0	2	2	2	1	82	11	32	42	0	2016	5123	2	1	01	4	2	1	99999
2	052/00	00	EB	21.451	0.011	21.462	1	0	2	2	2	1	82	11	32	42	0	2016	5123	2	1	01	4	2	1	99999
2	052/00	00	EB	21.462	0.055	21.517	1	0	2	2	2	1	82	11	32	42	0	2016	5123	2	1	01	4	2	1	99999
2	052/00	00	EB	21.517	0.017	21.534	1	0	2	2	2	1	82	11	32	42	0	2016	5123	2	1	01	4	2	1	99999
2	052/00	00	EB	21.534	0.327	21.861	1	0	2	2	2	1	82	11	32	42	0	2016	5123	2	1	01	4	2	1	99999
2	052/00	00	EB	21.861	0.131	21.992	1	0	2	2	2	1	82	11	32	42	0	2016	5123	2	1	01	4	2	1	99999
2	052/00	00	EB	21.992	0.110	22.102	1	0	2	2	2	1	82	11	32	42	0	2016	5123	2	1	01	4	2	1	99999
2	052/00	00	EB	22.102	0.088	22.190	1	0	2	2	2	1	82	11	32	42	0	2016	5123	2	1	01	4	2	1	99999

2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS  
PLANNING DIVISION

MCDOWELL COUNTY - (24)

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	END LENGTH MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	URB CODE			
2	052/00	00	EB	22.190	0.024	22.214	1	0	2	2	2	1	82	11	32	42	0	2016	3183	2	1	01	4	2	1	99999	
2	052/00	00	EB	22.214	0.008	22.222	1	0	2	2	2	1	82	11	32	42	0	2016	3183	2	1	01	4	2	1	99999	
2	052/00	00	EB	22.222	0.071	22.293	1	0	2	2	2	1	82	11	32	42	0	2016	3183	2	1	01	4	2	1	99999	
2	052/00	00	EB	22.293	0.275	22.568	1	0	2	2	2	1	82	11	32	42	0	2016	3183	2	1	01	4	2	1	99999	
2	052/00	00	EB	22.568	0.890	23.458	1	0	2	2	2	1	82	11	32	42	0	2016	3183	2	1	01	4	2	1	99999	
2	052/00	00	EB	23.458	0.027	23.485	1	0	2	2	2	1	82	11	32	42	0	2016	3183	2	1	01	4	2	1	99999	
2	052/00	00	EB	23.485	0.014	23.499	1	0	2	2	2	1	82	11	32	42	0	2016	3183	2	1	01	4	2	1	99999	
2	052/00	00	EB	23.499	0.033	23.532	1	0	2	2	2	1	82	11	32	42	0	2016	3183	2	1	01	4	2	1	99999	
2	052/00	00	EB	23.532	0.030	23.562	1	0	2	2	2	1	82	11	32	42	0	2016	3183	2	1	01	4	2	1	99999	
2	052/00	00	EB	23.562	0.286	23.848	1	0	2	2	2	1	82	11	32	42	0	2016	3183	2	1	01	4	2	1	99999	
2	052/00	00	EB	23.848	0.088	23.936	1	0	2	2	2	1	82	11	32	42	0	2016	3183	2	1	01	4	2	1	99999	
2	052/00	00	EB	23.936	0.604	24.540	0	0	2	2	2	1	82	11	32	42	0	2016	3183	2	1	01	4	2	1	99999	
2	052/00	00	EB	24.540	0.050	24.590	0	0	2	2	2	1	82	11	37	37	0	2016	3183	2	1	01	4	2	1	99999	
2	052/00	00	EB	24.590	2.180	26.770	0	0	2	2	2	1	82	11	30	35	0	2016	3183	2	1	01	4	2	1	99999	
2	052/00	00	EB	26.770	0.362	27.132	0	0	2	2	2	1	82	11	22	38	0	2016	3183	2	1	01	4	2	1	99999	
2	052/00	00	EB	27.132	0.108	27.240	1	0	2	2	2	1	82	11	22	38	0	2016	3183	2	1	01	4	2	1	99999	
2	052/00	00	EB	27.240	1.185	28.425	1	0	2	2	2	1	82	11	22	38	0	2016	4285	2	1	01	4	2	1	99999	
2	052/00	00	EB	28.425	2.355	30.780	0	0	2	2	2	1	82	11	22	38	0	2016	4285	2	1	01	4	2	1	99999	
2	052/00	00	EB	30.780	0.030	30.810	0	0	2	2	2	1	82	12	32	32	0	2016	3392	2	1	01	4	2	1	99999	
2	052/00	00	EB	30.810	0.360	31.170	0	0	2	2	2	1	82	11	22	38	0	2016	3392	2	1	01	4	2	1	99999	
2	052/00	00	EB	31.170	0.030	31.200	0	0	2	2	2	1	92	11	32	32	0	2016	3392	2	1	01	4	2	1	99999	
2	052/00	00	EB	31.200	1.353	32.553	0	0	2	2	2	1	82	11	30	35	0	2016	3392	2	1	01	4	2	1	99999	
2	052/00	00	EB	32.553	0.397	32.950	1	0	2	2	2	1	82	11	30	35	0	2016	3392	2	1	01	4	2	1	99999	
2	052/00	00	EB	32.950	0.020	32.970	1	0	2	2	2	1	90	11	30	30	0	2016	3392	2	1	01	4	2	1	99999	
2	052/00	00	EB	32.970	0.632	33.602	1	0	2	2	2	1	82	11	30	35	0	2016	3392	2	1	01	4	2	1	99999	
2	052/00	00	EB	33.602	0.018	33.620	1	0	2	2	2	1	82	11	30	35	0	2016	3392	2	1	01	4	2	1	99999	
2	052/00	00	EB	33.620	0.017	33.637	1	0	2	2	2	1	82	11	30	35	0	2016	3961	2	1	01	4	2	1	99999	
2	052/00	00	EB	33.637	1.023	34.660	1	0	2	2	2	1	82	11	30	35	0	2016	3961	2	1	01	4	2	1	99999	
2	052/00	00	EB	34.660	0.043	34.703	1	0	2	2	2	1	82	11	30	35	0	2016	3887	2	1	01	4	2	1	99999	
2	052/00	00	EB	34.703	6.237	40.940	0	0	2	2	2	1	82	11	30	35	0	2016	3887	2	1	01	4	2	1	99999	
2	052/00	00	EB	40.940	1.300	42.240	0	0	2	2	2	1	82	11	30	35	0	2016	4857	2	1	01	4	2	1	99999	
<b>ROUTE TOTAL:</b>				<b>42.240</b>																							
2	052/00	01	EB	0.000	0.160	0.160	1	0	2	2	2	1	75	11	30	39	0	2016	3287	2	1	01	4	2	1	99999	
2	052/00	01	EB	0.160	0.940	1.100	1	0	2	2	2	1	75	11	20	20	0	2016	3287	2	1	01	4	2	1	99999	
2	052/00	01	EB	1.100	0.010	1.110	1	0	2	2	2	1	75	12	17	17	0	2016	3287	2	1	01	4	2	1	99999	
2	052/00	01	EB	1.110	0.070	1.180	1	0	2	2	2	1	73	11	21	21	0	2016	3287	2	1	01	4	1	1	99999	
2	052/00	01	EB	1.180	0.050	1.230	1	0	3	4	6	1	73	11	21	21	0	2016	3287	2	1	01	4	1	0	99999	
2	052/00	01	EB	1.230	0.040	1.270	1	0	3	4	6	1	85	11	14	20	0	2016	3287	2	1	01	4	2	0	99999	
2	052/00	01	EB	1.270	0.020	1.290	1	0	3	4	6	1	85	11	25	25	0	2016	3287	2	1	01	4	2	0	99999	

## 2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS  
PLANNING DIVISION

### MCDOWELL COUNTY - (24)

Page 53 of 94

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	LENGTH	END MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	URB CODE			
2	052/00	01	EB	1.290	0.760	2.050	1	0	3	4	6	1	85	11	20	20	0	2016	3287	2	1	01	4	2	0	99999		
2	052/00	01	EB	2.050	0.230	2.280	1	0	3	4	6	1	85	11	24	36	0	2016	3287	2	1	01	4	2	0	99999		
<b>ROUTE TOTAL:</b>				<b>2.280</b>																								
2	052/00	03	EB	0.000	0.060	0.060	2	0	2	2	2	1	84	11	25	25	0	2016	6063	2	1	01	4	2	1	99999		
2	052/00	03	EB	0.060	0.060	0.120	2	0	5	4	9	1	84	11	20	20	0	2016	6063	2	1	01	4	2	0	99999		
2	052/00	03	EB	0.120	0.080	0.200	2	0	2	2	2	1	75	11	30	30	0	2016	6063	2	1	01	4	2	1	99999		
<b>ROUTE TOTAL:</b>				<b>0.200</b>																								
<b>McDowell County TOTAL for the PRIMARY DIRECTION:</b>																	<b>44.720</b>											

## 2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS  
PLANNING DIVISION

### MERCER COUNTY - (28)

Page 54 of 94

SIGN	ROUTE	SUPP	DIRECT	BEG	END		WV			NAT	ACC	YEAR	SURF	PAV	GRADE	MED	AADT	LANES	REV	SPEC	TRK	FAC	URB			
		DSG	SURV	MP	LENGTH	MP	MUN	URB	FAS	FUN	FUNC	CONT	CHNG	TYPE	WIDTH	WIDTH	WIDTH		YR	LANES	SYS	RT		TYPE	CODE	
2	019/00	00	NB	0.000	1.270	1.270	4	1	3	3	16	1	00	11	36	36	0	2016	16107	2	1	01	4	2	0	99998
2	019/00	00	NB	1.270	0.040	1.310	4	1	3	3	16	1	00	11	29	29	4	2016	16107	4	1	01	4	2	0	99998
2	019/00	00	NB	1.310	0.410	1.720	4	1	2	2	14	1	00	11	29	29	4	2016	16177	4	1	01	4	2	1	99998
2	019/00	00	NB	1.720	0.370	2.090	4	1	2	2	14	1	00	11	59	59	4	2016	16177	4	1	01	4	2	1	99998
2	019/00	00	NB	2.090	0.040	2.130	4	1	2	2	14	1	00	11	34	34	0	2016	13322	2	1	01	4	2	1	99998
2	019/00	00	NB	2.130	0.750	2.880	4	1	3	3	16	1	00	11	34	34	0	2016	13667	2	1	01	4	2	0	99998
2	019/00	00	NB	2.880	0.990	3.870	4	1	3	3	16	1	00	11	34	34	0	2016	6150	2	1	01	4	2	0	99998
2	019/00	00	NB	3.870	0.120	3.990	4	1	3	3	16	1	00	11	24	40	0	2016	6150	2	1	01	4	2	0	99998
2	019/00	00	NB	3.990	0.068	4.058	4	1	3	3	16	1	00	11	24	40	0	2016	6052	2	1	01	4	2	0	99998
2	019/00	00	NB	4.058	0.752	4.810	0	1	3	3	16	1	00	11	24	40	0	2016	6052	2	1	01	4	2	0	99998
2	019/00	00	NB	4.810	0.120	4.930	0	1	3	3	16	1	00	11	34	52	0	2016	6175	2	1	01	4	2	0	99998
2	019/00	00	NB	4.930	0.120	5.050	0	1	3	3	16	4	00	11	24	36	25	2016	6052	4	1	01	4	2	0	99998
2	019/00	00	NB	5.050	0.290	5.340	0	1	3	3	16	4	00	12	24	36	25	2016	6052	4	1	01	4	2	0	99998
2	019/00	00	NB	5.340	0.670	6.010	0	1	2	1	14	4	00	11	24	36	40	2016	13417	4	1	10	1	2	1	99998
2	019/00	00	NB	6.010	1.430	7.440	0	1	2	1	14	4	00	11	24	36	40	2016	13417	4	1	10	1	2	1	99998
2	019/00	00	NB	7.440	1.240	8.680	0	1	2	1	14	4	00	12	24	36	40	2016	13417	4	1	10	1	2	1	99998
2	019/00	00	NB	8.680	1.830	10.510	0	1	2	1	14	4	00	11	26	36	40	2016	17319	4	1	10	1	2	1	99998
2	019/00	00	NB	10.510	0.140	10.650	0	1	2	1	14	4	00	12	24	26	40	2016	17319	4	1	10	1	2	1	99998
2	019/00	00	NB	10.650	0.050	10.700	0	1	2	1	14	4	00	12	24	36	0	2016	17319	4	1	10	1	2	1	99998
2	019/00	00	NB	10.700	0.030	10.730	0	1	3	3	16	1	00	12	48	52	0	2016	17767	2	1	01	4	2	0	99998
2	019/00	00	NB	10.730	0.030	10.760	0	1	3	3	16	1	00	11	24	40	0	2016	17767	2	1	01	4	2	0	99998
2	019/00	00	NB	10.760	0.676	11.436	0	1	3	3	16	1	00	11	24	40	0	2016	10641	2	1	01	4	2	0	99998
2	019/00	00	NB	11.436	0.006	11.442	3	1	3	3	16	1	00	11	24	40	0	2016	10641	2	1	01	4	2	0	99998
2	019/00	00	NB	11.442	0.008	11.450	0	1	3	3	16	1	00	11	24	40	0	2016	10641	2	1	01	4	2	0	99998
2	019/00	00	NB	11.450	0.250	11.700	3	1	3	3	16	1	00	11	24	40	0	2016	10641	2	1	01	4	2	0	99998
2	019/00	00	NB	11.700	0.630	12.330	3	1	3	3	16	1	00	11	24	40	0	2016	10445	2	1	01	4	2	0	99998
2	019/00	00	NB	12.330	0.110	12.440	3	1	3	3	16	1	00	11	45	52	0	2016	14936	2	1	01	4	2	0	99998
2	019/00	00	NB	12.440	0.170	12.610	3	1	3	3	16	1	00	11	45	52	0	2016	8395	2	1	01	4	2	0	99998
2	019/00	00	NB	12.610	0.180	12.790	3	1	3	3	16	1	00	11	40	40	0	2016	8395	2	1	01	4	2	0	99998
2	019/00	00	NB	12.790	0.070	12.860	3	1	3	3	16	1	00	11	40	40	0	2016	8395	2	1	01	4	1	0	99998
2	019/00	00	NB	12.860	0.010	12.870	3	1	3	3	16	1	00	11	47	47	0	2016	8395	2	1	01	4	1	0	99998
2	019/00	00	NB	12.870	0.070	12.940	3	1	3	3	16	1	00	11	47	47	0	2016	8395	2	1	01	4	2	0	99998
2	019/00	00	NB	12.940	0.410	13.350	3	1	3	3	16	1	00	11	34	34	0	2016	8395	2	1	01	4	2	0	99998
2	019/00	00	NB	13.350	0.752	14.102	3	1	3	3	16	1	00	11	20	30	0	2016	5467	2	1	01	4	2	0	99998
2	019/00	00	NB	14.102	0.348	14.450	0	1	3	3	16	1	00	11	20	30	0	2016	5467	2	1	01	4	2	0	99998
2	019/00	00	NB	14.450	0.070	14.520	0	1	3	3	16	1	00	11	20	30	0	2016	4184	2	1	01	4	2	0	99998
2	019/00	00	NB	14.520	0.071	14.591	0	1	3	3	16	1	00	11	20	30	0	2016	4100	2	1	01	4	2	0	99998
2	019/00	00	NB	14.591	0.039	14.630	0	0	3	3	6	1	00	11	20	30	0	2016	4100	2	1	01	4	2	0	99999
2	019/00	00	NB	14.630	2.750	17.380	0	0	3	3	7	1	07	11	20	30	0	2016	4093	2	1	01	4	2	0	99999

## 2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS  
PLANNING DIVISION

### MERCER COUNTY - (28)

SIGN	ROUTE	SUPP	DIRECT	BEG	END		WV			NAT	ACC	YEAR	SURF	PAV	GRADE	MED	AADT	LANES	REV	SPEC	TRK	FAC	URB				
		DSG	SURV	MP	LENGTH	MP	MUN	URB	FAS	FUN	FUNC	CONT	CHNG	TYPE	WIDTH	WIDTH	WIDTH		YR	LANES	SYS	RT		TYPE	CODE		
2	019/00	00	NB	17.380	0.390	17.770	0	0	3	3	7	1	00	11	20	30	0	2016	1559	2	1	01	4	2	0	99999	
2	019/00	00	NB	17.770	0.030	17.800	0	0	3	3	7	1	00	11	32	32	0	2016	1559	2	1	01	4	2	0	99999	
2	019/00	00	NB	17.800	2.780	20.580	0	0	3	3	7	1	00	11	20	30	0	2016	1559	2	1	01	4	2	0	99999	
2	019/00	00	NB	20.580	0.020	20.600	0	0	3	3	7	1	00	11	16	16	0	2016	1559	2	1	01	4	2	0	99999	
2	019/00	00	NB	20.600	1.050	21.650	0	0	3	3	7	1	00	11	20	30	0	2016	828	2	1	01	4	2	0	99999	
2	019/00	00	NB	21.650	0.040	21.690	0	0	3	3	7	1	00	11	20	20	0	2016	828	2	1	01	4	2	0	99999	
2	019/00	00	NB	21.690	6.800	28.490	0	0	3	3	7	1	00	11	20	30	0	2016	341	2	1	01	4	2	0	99999	
2	019/00	00	NB	28.490	0.010	28.500	0	0	3	3	7	1	00	11	18	18	0	2016	341	2	1	01	4	2	0	99999	
2	019/00	00	NB	28.500	0.080	28.580	0	0	3	3	7	1	00	11	25	46	0	2016	341	2	1	01	4	2	0	99999	
2	019/00	00	NB	28.580	0.620	29.200	0	0	3	3	7	1	00	11	25	46	0	2016	487	2	1	01	4	2	0	99999	
2	019/00	00	NB	29.200	0.410	29.610	0	0	3	3	7	1	00	11	24	36	0	2016	487	2	1	01	4	2	0	99999	
2	019/00	00	NB	29.610	1.790	31.400	0	0	3	3	7	1	00	11	20	28	0	2016	487	2	1	01	4	2	0	99999	
2	019/00	00	NB	31.400	0.230	31.630	0	0	3	3	7	1	00	11	24	34	0	2016	779	2	1	01	4	2	0	99999	
2	019/00	00	NB	31.630	0.030	31.660	0	0	3	3	7	1	00	11	28	28	0	2016	779	2	1	01	4	2	0	99999	
2	019/00	00	NB	31.660	3.840	35.500	0	0	3	3	7	1	00	11	24	34	0	2016	779	2	1	01	4	2	0	99999	
2	019/00	00	NB	35.500	0.150	35.650	0	0	3	3	7	1	00	11	24	36	0	2016	779	2	1	01	4	2	0	99999	
2	019/00	00	NB	35.650	0.940	36.590	0	0	3	3	7	1	00	11	20	28	0	2016	779	2	1	01	4	2	0	99999	
<b>ROUTE TOTAL:</b>				<b>36.590</b>																							
2	019/00	05	SB	0.000	0.020	0.020	3	1	3	3	16	1	00	12	44	44	0	2016	7614	2	1	01	4	2	0	99998	
2	019/00	05	SB	0.020	0.070	0.090	3	1	3	3	16	1	00	12	36	36	0	2016	7614	2	1	01	4	1	0	99998	
2	019/00	05	SB	0.090	0.020	0.110	3	1	3	3	16	1	00	12	47	47	0	2016	7614	2	1	01	4	1	0	99998	
<b>ROUTE TOTAL:</b>				<b>0.110</b>																							
2	052/00	00	EB	0.000	0.020	0.020	0	0	2	2	2	1	84	11	36	42	0	2016	4410	2	1	01	4	2	1	99999	
2	052/00	00	EB	0.020	0.620	0.640	0	0	2	2	2	1	79	11	36	42	0	2016	4410	2	1	01	4	2	1	99999	
2	052/00	00	EB	0.640	0.110	0.750	0	0	2	2	2	1	79	11	24	30	0	2016	4410	2	1	01	4	2	1	99999	
2	052/00	00	EB	0.750	1.110	1.860	0	0	2	2	2	1	79	11	24	30	0	2016	4611	2	1	01	4	2	1	99999	
2	052/00	00	EB	1.860	1.550	3.410	0	0	2	2	2	1	97	11	24	30	0	2016	4611	2	1	01	4	2	1	99999	
2	052/00	00	EB	3.410	0.030	3.440	0	0	2	2	2	1	97	11	24	50	0	2016	4611	2	1	01	4	2	1	99999	
2	052/00	00	EB	3.440	0.010	3.450	1	0	2	2	2	1	97	11	24	50	0	2016	4611	2	1	01	4	2	1	99999	
2	052/00	00	EB	3.450	0.220	3.670	1	0	2	2	2	1	99	11	24	50	0	2016	5513	2	1	01	4	2	1	99999	
2	052/00	00	EB	3.670	0.020	3.690	1	0	2	2	2	1	98	11	24	50	0	2016	5513	2	1	01	4	2	1	99999	
2	052/00	00	EB	3.690	0.060	3.750	1	0	2	2	2	1	99	11	24	50	0	2016	5513	2	1	01	4	2	1	99999	
2	052/00	00	EB	3.750	0.040	3.790	1	0	2	2	2	1	98	11	24	50	0	2016	5513	2	1	01	4	2	1	99999	
2	052/00	00	EB	3.790	0.040	3.830	1	0	2	2	2	1	97	11	32	48	0	2016	5513	2	1	01	4	2	1	99999	
2	052/00	00	EB	3.830	0.030	3.860	1	0	2	2	2	1	98	11	24	50	0	2016	5513	2	1	01	4	2	1	99999	
2	052/00	00	EB	3.860	0.082	3.942	1	0	2	2	2	1	97	11	36	42	0	2016	5513	2	1	01	4	2	1	99999	
2	052/00	00	EB	3.942	0.048	3.990	0	0	2	2	2	1	97	11	36	42	0	2016	5513	2	1	01	4	2	1	99999	
2	052/00	00	EB	3.990	1.210	5.200	0	0	2	2	2	1	97	11	36	42	0	2016	5513	2	1	01	4	2	1	99999	
2	052/00	00	EB	5.200	0.210	5.410	0	0	2	2	2	1	97	11	22	32	0	2016	5513	2	1	01	4	2	1	99999	

## 2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS  
PLANNING DIVISION

### MERCER COUNTY - (28)

SIGN	ROUTE	SUPP	DIRECT	BEG	END		WV			NAT	ACC	YEAR	SURF	PAV	GRADE	MED	AADT	LANES	REV	SPEC	TRK	FAC	URB				
		DSG	SURV	MP	LENGTH	MP	MUN	URB	FAS	FUN	FUNC	CONT	CHNG	TYPE	WIDTH	WIDTH	WIDTH		YR	AADT	LANES	SYS		RT	TYPE	CODE	
2	052/00	00	EB	5.410	0.450	5.860	0	0	2	2	2	1	97	11	36	42	0	2016	10925	2	1	01	4	2	1	99999	
2	052/00	00	EB	5.860	0.170	6.030	0	0	2	2	2	1	97	11	22	36	0	2016	11081	2	1	01	4	2	1	99999	
2	052/00	00	EB	6.030	0.840	6.870	0	1	2	2	14	1	97	11	22	36	0	2016	11081	2	1	01	4	2	1	99998	
2	052/00	00	EB	6.870	0.090	6.960	0	1	2	2	14	1	97	11	32	40	0	2016	11081	2	1	01	4	2	1	99998	
2	052/00	00	EB	6.960	0.800	7.760	0	1	2	2	14	1	97	11	24	42	0	2016	11081	2	1	01	4	2	1	99998	
2	052/00	00	EB	7.760	1.450	9.210	0	1	2	2	14	1	97	11	36	40	0	2016	11081	2	1	01	4	2	1	99998	
2	052/00	00	EB	9.210	0.950	10.160	0	1	2	2	14	1	97	11	30	40	0	2016	10573	2	1	01	4	2	1	99998	
2	052/00	00	EB	10.160	0.028	10.188	0	1	2	2	14	1	97	11	30	40	0	2016	9896	2	1	01	4	2	1	99998	
2	052/00	00	EB	10.188	0.332	10.520	4	1	2	2	14	1	97	11	30	40	0	2016	9896	2	1	01	4	2	1	99998	
2	052/00	00	EB	10.520	0.100	10.620	4	1	2	2	14	1	97	11	36	36	0	2016	9896	2	1	01	4	2	1	99998	
2	052/00	00	EB	10.620	0.160	10.780	4	1	2	2	14	1	97	11	30	30	0	2016	9896	2	1	01	4	2	1	99998	
2	052/00	00	EB	10.780	0.020	10.800	4	1	2	2	14	1	97	11	36	36	0	2016	13132	2	1	01	4	2	1	99998	
2	052/00	00	EB	10.800	0.230	11.030	4	1	2	2	14	1	97	11	24	24	0	2016	13132	2	1	01	4	2	1	99998	
2	052/00	00	EB	11.810	0.200	12.010	4	1	2	2	14	1	97	11	24	24	0	2016	13132	2	1	01	4	1	1	99998	
2	052/00	00	EB	12.010	0.540	12.550	4	1	2	2	14	1	97	11	50	50	0	2016	12180	2	1	01	4	2	1	99998	
2	052/00	00	EB	12.550	0.140	12.690	4	1	2	2	14	1	97	11	36	36	0	2016	12180	2	1	01	4	2	1	99998	
2	052/00	00	EB	12.690	0.110	12.800	4	1	2	2	14	1	97	11	32	32	0	2016	12180	2	1	01	4	2	1	99998	
2	052/00	00	EB	12.800	0.170	12.970	4	1	2	2	14	1	97	11	30	30	0	2016	12180	2	1	01	4	2	1	99998	
2	052/00	00	EB	12.970	0.420	13.390	4	1	2	2	14	1	97	11	40	40	0	2016	12180	2	1	01	4	2	1	99998	
2	052/00	00	EB	13.390	0.050	13.440	4	1	2	2	14	1	97	11	22	22	0	2016	12180	2	1	01	4	2	1	99998	
2	052/00	00	EB	13.440	0.230	13.670	4	1	2	2	14	1	97	11	32	32	0	2016	12180	2	1	01	4	2	1	99998	
2	052/00	00	EB	13.670	0.100	13.770	4	1	2	2	14	1	97	11	26	28	0	2016	9516	2	1	01	4	2	1	99998	
2	052/00	00	EB	13.770	0.970	14.740	4	1	2	2	14	1	97	11	21	24	0	2016	9516	2	1	01	4	2	1	99998	
2	052/00	00	EB	14.740	0.110	14.850	4	1	2	2	14	1	97	11	24	44	0	2016	9516	2	1	01	4	2	1	99998	
2	052/00	00	EB	14.850	0.520	15.370	4	1	2	1	14	4	97	11	24	36	0	2016	17319	4	1	10	4	2	1	99998	
2	052/00	00	EB	15.370	0.680	16.050	4	1	2	1	14	4	97	11	24	36	0	2016	19317	4	1	10	4	2	1	99998	
2	052/00	00	EB	16.050	0.450	16.500	4	1	2	2	14	4	97	11	24	36	0	2016	10573	4	1	01	4	2	1	99998	
2	052/00	00	EB	16.500	0.002	16.502	4	1	2	2	14	4	97	11	24	36	0	2016	10573	4	1	01	4	2	1	99998	
2	052/00	00	EB	16.502	1.708	18.210	4	0	2	2	2	4	97	11	24	36	0	2016	10573	4	1	01	4	2	1	99999	
2	052/00	00	EB	18.210	0.280	18.490	4	0	2	2	2	4	97	11	26	38	0	2016	10424	4	1	01	4	2	1	99999	
2	052/00	00	EB	18.490	0.270	18.760	4	0	2	2	2	4	97	11	20	32	0	2016	10424	4	1	01	4	2	1	99999	
<b>ROUTE TOTAL:</b>				<b>17.980</b>																							
2	052/00	04	NB	0.000	0.220	0.220	4	1	2	2	14	1	84	11	34	34	0	2016	8564	2	1	01	4	1	1	99998	
<b>ROUTE TOTAL:</b>				<b>0.220</b>																							
2	460/00	00	EB	0.000	0.029	0.029	4	0	2	1	2	4	00	11	24	36	40	2016	14845	4	1	10	1	2	1	99999	
2	460/00	00	EB	0.029	2.871	2.900	4	1	2	1	14	4	00	11	24	36	40	2016	14845	4	1	10	1	2	1	99998	
2	460/00	00	EB	2.900	0.190	3.090	4	1	2	1	14	4	00	11	24	36	40	2016	14845	4	1	10	1	2	1	99998	
2	460/00	00	EB	4.290	0.115	4.405	4	1	2	1	14	4	00	11	24	36	25	2016	12085	4	1	10	1	2	1	99998	
2	460/00	00	EB	4.405	0.975	5.380	0	1	2	1	14	4	00	11	24	36	25	2016	12085	4	1	10	1	2	1	99998	

2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS  
PLANNING DIVISION

MERCER COUNTY - (28)

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	LENGTH	END MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	URB CODE	
2	460/00	00	EB	10.730	2.090	12.820	0	1	2	1	14	4	00	12	24	36	40	2016	15796	4	1	10	1	2	1	99998
2	460/00	00	EB	12.820	0.530	13.350	3	1	2	1	14	4	00	12	24	36	40	2016	15796	4	1	10	1	2	1	99998
2	460/00	00	EB	13.350	0.168	13.518	3	1	2	1	14	4	00	11	24	36	0	2016	15796	4	1	10	1	2	1	99998
2	460/00	00	EB	13.518	1.202	14.720	0	1	2	1	14	4	00	11	24	36	0	2016	15796	4	1	10	1	2	1	99998
2	460/00	00	EB	14.720	0.430	15.150	0	1	2	1	14	4	00	11	24	36	0	2016	13893	4	1	10	1	2	1	99998
2	460/00	00	EB	15.150	0.340	15.490	0	1	2	1	14	4	00	11	24	34	28	2016	19603	4	1	10	1	2	1	99998
2	460/00	00	EB	15.490	0.080	15.570	0	1	2	1	14	4	00	12	24	39	28	2016	19603	4	1	10	1	2	1	99998
2	460/00	00	EB	15.570	0.070	15.640	0	1	2	1	14	4	00	12	40	40	28	2016	12846	4	1	10	1	2	1	99998
2	460/00	00	EB	15.640	0.090	15.730	0	1	2	1	14	4	00	12	24	36	28	2016	12846	4	1	10	1	2	1	99998
2	460/00	00	EB	15.730	0.110	15.840	0	1	2	1	14	4	06	12	24	41	0	2016	12846	4	1	10	1	2	1	99998
2	460/00	00	EB	15.840	1.073	16.913	0	1	2	1	14	4	00	12	24	41	40	2016	10980	4	1	10	1	2	1	99998
2	460/00	00	EB	16.913	0.002	16.915	0	1	2	1	14	4	00	12	24	41	40	2016	10980	4	1	10	1	2	1	99998
2	460/00	00	EB	16.915	4.785	21.700	0	0	2	1	2	4	00	12	24	41	40	2016	10980	4	1	10	1	2	1	99999
2	460/00	00	EB	21.700	0.090	21.790	0	0	2	1	2	4	00	12	24	24	40	2016	10825	4	1	10	1	2	1	99999
2	460/00	00	EB	21.790	5.270	27.060	0	0	2	1	2	4	00	12	24	41	40	2016	9522	4	1	10	1	2	1	99999

ROUTE TOTAL: 20.510

Mercer County TOTAL for the PRIMARY DIRECTION: 75.410

2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS  
PLANNING DIVISION

MINERAL COUNTY - (29)

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	END MP	LENGTH	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	URB CODE	
2	050/00	00	EB	0.000	1.800	1.800	0	0	3	2	6	1	81	11	22	32	0	2016	1140	2	1	01	4	2	0	99999
2	050/00	00	EB	1.800	1.580	3.380	0	0	3	2	6	1	81	11	22	32	0	2016	1212	2	1	01	4	2	0	99999
2	050/00	00	EB	3.380	1.620	5.000	0	0	3	2	6	1	81	11	20	32	0	2016	1212	2	1	01	4	2	0	99999
2	050/00	00	EB	5.000	0.360	5.360	0	0	3	2	6	1	81	11	34	38	0	2016	1212	2	1	01	4	2	0	99999
2	050/00	00	EB	5.360	0.370	5.730	0	0	3	2	6	1	81	11	20	32	0	2016	1212	2	1	01	4	2	0	99999
2	050/00	00	EB	5.730	0.360	6.090	0	0	3	2	6	1	81	11	34	38	0	2016	1212	2	1	01	4	2	0	99999
2	050/00	00	EB	6.090	1.150	7.240	0	0	3	2	6	1	81	11	20	32	0	2016	1212	2	1	01	4	2	0	99999
2	050/00	00	EB	7.240	0.760	8.000	0	0	3	2	6	1	81	11	24	36	0	2016	1212	2	1	01	4	2	0	99999
2	050/00	00	EB	8.000	0.020	8.020	0	0	2	2	2	1	81	11	24	36	0	2016	3414	2	1	01	4	2	1	99999
2	050/00	00	EB	8.020	2.600	10.620	0	0	2	2	2	1	97	11	22	32	0	2016	3414	2	1	01	4	2	1	99999
2	050/00	00	EB	10.620	0.030	10.650	0	0	3	2	6	1	97	11	22	32	0	2016	1298	2	1	01	4	2	0	99999
2	050/00	00	EB	10.650	0.030	10.680	0	0	3	2	6	1	81	11	30	30	0	2016	1298	2	1	01	4	2	0	99999
2	050/00	00	EB	10.680	1.900	12.580	0	0	3	2	6	1	81	11	20	32	0	2016	1298	2	1	01	4	2	0	99999
2	050/00	00	EB	12.580	5.840	18.420	0	0	3	2	6	1	12	11	30	32	0	2016	5607	2	1	01	4	2	0	99999
2	050/00	00	EB	18.420	0.360	18.780	0	0	3	2	6	1	04	11	20	32	0	2016	3541	2	1	01	4	2	0	99999
2	050/00	00	EB	18.780	0.040	18.820	0	0	3	2	6	1	88	11	46	46	0	2016	3541	2	1	01	4	2	0	99999
2	050/00	00	EB	18.820	2.200	21.020	0	0	3	2	6	1	81	11	20	32	0	2016	3541	2	1	01	4	2	0	99999
<b>ROUTE TOTAL:</b>						<b>21.020</b>																				
2	220/00	00	NB	8.360	1.140	9.500	0	0	3	2	7	1	07	11	18	36	0	2016	5319	2	1	01	4	2	0	99999
2	220/00	00	NB	9.500	1.470	10.970	0	0	3	2	7	1	07	11	18	36	0	2016	5319	2	1	01	4	2	0	99999
2	220/00	00	NB	10.970	0.132	11.102	0	0	2	2	2	1	79	11	24	32	0	2016	12019	2	1	01	4	2	1	99999
2	220/00	00	NB	11.102	1.108	12.210	0	1	2	2	14	1	79	11	24	32	0	2016	12019	2	1	01	4	2	1	99998
2	220/00	00	NB	12.210	0.400	12.610	0	1	2	2	14	1	85	11	24	52	0	2016	12019	2	1	01	4	2	1	99998
2	220/00	00	NB	12.610	0.953	13.563	0	1	2	2	14	1	85	11	36	52	0	2016	12019	2	1	01	4	2	1	99998
2	220/00	00	NB	13.563	0.053	13.616	3	1	2	2	14	1	85	11	36	52	0	2016	12019	2	1	01	4	2	1	99998
2	220/00	00	NB	13.616	0.019	13.635	0	1	2	2	14	1	85	11	36	52	0	2016	12019	2	1	01	4	2	1	99998
2	220/00	00	NB	13.635	0.056	13.691	3	1	2	2	14	1	85	11	36	52	0	2016	12019	2	1	01	4	2	1	99998
2	220/00	00	NB	13.691	0.020	13.711	0	1	2	2	14	1	85	11	36	52	0	2016	12019	2	1	01	4	2	1	99998
2	220/00	00	NB	13.711	0.069	13.780	3	1	2	2	14	1	85	11	36	52	0	2016	12019	2	1	01	4	2	1	99998
2	220/00	00	NB	13.780	0.180	13.960	3	1	2	2	14	1	85	11	36	52	0	2016	15649	2	1	01	4	2	1	99998
2	220/00	00	NB	13.960	0.870	14.830	3	1	2	2	14	1	92	11	40	40	0	2016	15649	2	1	01	4	2	1	99998
2	220/00	00	NB	14.830	0.280	15.110	3	1	2	2	14	1	86	12	28	28	0	2016	15649	2	1	01	4	2	1	99998
<b>ROUTE TOTAL:</b>						<b>6.750</b>																				

Mineral County TOTAL for the PRIMARY DIRECTION: 27.770

## 2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS

PLANNING DIVISION

### MINGO COUNTY - (30)

Page 59 of 94

SIGN	ROUTE	SUPP	DIRECT	BEG	END		WV			NAT	ACC	YEAR	SURF	PAV	GRADE	MED	AADT	LANES	REV	SPEC	TRK	FAC	URB			
		DSG	SURV	MP	LENGTH	MP	MUN	URB	FAS	FUN	FUNC	CONT	CHNG	TYPE	WIDTH	WIDTH	WIDTH		YR	LANES	SYS	RT		TYPE	CODE	
2	052/00	00	EB	0.000	0.160	0.160	0	0	2	2	2	1	01	11	32	38	0	2016	4250	2	1	01	4	2	1	99999
2	052/00	00	EB	0.160	0.427	0.587	0	0	2	2	2	1	01	11	24	40	0	2016	4250	2	1	01	4	2	1	99999
2	052/00	00	EB	0.587	0.723	1.310	1	0	2	2	2	1	01	11	24	40	0	2016	4250	2	1	01	4	2	1	99999
2	052/00	00	EB	1.310	0.220	1.530	1	0	2	2	2	1	01	11	35	43	4	2016	4250	2	1	01	4	2	1	99999
2	052/00	00	EB	1.530	0.190	1.720	1	0	2	2	2	1	01	11	24	40	0	2016	4250	2	1	01	4	2	1	99999
2	052/00	00	EB	1.720	0.035	1.755	1	0	2	2	2	1	01	11	24	40	0	2016	4250	2	1	01	4	2	1	99999
2	052/00	00	EB	1.755	3.785	5.540	0	0	2	2	2	1	01	11	24	40	0	2016	4250	2	1	01	4	2	1	99999
2	052/00	00	EB	5.540	4.410	9.950	0	0	2	2	2	1	01	11	24	40	0	2016	3978	2	1	01	4	2	1	99999
2	052/00	00	EB	9.950	1.700	11.650	0	0	2	2	2	1	01	11	23	23		2016	2986	2	1	01	4	2	1	99999
2	052/00	00	EB	11.650	1.250	12.900	0	0	2	2	2	1	01	11	24	40	0	2016	2986	2	1	01	4	2	1	99999
2	052/00	00	EB	12.900	4.660	17.560	0	0	2	1	2	4	01	12	24	36	18	2016	8046	4	1	10	2	2	1	99999
2	052/00	00	EB	17.560	0.760	18.320	0	0	2	1	2	4	01	12	24	36	18	2016	8046	4	1	10	2	2	1	99999
2	052/00	00	EB	18.320	0.026	18.346	0	0	2	1	2	4	01	12	24	36	18	2016	10943	4	1	10	2	2	1	99999
2	052/00	00	EB	18.346	0.795	19.141	2	0	2	1	2	4	01	12	24	36	18	2016	10943	4	1	10	2	2	1	99999
2	052/00	00	EB	19.141	0.169	19.310	2	0	2	1	2	4	01	12	24	36	18	2016	10943	4	1	10	2	2	1	99999
2	052/00	00	EB	19.310	0.970	20.280	2	0	2	1	2	4	01	12	24	36	18	2016	10943	4	1	10	2	2	1	99999
2	052/00	00	EB	20.280	0.250	20.530	2	0	2	2	2	1	01	11	45	45	0	2016	3250	2	1	01	4	2	1	99999
2	052/00	00	EB	20.530	0.380	20.910	2	0	2	2	2	1	01	11	20	26		2016	3250	2	1	01	4	2	1	99999
2	052/00	00	EB	20.910	0.150	21.060	2	0	2	2	2	1	01	11	20	26		2016	5067	2	1	01	4	2	1	99999
2	052/00	00	EB	21.060	0.910	21.970	2	0	2	2	2	1	01	11	20	26		2016	5067	2	1	01	4	2	1	99999
2	052/00	00	EB	21.970	0.310	22.280	2	0	2	2	2	1	01	12	24	40	0	2016	5067	2	1	01	4	2	1	99999
2	052/00	00	EB	22.280	0.610	22.890	2	0	2	2	2	1	01	12	24	44	0	2016	4245	2	1	01	4	2	1	99999
2	052/00	00	EB	22.890	0.098	22.988	2	0	2	2	2	1	01	11	24	40	0	2016	4245	2	1	01	4	2	1	99999
2	052/00	00	EB	22.988	0.205	23.193	2	0	2	2	2	1	01	11	24	40	0	2016	4245	2	1	01	4	2	1	99999
2	052/00	00	EB	23.193	0.037	23.230	0	0	2	2	2	1	01	11	24	40	0	2016	4245	2	1	01	4	2	1	99999
2	052/00	00	EB	23.230	0.780	24.010	0	0	2	2	2	1	01	11	24	40	0	2016	3422	2	1	01	4	2	1	99999
2	052/00	00	EB	24.010	0.550	24.560	0	0	2	2	2	1	01	11	25	34	0	2016	3422	2	1	01	4	2	1	99999
2	052/00	00	EB	24.560	0.150	24.710	0	0	2	2	2	1	01	11	36	48	0	2016	3422	2	1	01	4	2	1	99999
2	052/00	00	EB	24.710	0.570	25.280	0	0	2	2	2	1	01	11	24	34	0	2016	3422	2	1	01	4	2	1	99999
2	052/00	00	EB	25.280	0.450	25.730	0	0	2	2	2	1	01	11	30	34	0	2016	3422	2	1	01	4	2	1	99999
2	052/00	00	EB	25.730	0.350	26.080	0	0	2	2	2	1	01	11	25	34	0	2016	3764	2	1	01	4	2	1	99999
2	052/00	00	EB	26.080	0.450	26.530	0	0	2	2	2	1	01	11	24	40		2016	3764	2	1	01	4	2	1	99999
2	052/00	00	EB	26.530	0.130	26.660	0	0	2	2	2	1	01	11	36	48	0	2016	3764	2	1	01	4	2	1	99999
2	052/00	00	EB	26.660	0.160	26.820	0	0	2	2	2	1	01	11	24	40	0	2016	3764	2	1	01	4	2	1	99999
2	052/00	00	EB	26.820	0.120	26.940	0	0	2	2	2	1	01	11	36	48	0	2016	3764	2	1	01	4	2	1	99999
2	052/00	00	EB	26.940	1.018	27.958	0	0	2	2	2	1	01	11	24	40	0	2016	3764	2	1	01	4	2	1	99999
2	052/00	00	EB	27.958	0.042	28.000	1	0	2	2	2	1	01	11	24	40	0	2016	3764	2	1	01	4	2	1	99999
2	052/00	00	EB	28.000	0.780	28.780	1	0	2	2	2	1	01	11	24	44	0	2016	3764	2	1	01	4	2	1	99999
2	052/00	00	EB	28.780	0.450	29.230	1	0	2	2	2	1	01	11	24	40	0	2016	4364	2	1	01	4	2	1	99999

## 2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS  
PLANNING DIVISION

### MINGO COUNTY - (30)

Page 60 of 94

SIGN	ROUTE	SUPP	DIRECT	BEG	END					WV	NAT	ACC	YEAR	SURF	PAV	GRADE	MED	AADT				REV	SPEC	TRK	FAC	URB					
		DSG	SURV	MP	LENGTH	MP	MUN	URB	FAS	FUN	FUNC	CONT	CHNG	TYPE	WIDTH	WIDTH	WIDTH	YR	AADT	LANES	LANES	SYS	RT	TYPE	CODE						
2	052/00	00	EB	29.230	0.280	29.510	1	0	2	2	2	1	01	11	20	26	0	2016	4364	2	1	01	4	2	1	99999					
2	052/00	00	EB	29.510	0.063	29.573	1	0	2	2	2	1	01	11	20	26	0	2016	3295	2	1	01	4	2	1	99999					
2	052/00	00	EB	29.573	2.967	32.540	0	0	2	2	2	1	01	11	20	26	0	2016	3295	2	1	01	4	2	1	99999					
2	052/00	00	EB	32.540	10.600	43.140	0	0	2	2	2	1	13	11	24	40		2016	3295	2	1	01	4	2	1	99999					
2	052/00	00	EB	43.140	1.600	44.740	0	0	2	2	2	1	13	11	24	40		2016	3901	2	1	01	4	2	1	99999					
2	052/00	00	EB	45.170	1.720	46.890	0	0	2	2	2	1	13	11	20	24	0	2016	3441	2	1	01	4	2	1	99999					
2	052/00	00	EB	46.890	3.610	50.500	0	0	2	2	2	1	13	11	24	28	0	2016	4147	2	1	01	4	2	1	99999					
2	052/00	00	EB	50.500	1.230	51.730	0	0	2	2	2	1	31	11	42	80	0	2016	4105	2	1	01	4	2	1	99999					
2	052/00	00	EB	51.730	1.422	53.152	0	0	2	2	2	1	13	11	20	24	0	2016	4105	2	1	01	4	2	1	99999					
2	052/00	00	EB	53.152	0.078	53.230	1	0	2	2	2	1	13	11	20	24	0	2016	4105	2	1	01	4	2	1	99999					
2	052/00	00	EB	53.230	1.990	55.220	1	0	2	2	2	1	13	11	20	24	0	2016	4105	2	1	01	4	2	1	99999					
2	052/00	00	EB	55.220	0.034	55.254	1	0	2	2	2	1	13	11	20	24	0	2016	4105	2	1	01	4	2	1	99999					
2	052/00	00	EB	55.254	3.566	58.820	0	0	2	2	2	1	13	11	20	24	0	2016	4105	2	1	01	4	2	1	99999					
<b>ROUTE TOTAL:</b>				<b>58.390</b>																											
2	052/00	04	NB	0.000	0.220	0.220	2	0	3	3	7	1	01	11	22	28	0	2016	8503	2	1	01	4	1	0	99999					
2	052/00	04	NB	0.220	0.170	0.390	2	0	3	3	7	1	01	11	20	40	0	2016	8503	2	1	01	3	1	0	99999					
<b>ROUTE TOTAL:</b>				<b>0.390</b>																											
2	052/00	07	WB	0.000	0.004	0.004	2	0	2	3	2	1	01	11	18	18	0	2016	6520	2	1	01	4	1	1	99999					
2	052/00	07	WB	0.004	0.028	0.032	2	0	2	3	2	1	01	11	18	18	0	2016	6520	2	1	01	4	1	1	99999					
2	052/00	07	WB	0.032	0.238	0.270	2	0	2	3	2	1	01	11	18	18	0	2016	6520	2	1	01	4	1	1	99999					
<b>ROUTE TOTAL:</b>				<b>0.270</b>																											
2	119/00	00	NB	0.000	0.070	0.070	2	0	2	1	2	4	98	11	24	74	0	2016	11948	2	1	10	2	2	1	99999					
2	119/00	00	NB	7.450	4.280	11.730	0	0	2	1	2	4	98	11	24	40	10	2016	5069	4	1	10	2	2	1	99999					
2	119/00	00	NB	11.730	1.030	12.760	0	0	2	1	2	4	98	11	24	40	10	2016	6133	4	1	10	2	2	1	99999					
2	119/00	00	NB	12.760	0.120	12.880	0	0	2	1	2	4	98	11	24	36	12	2016	6133	4	1	10	2	2	1	99999					
2	119/00	00	NB	12.880	1.400	14.280	0	0	2	1	2	4	98	11	24	36	12	2016	7502	4	1	10	2	2	1	99999					
2	119/00	00	NB	14.280	6.870	21.150	0	0	2	1	2	4	98	11	24	36	12	2016	6878	4	1	10	2	2	1	99999					
<b>ROUTE TOTAL:</b>				<b>13.770</b>																											
2	119/00	01	NB	0.000	0.040	0.040	2	0	3	4	7	1	78	11	18	18	0	2016	7908	2	1	01	4	1	0	99999					
2	119/00	01	NB	0.040	0.030	0.070	2	0	3	4	7	1	78	13	24	24	0	2016	7908	2	1	01	4	1	0	99999					
2	119/00	01	NB	0.070	0.030	0.100	2	0	3	4	7	1	78	10	24	24	0	2016	7908	2	1	01	4	1	0	99999					
<b>ROUTE TOTAL:</b>				<b>0.100</b>																											
2	119/00	01	EB	0.000	0.008	0.008	2	0	3	1	7	4	83	11	24	74	0	2016	7482	2	1	01	4	2	0	99999					
2	119/00	01	EB	0.008	0.152	0.160	2	0	3	1	7	4	83	11	24	74	0	2016	7482	2	1	01	4	2	0	99999					
2	119/00	01	EB	0.160	0.010	0.170	2	0	3	1	7	4	83	11	27	27	0	2016	7482	2	1	01	4	2	0	99999					
2	119/00	01	EB	0.170	0.010	0.180	2	0	3	1	7	4	83	11	24	24	0	2016	7482	2	1	01	4	2	0	99999					
<b>ROUTE TOTAL:</b>				<b>0.180</b>																											

**2016 ROAD INVENTORY LOG - US Routes**

**Mingo County TOTAL for the PRIMARY DIRECTION: 73.100**

2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS  
PLANNING DIVISION

MONONGALIA COUNTY - (31)

SIGN	ROUTE	SUPP	DIRECT	BEG	END					WV	NAT	ACC	YEAR	SURF	PAV	GRADE	MED	AADT				REV	SPEC	TRK	FAC	URB
		DSG	SURV	MP	LENGTH	MP	MUN	URB	FAS	FUN	FUNC	CONT	CHNG	TYPE	WIDTH	WIDTH	WIDTH	YR	AADT	LANES	LANES	SYS	RT	TYPE	CODE	
2	019/00	00	NB	0.000	0.670	0.670	0	0	3	3	7	1	75	11	22	30	0	2016	2685	2	1	01	4	2	0	99999
2	019/00	00	NB	0.670	0.020	0.690	0	0	3	3	7	1	75	11	24	24	0	2016	2685	2	1	01	4	2	0	99999
2	019/00	00	NB	0.690	2.790	3.480	0	0	3	3	7	1	75	11	22	30	0	2016	2685	2	1	01	4	2	0	99999
2	019/00	00	NB	3.480	0.270	3.750	0	0	3	3	7	1	75	11	22	36	0	2016	2685	2	1	01	4	2	0	99999
2	019/00	00	NB	3.750	0.290	4.040	0	0	3	3	7	1	75	11	22	36	0	2016	4530	2	1	01	4	2	0	99999
2	019/00	00	NB	4.040	1.450	5.490	0	0	3	3	7	1	75	11	22	30	0	2016	4530	2	1	01	4	2	0	99999
2	019/00	00	NB	5.490	0.400	5.890	0	0	3	3	7	1	75	11	16	26	0	2016	4530	2	1	01	4	2	0	99999
2	019/00	00	NB	5.890	2.220	8.110	0	0	3	3	7	1	75	11	16	26	0	2016	4380	2	1	01	4	2	0	99999
2	019/00	00	NB	8.110	0.180	8.290	0	0	3	3	7	1	75	11	18	26	0	2016	4380	2	1	01	4	2	0	99999
2	019/00	00	NB	8.290	0.516	8.806	0	0	3	3	7	1	79	11	18	26	0	2016	4514	2	1	01	4	2	0	99999
2	019/00	00	NB	8.806	0.044	8.850	0	2	3	3	17	1	79	11	18	26	0	2016	4514	2	1	01	4	2	0	59275
2	019/00	00	NB	8.850	0.140	8.990	0	2	3	3	17	1	79	12	52	72	0	2016	4514	2	1	01	4	2	0	59275
2	019/00	00	NB	8.990	0.240	9.230	0	2	2	3	14	1	80	12	52	72	7	2016	17386	2	1	01	4	2	1	59275
2	019/00	00	NB	9.230	0.126	9.356	0	2	2	3	14	1	83	11	18	26	0	2016	17386	2	1	01	4	2	1	59275
2	019/00	00	NB	9.356	0.004	9.360	2	2	2	3	14	1	83	11	18	26	0	2016	17386	2	1	01	4	2	1	59275
2	019/00	00	NB	9.360	0.049	9.409	2	2	2	3	14	1	94	11	33	35	0	2016	17386	2	1	01	4	2	1	59275
2	019/00	00	NB	9.409	0.016	9.425	0	2	2	3	14	1	94	11	33	35	0	2016	17386	2	1	01	4	2	1	59275
2	019/00	00	NB	9.425	0.115	9.540	2	2	2	3	14	1	94	11	33	35	0	2016	17386	2	1	01	4	2	1	59275
2	019/00	00	NB	9.540	0.400	9.940	2	2	2	3	14	1	97	11	33	35	0	2016	17386	2	1	01	4	2	1	59275
2	019/00	00	NB	9.940	0.190	10.130	2	2	2	3	14	1	94	11	24	24	0	2016	11763	2	1	01	4	2	1	59275
2	019/00	00	NB	10.130	0.290	10.420	2	2	2	3	14	1	94	11	18	26	0	2016	11763	2	1	01	4	2	1	59275
2	019/00	00	NB	10.420	0.010	10.430	2	2	2	3	14	1	83	11	18	26	0	2016	15491	2	1	01	4	2	1	59275
2	019/00	00	NB	10.430	0.160	10.590	2	2	2	3	14	1	83	11	31	31	0	2016	15491	2	1	01	4	2	1	59275
2	019/00	00	NB	10.590	0.490	11.080	2	2	2	3	14	1	83	11	31	31	0	2016	13197	2	1	01	4	2	1	59275
2	019/00	00	NB	11.080	0.001	11.081	2	2	2	3	14	1	97	12	48	48	0	2016	20419	2	1	01	4	2	1	59275
2	019/00	00	NB	11.081	0.149	11.230	5	2	2	3	14	1	97	12	48	48	0	2016	20419	2	1	01	4	2	1	59275
2	019/00	00	NB	11.230	0.030	11.260	5	2	2	3	14	1	79	11	48	48	0	2016	20419	2	1	01	4	2	1	59275
2	019/00	00	NB	11.260	0.080	11.340	5	2	2	2	14	1	81	11	39	39	0	2016	20419	2	1	01	4	1	1	59275
2	019/00	00	NB	11.340	0.100	11.440	5	2	2	3	14	1	75	11	39	39	0	2016	22248	2	1	01	4	2	1	59275
2	019/00	00	NB	11.440	0.890	12.330	5	2	2	3	14	1	75	11	30	30	0	2016	22248	2	1	01	4	2	1	59275
2	019/00	00	NB	12.330	0.820	13.150	5	2	2	3	14	1	75	11	24	34	0	2016	25201	4	1	01	4	2	1	59275
2	019/00	00	NB	13.150	0.490	13.640	5	2	2	3	14	1	75	11	32	42	0	2016	25201	4	1	01	4	2	1	59275
2	019/00	00	NB	13.640	0.010	13.650	5	2	2	3	14	1	75	11	24	34	0	2016	25201	4	1	01	4	2	1	59275
2	019/00	00	NB	13.650	0.090	13.740	5	2	2	3	14	1	75	11	24	34	0	2016	33202	4	1	01	4	2	1	59275
2	019/00	00	NB	13.740	0.017	13.757	5	2	2	3	14	1	76	11	24	34	0	2016	33202	4	1	01	4	2	1	59275
2	019/00	00	NB	13.757	0.463	14.220	1	2	2	3	14	1	76	11	24	34	0	2016	33202	4	1	01	4	2	1	59275
2	019/00	00	NB	14.220	0.030	14.250	1	2	2	3	14	1	76	11	24	34	0	2016	44562	4	1	01	4	2	1	59275
2	019/00	00	NB	14.250	0.100	14.350	1	2	2	3	14	1	76	11	28	28	0	2016	44562	4	1	01	4	2	1	59275
2	019/00	00	NB	14.350	0.022	14.372	1	2	2	3	14	1	75	11	28	28	0	2016	44562	2	1	01	4	2	1	59275

## 2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS  
PLANNING DIVISION

### MONONGALIA COUNTY - (31)

SIGN	ROUTE	SUPP	DIRECT	BEG	END		WV			NAT	ACC	YEAR	SURF	PAV	GRADE	MED	AADT	LANES	REV	SPEC	TRK	FAC	URB				
		DSG	SURV	MP	LENGTH	MP	MUN	URB	FAS	FUN	FUNC	CONT	CHNG	TYPE	WIDTH	WIDTH	WIDTH		YR	LANES	SYS	RT		TYPE	CODE		
2	019/00	00	NB	14.372	0.048	14.420	1	2	2	3	14	1	75	11	28	28	0	2016	44562	2	1	01	4	2	1	59275	
2	019/00	00	NB	14.420	0.020	14.440	1	2	2	3	14	1	75	11	28	28	0	2016	11574	2	1	01	4	2	1	59275	
2	019/00	00	NB	14.440	0.236	14.676	1	2	2	3	14	1	75	11	22	38	0	2016	11574	2	1	01	4	2	1	59275	
2	019/00	00	NB	14.676	0.304	14.980	0	2	2	3	14	1	75	11	22	38	0	2016	11574	2	1	01	4	2	1	59275	
2	019/00	00	NB	14.980	0.070	15.050	0	2	2	3	14	1	75	11	28	28	0	2016	11574	2	1	01	4	2	1	59275	
2	019/00	00	NB	15.050	0.050	15.100	0	2	2	3	14	1	79	11	22	38	0	2016	11574	2	1	01	4	2	1	59275	
2	019/00	00	NB	15.100	1.390	16.490	0	2	2	3	14	1	75	11	22	38	0	2016	11574	2	1	01	4	2	1	59275	
2	019/00	00	NB	16.490	0.531	17.021	0	2	2	4	14	1	81	11	22	38	0	2016	4357	2	1	01	4	2	1	59275	
2	019/00	00	NB	17.021	0.029	17.050	0	0	2	4	2	1	81	11	22	38	0	2016	4357	2	1	01	4	2	1	99999	
2	019/00	00	NB	17.050	3.990	21.040	0	0	3	4	7	1	81	11	22	38	0	2016	4357	2	1	01	4	2	0	99999	
<b>ROUTE TOTAL:</b>				<b>21.040</b>																							
2	119/00	00	NB	0.000	2.750	2.750	0	0	3	2	6	1	01	11	20	30	0	2016	3839	2	1	01	4	2	0	99999	
2	119/00	00	NB	2.750	2.230	4.980	0	0	3	2	6	1	81	11	20	30	0	2016	8201	2	1	01	4	2	0	99999	
2	119/00	00	NB	4.980	2.830	7.810	0	0	3	2	6	1	81	11	20	30	0	2016	10089	2	1	01	4	2	0	99999	
2	119/00	00	NB	7.810	0.810	8.620	0	0	3	2	6	1	91	11	20	30	0	2016	11024	2	1	01	4	2	0	99999	
2	119/00	00	NB	8.620	0.050	8.670	0	0	3	2	6	1	81	11	20	30	0	2016	11024	2	1	01	4	2	0	99999	
2	119/00	00	NB	8.670	1.050	9.720	0	0	3	2	6	1	91	11	20	30	0	2016	11024	2	1	01	4	2	0	99999	
2	119/00	00	NB	9.720	0.100	9.820	0	0	3	2	6	1	81	11	20	30	0	2016	11024	2	1	01	4	2	0	99999	
2	119/00	00	NB	9.820	0.139	9.959	0	0	3	2	6	1	81	12	34	44	0	2016	19748	3	1	01	4	2	0	99999	
2	119/00	00	NB	9.959	0.045	10.004	5	0	3	2	6	1	81	12	34	44	0	2016	19748	3	1	01	4	2	0	99999	
2	119/00	00	NB	10.004	0.001	10.005	5	2	3	2	16	1	81	12	34	44	0	2016	19748	3	1	01	4	2	0	59275	
2	119/00	00	NB	10.005	0.145	10.150	5	2	3	2	14	1	81	12	34	44	0	2016	19748	3	1	01	4	2	0	59275	
2	119/00	00	NB	10.150	0.670	10.820	5	2	2	2	14	4	12	11	34	44	0	2016	19748	3	1	01	4	2	1	59275	
2	119/00	00	NB	10.820	1.080	11.900	5	2	2	2	14	1	97	11	24	32	0	2016	19748	3	1	01	4	2	1	59275	
2	119/00	00	NB	11.900	0.160	12.060	5	2	2	2	14	1	85	11	36	52	6	2016	21590	4	1	01	4	2	1	59275	
2	119/00	00	NB	12.060	0.270	12.330	5	2	2	2	14	1	77	12	24	36	6	2016	21590	4	1	01	4	2	1	59275	
2	119/00	00	NB	12.330	0.130	12.460	5	2	2	2	14	1	77	12	29	37	6	2016	21590	4	1	01	4	2	1	59275	
2	119/00	00	NB	12.460	0.040	12.500	5	2	2	2	14	1	77	12	28	28	6	2016	21590	4	1	01	4	2	1	59275	
2	119/00	00	NB	12.500	0.400	12.900	5	2	2	2	14	1	77	12	29	37	6	2016	21590	4	1	01	4	2	1	59275	
2	119/00	00	NB	12.900	0.660	13.560	5	2	2	2	14	1	94	11	24	36	0	2016	21590	4	1	01	4	2	1	59275	
2	119/00	00	NB	13.560	0.220	13.780	5	2	2	2	14	1	94	11	24	36	0	2016	23894	4	1	01	4	2	1	59275	
2	119/00	00	NB	13.780	0.120	13.900	5	2	2	2	14	1	94	11	24	36	0	2016	26085	4	1	01	4	2	1	59275	
2	119/00	00	NB	13.900	0.090	13.990	5	2	2	2	14	1	13	11	24	36	0	2016	26085	4	1	01	4	2	1	59275	
2	119/00	00	NB	13.990	0.230	14.220	5	2	3	3	16	1	76	11	40	40	0	2016	31802	2	1	01	4	1	0	59275	
2	119/00	00	NB	14.220	0.200	14.420	5	2	3	2	16	1	76	11	40	40	0	2016	31802	2	1	01	4	1	0	59275	
2	119/00	00	NB	14.420	0.430	14.850	5	2	3	2	16	1	79	11	26	26	0	2016	11524	2	1	01	4	2	0	59275	
2	119/00	00	NB	14.850	0.300	15.150	5	2	3	2	16	1	05	11	26	26	0	2016	11524	2	1	01	4	2	0	59275	
2	119/00	00	NB	15.150	0.280	15.430	5	2	3	2	16	1	76	11	25	26	0	2016	11524	2	1	01	4	2	0	59275	
2	119/00	00	NB	15.430	0.190	15.620	5	2	3	2	16	1	76	11	28	28	0	2016	15037	2	1	01	4	2	0	59275	

2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS  
PLANNING DIVISION

MONONGALIA COUNTY - (31)

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	END LENGTH MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	URB CODE			
2	119/00	00	NB	15.620	0.050 15.670	5	2	3	2	16	1	76	11	28	28	0	2016	23362	2	1	01	4	2	0	59275		
2	119/00	00	NB	15.670	0.273 15.943	5	2	3	2	16	1	76	11	33	33	0	2016	23362	2	1	01	4	2	0	59275		
2	119/00	00	NB	15.943	0.057 16.000	0	2	3	2	16	1	76	11	33	33	0	2016	23362	2	1	01	4	2	0	59275		
2	119/00	00	NB	16.000	0.098 16.098	0	2	2	2	14	1	06	11	33	33	0	2016	23362	2	1	01	4	2	1	59275		
2	119/00	00	NB	16.098	0.054 16.152	5	2	2	2	14	1	06	11	33	33	0	2016	23362	2	1	01	4	2	1	59275		
2	119/00	00	NB	16.152	0.478 16.630	0	2	2	2	14	1	06	11	33	33	0	2016	23362	2	1	01	4	2	1	59275		
2	119/00	00	NB	16.630	0.159 16.789	0	2	2	2	14	1	77	11	33	33	0	2016	23362	2	1	01	4	2	1	59275		
2	119/00	00	NB	16.789	0.031 16.820	5	2	2	2	14	1	77	11	33	33	0	2016	23362	2	1	01	4	2	1	59275		
2	119/00	00	NB	16.820	0.620 17.440	5	2	2	2	14	1	79	11	40	40	0	2016	23362	2	1	01	4	2	1	59275		
2	119/00	00	NB	17.440	0.060 17.500	5	2	2	2	14	1	79	11	48	68	0	2016	16343	2	1	01	2	2	1	59275		
2	119/00	00	NB	17.500	0.533 18.033	5	2	2	2	14	1	79	11	22	30	0	2016	16343	2	1	01	2	2	1	59275		
2	119/00	00	NB	18.033	0.167 18.200	0	2	2	2	14	1	79	11	22	30	0	2016	16343	2	1	01	2	2	1	59275		
2	119/00	00	NB	18.200	1.460 19.660	0	2	2	2	14	1	76	11	22	30	0	2016	10565	2	1	01	2	2	1	59275		
2	119/00	00	NB	19.660	0.340 20.000	0	2	2	2	14	1	06	11	22	30	0	2016	10565	2	1	01	2	2	1	59275		
2	119/00	00	NB	20.000	0.470 20.470	0	2	2	2	14	1	76	11	22	30	0	2016	10565	2	1	01	2	2	1	59275		
2	119/00	00	NB	20.470	0.004 20.474	0	2	2	2	14	1	76	11	22	30	0	2016	10565	2	1	01	2	2	1	59275		
2	119/00	00	NB	20.474	0.226 20.700	0	0	2	2	2	1	76	11	22	30	0	2016	10565	2	1	01	2	2	1	99999		
2	119/00	00	NB	20.700	1.910 22.610	0	0	2	2	2	1	76	11	22	30	0	2016	4971	2	1	01	2	2	1	99999		
<b>ROUTE TOTAL:</b>				<b>22.610</b>																							
2	119/00	01	00	0.000	0.060 0.060	5	2	3	2	16	1	84	11	30	30	0	2016	10591	2	1	01	4	1	0	59275		
2	119/00	01	00	0.060	0.200 0.260	5	2	3	2	16	1	84	11	36	36	0	2016	10591	2	1	01	4	1	0	59275		
2	119/00	01	00	0.260	0.100 0.360	5	2	3	2	16	1	84	13	36	36	0	2016	8382	2	1	01	4	1	0	59275		
<b>ROUTE TOTAL:</b>				<b>0.360</b>																							

Monongalia County TOTAL for the PRIMARY DIRECTION: 44.010

2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS  
PLANNING DIVISION

MONROE COUNTY - (32)

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	END MP	LENGTH	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	URB CODE	
2	219/00	00	NB	0.000	0.010	0.010	1	0	2	2	2	1	05	11	24	24	0	2016	5199	2	1	01	4	2	1	99999
2	219/00	00	NB	0.010	0.220	0.230	1	0	2	2	2	1	05	11	30	38	0	2016	5199	2	1	01	4	2	1	99999
2	219/00	00	NB	0.230	0.010	0.240	1	0	2	2	2	1	05	11	24	24	0	2016	5199	2	1	01	4	2	1	99999
2	219/00	00	NB	0.240	0.250	0.490	1	0	2	2	2	1	05	11	30	38	0	2016	5199	2	1	01	4	2	1	99999
2	219/00	00	NB	0.490	0.180	0.670	1	0	2	2	2	1	05	11	18	30	0	2016	5199	2	1	01	4	2	1	99999
2	219/00	00	NB	0.670	0.035	0.705	1	0	2	2	2	1	05	11	18	30	0	2016	3689	2	1	01	4	2	1	99999
2	219/00	00	NB	0.705	0.015	0.720	0	0	2	2	2	1	05	11	18	30	0	2016	3689	2	1	01	4	2	1	99999
2	219/00	00	NB	0.720	7.910	8.630	0	0	2	2	2	1	05	11	18	30	0	2016	3689	2	1	01	4	2	1	99999
2	219/00	00	NB	8.630	5.720	14.350	0	0	2	2	2	1	05	11	18	30	0	2016	1936	2	1	01	4	2	1	99999
2	219/00	00	NB	14.350	0.030	14.380	0	0	2	2	2	1	05	11	18	30	0	2016	2014	2	1	01	4	2	1	99999
2	219/00	00	NB	14.380	1.800	16.180	0	0	2	2	2	1	05	11	18	30	0	2016	1566	2	1	01	4	2	1	99999
2	219/00	00	NB	16.180	0.380	16.560	0	0	2	2	2	1	05	11	18	30	0	2016	1816	2	1	01	4	2	1	99999
2	219/00	00	NB	16.560	2.680	19.240	0	0	2	2	2	1	05	11	24	48	0	2016	1816	2	1	01	4	2	1	99999
2	219/00	00	NB	19.240	3.760	23.000	0	0	2	2	2	1	05	11	18	30	0	2016	1850	2	1	01	4	2	1	99999
2	219/00	00	NB	23.000	1.115	24.115	0	0	2	2	2	1	05	11	18	30	0	2016	2256	2	1	01	4	2	1	99999
2	219/00	00	NB	24.115	0.415	24.530	1	0	2	2	2	1	05	11	18	30	0	2016	2256	2	1	01	4	2	1	99999
2	219/00	00	NB	24.530	0.120	24.650	1	0	2	2	2	1	05	11	48	48	0	2016	2256	2	1	01	4	2	1	99999
2	219/00	00	NB	24.650	0.090	24.740	1	0	2	2	2	1	05	11	48	48	0	2016	3237	2	1	01	4	2	1	99999
2	219/00	00	NB	24.740	0.100	24.840	1	0	2	2	2	1	05	11	20	38	0	2016	3237	2	1	01	4	2	1	99999
2	219/00	00	NB	24.840	0.080	24.920	1	0	2	2	2	1	05	11	22	38	0	2016	3237	2	1	01	4	2	1	99999
2	219/00	00	NB	24.920	0.013	24.933	1	0	2	2	2	1	05	11	22	88	0	2016	3237	2	1	01	4	2	1	99999
2	219/00	00	NB	24.933	1.307	26.240	0	0	2	2	2	1	05	11	22	88	0	2016	3237	2	1	01	4	2	1	99999
2	219/00	00	NB	26.240	2.450	28.690	0	0	2	2	2	1	05	11	22	28	0	2016	3260	2	1	01	4	2	1	99999
2	219/00	00	NB	28.690	2.040	30.730	0	0	2	2	2	1	05	11	22	28	0	2016	3088	2	1	01	4	2	1	99999
2	219/00	00	NB	30.730	2.300	33.030	0	0	2	2	2	1	05	11	18	28	0	2016	3088	2	1	01	4	2	1	99999
2	219/00	00	NB	33.030	0.300	33.330	0	0	2	2	2	1	05	11	24	40	0	2016	3560	2	1	01	4	2	1	99999
2	219/00	00	NB	33.330	0.010	33.340	0	0	2	2	2	1	05	11	28	28	0	2016	3560	2	1	01	4	2	1	99999

ROUTE TOTAL: 33.340

Monroe County TOTAL for the PRIMARY DIRECTION: 33.340

2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS  
PLANNING DIVISION

MORGAN COUNTY - (33)

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	LENGTH	END MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	URB CODE	
2	522/00	00	NB	0.000	7.810	7.810	0	0	2	2	2	1	03	11	24	34	0	2016	6514	2	1	01	2	2	1	99999
2	522/00	00	NB	7.810	2.610	10.420	0	0	2	2	2	1	03	11	24	34	0	2016	11621	2	1	01	2	2	1	99999
2	522/00	00	NB	10.420	2.360	12.780	0	0	2	2	2	1	03	11	24	34	0	2016	16492	2	1	01	2	2	1	99999
2	522/00	00	NB	12.780	0.142	12.922	0	0	2	2	2	1	03	11	24	32	0	2016	16492	2	1	01	2	2	1	99999
2	522/00	00	NB	12.922	0.099	13.021	1	0	2	2	2	1	03	11	24	32	0	2016	16492	2	1	01	2	2	1	99999
2	522/00	00	NB	13.021	0.089	13.110	0	0	2	2	2	1	03	11	24	32	0	2016	16492	2	1	01	2	2	1	99999
2	522/00	00	NB	13.110	0.097	13.207	0	0	2	2	2	1	03	11	26	39	0	2016	16492	2	1	01	2	2	1	99999
2	522/00	00	NB	13.207	0.013	13.220	1	0	2	2	2	1	03	11	26	39	0	2016	16492	2	1	01	2	2	1	99999
2	522/00	00	NB	13.220	0.150	13.370	1	0	2	2	2	1	03	11	24	24	0	2016	16492	2	1	01	2	2	1	99999
2	522/00	00	NB	13.370	0.160	13.530	1	0	2	2	2	1	03	11	24	24	0	2016	13332	2	1	01	2	2	1	99999
2	522/00	00	NB	13.530	0.444	13.974	1	0	2	2	2	1	03	11	40	40	0	2016	13332	2	1	01	2	2	1	99999
2	522/00	00	NB	13.974	0.066	14.040	0	0	2	2	2	1	03	11	40	40	0	2016	13332	2	1	01	2	2	1	99999
2	522/00	00	NB	14.040	0.025	14.065	0	0	2	2	2	1	03	11	24	42	0	2016	13332	2	1	01	2	2	1	99999
2	522/00	00	NB	14.065	0.087	14.152	1	0	2	2	2	1	03	11	24	42	0	2016	13332	2	1	01	2	2	1	99999
2	522/00	00	NB	14.152	0.528	14.680	0	0	2	2	2	1	03	11	24	42	0	2016	13332	2	1	01	2	2	1	99999
2	522/00	00	NB	14.680	1.290	15.970	0	0	2	2	2	1	03	11	24	44	0	2016	13332	2	1	01	2	2	1	99999
2	522/00	00	NB	15.970	1.700	17.670	0	0	2	2	2	1	03	11	32	42	0	2016	10277	2	1	01	2	2	1	99999
2	522/00	00	NB	17.670	0.950	18.620	0	0	2	2	2	1	03	11	36	50	0	2016	16954	2	1	01	2	2	1	99999
2	522/00	00	NB	18.620	0.120	18.740	0	0	2	2	2	1	03	11	24	24	0	2016	16954	2	1	01	2	2	1	99999

ROUTE TOTAL: 18.740

Morgan County TOTAL for the PRIMARY DIRECTION: 18.740

2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS  
PLANNING DIVISION

NICHOLAS COUNTY - (34)

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	END MP	LENGTH	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	URB CODE	
2	019/00	00	NB	0.000	0.120	0.120	0	0	2	1	2	4	03	11	46	46	0	2016	12022	4	1	10	1	2	1	99999
2	019/00	00	NB	0.120	1.260	1.380	0	0	2	1	2	4	03	11	24	34	40	2016	12022	4	1	10	1	2	1	99999
2	019/00	00	NB	1.380	3.660	5.040	0	0	2	1	2	4	03	11	24	34	40	2016	13077	4	1	10	1	2	1	99999
2	019/00	00	NB	5.040	2.940	7.980	0	0	2	1	2	4	03	11	24	34	40	2016	13182	4	1	10	1	2	1	99999
2	019/00	00	NB	7.980	0.147	8.127	0	0	2	1	2	4	03	11	24	34	40	2016	15116	4	1	10	1	2	1	99999
2	019/00	00	NB	8.127	0.013	8.140	2	0	2	1	2	4	03	11	24	34	40	2016	15116	4	1	10	1	2	1	99999
2	019/00	00	NB	8.140	0.270	8.410	2	0	2	1	2	4	03	11	36	36	0	2016	15116	4	1	10	1	2	1	99999
2	019/00	00	NB	8.410	2.110	10.520	2	0	2	1	2	4	03	11	24	34	40	2016	15116	4	1	10	1	2	1	99999
2	019/00	00	NB	10.520	0.146	10.666	2	0	2	1	2	4	03	12	24	34	40	2016	15116	4	1	10	1	2	1	99999
2	019/00	00	NB	10.666	0.004	10.670	2	0	2	1	2	4	03	12	24	34	40	2016	15116	4	1	10	1	2	1	99999
2	019/00	00	NB	10.670	0.180	10.850	2	0	2	1	2	4	03	12	24	34	40	2016	14227	4	1	10	1	2	1	99999
2	019/00	00	NB	10.850	0.180	11.030	2	0	2	1	2	4	03	12	24	34	28	2016	14227	4	1	10	1	2	1	99999
2	019/00	00	NB	11.030	0.440	11.470	2	0	2	1	2	4	03	12	24	34	41	2016	20776	4	1	10	1	2	1	99999
2	019/00	00	NB	11.470	2.142	13.612	2	0	2	1	2	4	03	12	24	34	40	2016	18476	4	1	10	1	2	1	99999
2	019/00	00	NB	13.612	0.118	13.730	2	0	2	1	2	4	03	12	24	34	40	2016	18476	4	1	10	1	2	1	99999
2	019/00	00	NB	13.730	0.340	14.070	2	0	2	1	2	4	03	11	24	34	40	2016	18476	4	1	10	1	2	1	99999
2	019/00	00	NB	14.070	0.053	14.123	2	0	2	1	2	4	03	12	24	34	40	2016	18476	4	1	10	1	2	1	99999
2	019/00	00	NB	14.123	1.027	15.150	0	0	2	1	2	4	03	12	24	34	40	2016	18476	4	1	10	1	2	1	99999
2	019/00	00	NB	15.150	6.830	21.980	0	0	2	1	2	4	03	11	24	34	42	2016	11398	4	1	10	1	2	1	99999
2	019/00	00	NB	21.980	1.220	23.200	0	0	2	1	2	4	03	11	36	42	42	2016	11398	5	1	10	1	2	1	99999
2	019/00	00	NB	23.200	0.220	23.420	0	0	2	1	2	4	03	11	36	39	42	2016	13299	6	1	10	1	2	1	99999
2	019/00	00	NB	23.420	4.580	28.000	0	0	2	1	2	4	03	11	24	30	42	2016	13299	5	1	10	1	2	1	99999
2	019/00	00	NB	28.000	1.400	29.400	0	0	2	1	2	4	03	11	24	34	42	2016	18852	4	1	10	1	2	1	99999
2	019/00	00	NB	29.400	2.250	31.650	0	0	2	1	2	4	03	11	34	42	42	2016	18852	5	1	10	1	2	1	99999
2	019/00	00	NB	31.650	0.200	31.850	0	0	2	1	2	4	03	11	36	39	42	2016	11346	6	1	10	1	2	1	99999

ROUTE TOTAL: 31.850

Nicholas County TOTAL for the PRIMARY DIRECTION: 31.850

## 2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS

PLANNING DIVISION

### OHIO COUNTY - (35)

Page 68 of 94

SIGN	ROUTE	SUPP	DIRECT	BEG	END		WV			NAT	ACC	YEAR	SURF	PAV	GRADE	MED	AADT	LANES	REV	SPEC	TRK	FAC	URB			
		DSG	SURV	MP	LENGTH	MP	MUN	URB	FAS	FUN	FUNC	CONT	CHNG	TYPE	WIDTH	WIDTH	WIDTH		YR	AADT	LANES	SYS		RT	TYPE	CODE
2	040/00	00	EB	0.000	0.007	0.007	5	0	3	4	6	1	81	12	29	29	0	2016	16098	2	1	01	4	2	0	99999
2	040/00	00	EB	0.007	0.113	0.120	5	2	3	4	16	1	81	12	29	29	0	2016	16098	2	1	01	4	2	0	94726
2	040/00	00	EB	0.120	0.190	0.310	5	2	3	4	16	1	01	11	42	42	0	2016	16098	2	1	01	4	2	0	94726
2	040/00	00	EB	0.310	0.060	0.370	5	2	3	4	16	1	01	12	56	56	0	2016	16098	2	1	01	4	2	0	94726
2	040/00	00	EB	0.370	0.190	0.560	5	2	3	4	16	1	01	12	28	28	0	2016	8481	2	1	01	4	1	0	94726
2	040/00	00	EB	0.760	0.080	0.840	5	2	3	1	16	1	84	11	28	28	0	2016	5222	2	1	01	4	1	0	94726
2	040/00	00	EB	0.840	0.080	0.920	5	2	2	1	14	1	84	11	50	50	0	2016	16894	2	1	20	4	1	1	94726
2	040/00	00	EB	0.920	0.060	0.980	5	2	3	3	16	1	76	11	44	44	0	2016	16894	2	1	20	4	1	0	94726
2	040/00	00	EB	0.980	0.030	1.010	5	2	2	3	14	1	76	12	87	87	0	2016	16894	2	1	20	4	1	1	94726
2	040/00	00	EB	1.010	0.060	1.070	5	2	2	3	14	1	76	12	40	40	0	2016	16894	2	1	20	4	1	1	94726
2	040/00	00	EB	1.070	0.020	1.090	5	2	2	3	14	1	76	12	25	25	0	2016	16894	2	1	20	4	1	1	94726
2	040/00	00	EB	1.090	0.040	1.130	5	2	2	3	14	1	76	12	28	28	0	2016	16894	2	1	20	4	1	1	94726
2	040/00	00	EB	1.130	0.060	1.190	5	2	2	3	14	1	76	12	25	25	0	2016	16894	2	1	20	4	1	1	94726
2	040/00	00	EB	1.190	0.020	1.210	5	2	2	3	14	1	76	12	28	28	0	2016	16894	2	1	20	4	1	1	94726
2	040/00	00	EB	1.210	0.140	1.350	5	2	2	3	14	1	80	11	28	28	0	2016	16894	2	1	20	4	1	1	94726
2	040/00	00	EB	1.350	0.280	1.630	5	2	3	3	16	1	76	11	27	27	0	2016	16894	2	1	01	4	2	0	94726
2	040/00	00	EB	1.630	1.080	2.710	5	2	3	3	16	1	91	11	12	12	0	2016	16894	3	1	01	4	2	0	94726
2	040/00	00	EB	2.710	0.100	2.810	5	2	3	3	16	1	91	11	26	26	0	2016	16894	4	1	01	4	2	0	94726
2	040/00	00	EB	2.810	0.020	2.830	5	2	3	3	16	1	91	11	26	26	0	2016	27992	4	1	01	4	2	0	94726
2	040/00	00	EB	2.830	0.020	2.850	5	2	2	3	14	1	93	11	26	26	0	2016	27992	4	1	01	4	2	1	94726
2	040/00	00	EB	2.850	0.590	3.440	5	2	2	3	14	1	91	11	26	26	0	2016	27992	4	1	01	4	2	1	94726
2	040/00	00	EB	3.440	0.320	3.760	5	2	3	3	16	1	76	11	33	33	0	2016	11361	2	1	01	4	2	0	94726
2	040/00	00	EB	3.760	0.150	3.910	5	2	3	3	16	1	76	11	40	40	0	2016	11361	2	1	01	4	2	0	94726
2	040/00	00	EB	3.910	0.150	4.060	5	2	3	3	16	1	91	11	20	20	0	2016	11361	4	1	01	4	2	0	94726
2	040/00	00	EB	4.060	0.170	4.230	5	2	3	3	16	1	91	11	40	40	0	2016	11361	2	1	01	4	2	0	94726
2	040/00	00	EB	4.230	0.050	4.280	5	2	3	3	16	1	01	11	40	40	0	2016	11361	2	1	01	4	2	0	94726
2	040/00	00	EB	4.280	0.040	4.320	5	2	3	3	16	1	01	11	54	54	0	2016	10160	2	1	01	4	2	0	94726
2	040/00	00	EB	4.320	1.010	5.330	5	2	3	3	16	1	01	11	27	27	0	2016	10160	4	1	01	4	2	0	94726
2	040/00	00	EB	5.330	0.840	6.170	5	2	3	3	16	1	01	11	23	23	0	2016	10160	4	1	01	4	2	0	94726
2	040/00	00	EB	6.170	0.160	6.330	5	2	3	3	16	1	91	11	23	23	0	2016	15112	4	1	01	4	2	0	94726
2	040/00	00	EB	6.330	0.250	6.580	5	2	3	3	16	1	91	11	30	30	0	2016	16478	3	1	01	4	2	0	94726
2	040/00	00	EB	6.580	0.070	6.650	5	2	3	3	16	1	91	11	24	24	0	2016	16478	3	1	01	4	2	0	94726
2	040/00	00	EB	6.650	0.040	6.690	5	2	3	3	16	1	76	11	24	24	0	2016	16478	3	1	01	4	2	0	94726
2	040/00	00	EB	6.690	0.010	6.700	5	2	3	3	16	1	91	11	23	23	0	2016	16478	4	1	01	4	2	0	94726
2	040/00	00	EB	6.700	0.070	6.770	5	2	3	3	16	1	91	12	26	26	0	2016	16478	4	1	01	4	2	0	94726
2	040/00	00	EB	6.770	0.330	7.100	5	2	3	3	16	1	91	12	26	26	0	2016	16478	4	1	01	2	2	0	94726
2	040/00	00	EB	7.100	0.340	7.440	5	2	3	3	16	1	91	11	20	20	0	2016	16478	4	1	01	2	2	0	94726
2	040/00	00	EB	7.440	0.080	7.520	5	2	3	3	16	1	96	11	30	79	0	2016	16478	2	1	01	2	2	0	94726
2	040/00	00	EB	7.520	0.070	7.590	5	2	3	3	16	1	81	12	30	30	0	2016	16478	2	1	01	2	2	0	94726

## 2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS

PLANNING DIVISION

### OHIO COUNTY - (35)

Page 69 of 94

SIGN	ROUTE	SUPP	DIRECT	BEG	END		WV			NAT	ACC	YEAR	SURF	PAV	GRADE	MED	AADT	LANES	REV	SPEC	TRK	FAC	URB			
		DSG	SURV	MP	LENGTH	MP	MUN	URB	FAS	FUN	FUNC	CONT	CHNG	TYPE	WIDTH	WIDTH	WIDTH		YR	LANES	SYS	RT		TYPE	CODE	
2	040/00	00	EB	7.590	0.023	7.613	5	2	3	3	16	1	81	11	30	49	0	2016	9161	2	1	01	2	2	0	94726
2	040/00	00	EB	7.613	0.023	7.636	0	2	3	3	16	1	81	11	30	49	0	2016	9161	2	1	01	2	2	0	94726
2	040/00	00	EB	7.636	0.424	8.060	1	2	3	3	16	1	81	11	30	49	0	2016	9161	2	1	01	2	2	0	94726
2	040/00	00	EB	8.060	0.200	8.260	1	2	3	3	16	1	76	11	30	49	0	2016	6188	2	1	01	2	2	0	94726
2	040/00	00	EB	8.260	0.620	8.880	1	2	3	3	16	1	76	11	42	42	0	2016	6188	2	1	01	2	2	0	94726
2	040/00	00	EB	8.880	0.220	9.100	1	2	3	3	16	1	76	11	30	40	0	2016	6188	2	1	01	2	2	0	94726
2	040/00	00	EB	9.100	0.020	9.120	1	2	3	3	16	1	76	11	30	30	0	2016	6188	2	1	01	2	2	0	94726
2	040/00	00	EB	9.120	0.080	9.200	1	2	3	3	16	1	76	11	30	40	0	2016	6188	2	1	01	2	2	0	94726
2	040/00	00	EB	9.200	0.070	9.270	1	2	3	3	16	1	91	11	20	25	0	2016	6188	3	1	01	2	2	0	94726
2	040/00	00	EB	9.270	0.370	9.640	1	2	3	3	16	1	91	11	20	25	0	2016	3544	3	1	01	2	2	0	94726
2	040/00	00	EB	9.640	0.009	9.649	1	2	3	3	16	1	76	11	30	30	0	2016	3544	2	1	01	2	2	0	94726
2	040/00	00	EB	9.649	0.001	9.650	0	2	3	3	16	1	76	11	30	30	0	2016	3544	2	1	01	2	2	0	94726
2	040/00	00	EB	9.650	0.610	10.260	0	2	3	3	16	1	91	11	20	30	0	2016	3544	3	1	01	2	2	0	94726
2	040/00	00	EB	10.260	0.100	10.360	0	2	3	3	16	1	80	11	23	23	0	2016	3544	2	1	01	2	2	0	94726
2	040/00	00	EB	10.360	0.300	10.660	0	2	3	3	17	1	07	11	23	23	0	2016	3859	2	1	01	4	2	0	94726
2	040/00	00	EB	10.660	0.010	10.670	0	2	3	3	17	1	72	11	23	23	0	2016	3859	2	1	01	2	2	0	94726
2	040/00	00	EB	10.670	0.177	10.847	0	2	3	3	17	1	72	11	24	44	0	2016	3859	2	1	01	2	2	0	94726
2	040/00	00	EB	10.847	0.273	11.120	0	0	3	3	7	1	72	11	24	44	0	2016	3859	2	1	01	2	2	0	99999
2	040/00	00	EB	11.120	0.020	11.140	0	0	3	3	7	1	72	11	22	22	0	2016	3859	2	1	01	2	2	0	99999
2	040/00	00	EB	11.140	0.190	11.330	0	0	3	3	7	1	72	11	24	44	0	2016	3859	2	1	01	2	2	0	99999
2	040/00	00	EB	11.330	0.010	11.340	0	0	3	3	7	1	72	11	22	22	0	2016	3859	2	1	01	2	2	0	99999
2	040/00	00	EB	11.340	0.150	11.490	0	0	3	3	7	1	72	11	24	44	0	2016	3859	2	1	01	2	2	0	99999
2	040/00	00	EB	11.490	0.010	11.500	0	0	3	3	7	1	89	11	24	44	0	2016	3859	2	1	01	4	2	0	99999
2	040/00	00	EB	11.500	0.216	11.716	0	0	3	3	7	1	72	11	24	34	0	2016	3859	2	1	01	4	2	0	99999
2	040/00	00	EB	11.716	0.544	12.260	1	0	3	3	7	1	72	11	24	34	0	2016	3859	2	1	01	4	2	0	99999
2	040/00	00	EB	12.260	0.010	12.270	1	0	3	3	7	1	72	11	39	39	0	2016	3859	2	1	01	4	2	0	99999
2	040/00	00	EB	12.270	0.300	12.570	1	0	3	3	7	1	91	11	20	30	0	2016	3859	3	1	01	4	2	0	99999
2	040/00	00	EB	12.570	0.200	12.770	1	0	3	3	7	1	91	11	30	47	0	2016	3859	2	1	01	4	2	0	99999
2	040/00	00	EB	12.770	0.260	13.030	1	0	3	3	7	1	91	11	20	30	0	2016	3859	3	1	01	4	2	0	99999
2	040/00	00	EB	13.030	0.160	13.190	1	0	3	3	7	1	72	11	30	46	0	2016	3859	2	1	01	4	2	0	99999
2	040/00	00	EB	13.190	0.010	13.200	1	0	3	3	7	1	72	11	30	30	0	2016	3859	2	1	01	4	2	0	99999
2	040/00	00	EB	13.200	0.020	13.220	1	0	3	3	7	1	00	11	30	46	0	2016	3859	2	1	01	4	2	0	99999
2	040/00	00	EB	13.220	0.480	13.700	1	0	3	3	7	1	00	11	20	30	0	2016	1296	3	1	01	4	2	0	99999
2	040/00	00	EB	13.700	0.240	13.940	1	0	3	3	7	1	00	11	30	46	0	2016	1296	2	1	01	4	2	0	99999
2	040/00	00	EB	13.940	0.010	13.950	1	0	3	3	7	1	00	11	30	30	0	2016	1296	2	1	01	4	2	0	99999
2	040/00	00	EB	13.950	0.160	14.110	1	0	3	3	7	1	00	11	30	46	0	2016	1296	2	1	01	4	2	0	99999
2	040/00	00	EB	14.110	0.378	14.488	1	0	3	3	7	1	00	11	22	40	0	2016	1296	2	1	01	4	2	0	99999
2	040/00	00	EB	14.488	0.002	14.490	0	0	3	3	7	1	00	11	22	40	0	2016	1296	2	1	01	4	2	0	99999
2	040/00	00	EB	14.490	0.010	14.500	0	0	3	3	7	1	00	11	45	45	0	2016	1296	2	1	01	4	2	0	99999
2	040/00	00	EB	14.500	1.620	16.120	0	0	3	3	7	1	00	11	22	40	0	2016	1296	2	1	01	4	2	0	99999

2016 ROAD INVENTORY LOG - US Routes

WV DOT - HIGHWAYS  
PLANNING DIVISION

OHIO COUNTY - (35)

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	LENGTH	END MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	URB CODE			
<b>ROUTE TOTAL:</b>					<b>15.920</b>																							
2	040/00	03	00	0.000	0.080	0.080	5	2	2	4	14	1	95	11	38	38	0	2016	11760	2	1	01	4	2	1	94726		
<b>ROUTE TOTAL:</b>					<b>0.080</b>																							
2	040/00	07	WB	0.000	0.060	0.060	5	2	2	1	14	1	84	11	44	44	0	2016	2515	2	1	20	4	1	1	94726		
2	040/00	07	WB	0.060	0.170	0.230	5	2	2	1	14	1	84	11	50	50	0	2016	2515	2	1	01	4	1	1	94726		
2	040/00	07	WB	0.230	0.020	0.250	5	2	2	1	14	1	95	11	28	28	0	2016	2515	2	1	01	4	1	1	94726		
2	040/00	07	WB	0.250	0.030	0.280	5	2	2	1	14	1	95	11	28	28	0	2016	2515	2	1	01	4	2	1	94726		
2	040/00	07	WB	0.480	0.100	0.580	5	2	3	1	16	1	95	11	28	28	0	2016	8173	2	1	01	4	1	0	94726		
<b>ROUTE TOTAL:</b>					<b>0.380</b>																							
2	250/00	00	NB	0.000	0.940	0.940	5	2	2	1	14	7	95	11	26	38	3	2016	23973	4	1	20	2	2	1	94726		
2	250/00	00	NB	0.940	0.060	1.000	5	2	2	1	14	7	84	12	26	38	8	2016	23973	4	1	20	2	2	1	94726		
2	250/00	00	NB	1.000	0.900	1.900	5	2	2	1	14	7	84	12	26	38	3	2016	23973	4	1	20	2	2	1	94726		
2	250/00	00	NB	1.900	1.030	2.930	5	2	2	1	12	7	93	12	26	38	2	2016	15036	4	1	20	2	2	1	94726		
2	250/00	00	NB	2.930	0.330	3.260	5	2	2	1	12	7	95	11	16	28	0	2016	8940	1	1	20	2	1	1	94726		
<b>ROUTE TOTAL:</b>					<b>3.260</b>																							
2	250/00	05	SB	0.000	0.360	0.360	5	2	2	1	12	7	84	12	31	31	4	2016	1838	1	1	01	4	1	1	94726		
<b>ROUTE TOTAL:</b>					<b>0.360</b>																							
2	250/00	09	NB	0.000	0.680	0.680	5	2	2	1	12	4	84	12	24	30	0	2016	4622	2	1	01	4	1	1	94726		
<b>ROUTE TOTAL:</b>					<b>0.680</b>																							
2	250/00	10	SB	0.000	0.640	0.640	5	2	2	1	12	4	84	12	22	30	0	2016	4870	2	1	01	4	1	1	94726		
<b>ROUTE TOTAL:</b>					<b>0.640</b>																							

Ohio County TOTAL for the PRIMARY DIRECTION: 21.320

2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS  
PLANNING DIVISION

PENDLETON COUNTY - (36)

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	END LENGTH MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	URB CODE			
2	033/00	00	EB	0.000	0.140	0.140	0	0	3	2	6	1	99	11	20	30	0	2016	1730	2	1	01	4	2	0	99999	
2	033/00	00	EB	0.140	0.690	0.830	0	0	3	2	6	1	99	11	20	30	0	2016	1730	3	1	01	4	2	0	99999	
2	033/00	00	EB	0.830	2.410	3.240	0	0	3	2	6	1	99	11	20	30	0	2016	1730	2	1	01	4	2	0	99999	
2	033/00	00	EB	3.240	2.240	5.480	0	0	3	2	6	1	99	11	22	30	0	2016	1730	2	1	01	4	2	0	99999	
2	033/00	00	EB	5.480	0.010	5.490	0	0	3	2	6	1	99	11	30	30	0	2016	1730	2	1	01	4	2	0	99999	
2	033/00	00	EB	5.490	0.430	5.920	0	0	3	2	6	1	99	11	22	30	0	2016	1730	2	1	01	4	2	0	99999	
2	033/00	00	EB	5.920	0.020	5.940	0	0	3	2	6	1	99	11	24	24	0	2016	1730	2	1	01	4	2	0	99999	
2	033/00	00	EB	5.940	0.220	6.160	0	0	3	2	6	1	99	11	22	30	0	2016	1730	2	1	01	4	2	0	99999	
2	033/00	00	EB	6.160	0.020	6.180	0	0	3	2	6	1	99	11	30	30	0	2016	1730	2	1	01	4	2	0	99999	
2	033/00	00	EB	6.180	2.230	8.410	0	0	3	2	6	1	99	11	22	30	0	2016	1730	2	1	01	4	2	0	99999	
2	033/00	00	EB	8.410	5.680	14.090	0	0	3	2	6	1	99	11	18	30	0	2016	2827	2	1	01	4	2	0	99999	
2	033/00	00	EB	14.090	2.940	17.030	0	0	3	2	6	1	99	11	18	30	0	2016	2154	2	1	01	4	2	0	99999	
2	033/00	00	EB	17.030	2.000	19.030	0	0	3	2	6	1	99	11	18	30	0	2016	1560	2	1	01	4	2	0	99999	
2	033/00	00	EB	19.030	0.180	19.210	0	0	3	2	6	1	99	11	22	38	0	2016	1560	2	1	01	4	2	0	99999	
2	033/00	00	EB	19.210	0.040	19.250	0	0	3	2	6	1	99	11	28	28	0	2016	1560	2	1	01	4	2	0	99999	
2	033/00	00	EB	19.250	0.030	19.280	0	0	3	2	6	1	99	11	22	38	0	2016	1560	2	1	01	4	2	0	99999	
2	033/00	00	EB	19.280	4.940	24.220	0	0	3	2	6	1	99	11	22	38	0	2016	1156	2	1	01	4	2	0	99999	
2	033/00	00	EB	24.220	5.070	29.290	0	0	3	2	6	1	99	11	22	38	0	2016	1323	2	1	01	4	2	0	99999	
2	033/00	00	EB	29.290	2.950	32.240	0	0	3	2	6	1	99	11	22	38	0	2016	1534	2	1	01	4	2	0	99999	
2	033/00	00	EB	32.240	0.026	32.266	0	0	3	2	6	1	99	11	22	38	0	2016	2374	2	1	01	4	2	0	99999	
2	033/00	00	EB	32.266	0.254	32.520	1	0	3	2	6	1	99	11	22	38	0	2016	2374	2	1	01	4	2	0	99999	
2	033/00	00	EB	32.520	0.280	32.800	1	0	3	2	6	1	99	11	30	30	0	2016	2374	2	1	01	4	2	0	99999	
2	033/00	00	EB	32.800	0.410	33.210	1	0	3	2	6	1	99	11	22	30	0	2016	2374	2	1	01	4	2	0	99999	
2	033/00	00	EB	33.210	0.033	33.243	1	0	3	2	6	1	99	11	19	34	0	2016	2374	2	1	01	4	2	0	99999	
2	033/00	00	EB	33.243	0.607	33.850	0	0	3	2	6	1	99	11	19	34	0	2016	2374	2	1	01	4	2	0	99999	
2	033/00	00	EB	33.850	0.050	33.900	0	0	3	2	6	1	99	11	24	24	0	2016	2374	2	1	01	4	2	0	99999	
2	033/00	00	EB	33.900	3.620	37.520	0	0	3	2	6	1	99	11	19	34	0	2016	2374	2	1	01	4	2	0	99999	
2	033/00	00	EB	37.520	0.010	37.530	0	0	3	2	6	1	99	12	24	24	0	2016	2213	2	1	01	4	2	0	99999	
2	033/00	00	EB	37.530	3.170	40.700	0	0	3	2	6	1	99	11	19	34	0	2016	2213	2	1	01	4	2	0	99999	
2	033/00	00	EB	40.700	0.640	41.340	0	0	3	2	6	1	99	11	24	36	0	2016	2213	2	1	01	4	2	0	99999	
2	033/00	00	EB	41.340	1.430	42.770	0	0	3	2	6	1	99	11	19	34	0	2016	2213	2	1	01	4	2	0	99999	
2	033/00	00	EB	42.770	0.640	43.410	0	0	3	2	6	1	99	11	24	36	0	2016	2213	2	1	01	4	2	0	99999	
2	033/00	00	EB	43.410	0.690	44.100	0	0	3	2	6	1	99	11	19	34	0	2016	2213	2	1	01	4	2	0	99999	
2	033/00	00	EB	44.100	0.030	44.130	0	0	3	2	6	1	99	11	24	24	0	2016	2213	2	1	01	4	2	0	99999	
2	033/00	00	EB	44.130	4.040	48.170	0	0	3	2	6	1	99	11	19	34	0	2016	2213	2	1	01	4	2	0	99999	
2	033/00	00	EB	48.170	3.430	51.600	0	0	3	2	6	1	99	11	19	34	0	2016	2310	2	1	01	4	2	0	99999	
<b>ROUTE TOTAL:</b>				<b>51.600</b>																							
2	220/00	00	NB	0.000	4.810	4.810	0	0	3	3	6	1	99	11	18	28	0	2016	583	2	1	01	4	2	0	99999	
2	220/00	00	NB	4.810	4.890	9.700	0	0	3	3	6	1	99	11	18	28	0	2016	740	2	1	01	4	2	0	99999	

2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS  
PLANNING DIVISION

PENDLETON COUNTY - (36)

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	LENGTH	END MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	URB CODE	
2	220/00	00	NB	9.700	3.100	12.800	0	0	3	3	6	1	99	11	18	28	0	2016	948	2	1	01	4	2	0	99999
2	220/00	00	NB	12.800	1.771	14.571	0	0	3	3	6	1	99	11	18	28	0	2016	1498	2	1	01	4	2	0	99999
2	220/00	00	NB	14.571	0.169	14.740	1	0	3	3	6	1	99	11	18	28	0	2016	1498	2	1	01	4	2	0	99999
2	220/00	00	NB	14.740	0.510	15.250	1	0	3	3	6	1	99	11	34	34	0	2016	5810	2	1	01	4	2	0	99999
2	220/00	00	NB	15.810	2.950	18.760	0	0	3	3	7	1	99	11	20	28	0	2016	2025	2	1	01	4	2	0	99999
2	220/00	00	NB	18.760	1.660	20.420	0	0	3	3	7	1	99	11	22	30	0	2016	2025	2	1	01	4	2	0	99999
2	220/00	00	NB	20.420	0.480	20.900	0	0	3	3	7	1	99	11	22	30	0	2016	1448	2	1	01	4	2	0	99999
2	220/00	00	NB	20.900	5.240	26.140	0	0	3	3	7	1	99	11	20	28	0	2016	1448	2	1	01	4	2	0	99999
2	220/00	00	NB	26.140	1.410	27.550	0	0	3	3	7	1	99	11	20	28	0	2016	1503	2	1	01	4	2	0	99999
2	220/00	00	NB	27.550	0.040	27.590	0	0	3	3	7	1	99	11	18	18	0	2016	1503	2	1	01	4	2	0	99999
2	220/00	00	NB	27.590	2.920	30.510	0	0	3	3	7	1	99	11	20	28	0	2016	1503	2	1	01	4	2	0	99999
2	220/00	00	NB	30.510	1.680	32.190	0	0	3	3	7	1	99	11	20	28	0	2016	1366	2	1	01	4	2	0	99999
2	220/00	00	NB	32.190	0.130	32.320	0	0	3	3	7	1	99	11	24	44	0	2016	1366	2	1	01	4	2	0	99999
2	220/00	00	NB	32.320	0.050	32.370	0	0	3	3	7	1	99	11	26	26	0	2016	1366	2	1	01	4	2	0	99999
2	220/00	00	NB	32.370	0.990	33.360	0	0	3	3	7	1	99	11	24	44	0	2016	1366	2	1	01	4	2	0	99999

ROUTE TOTAL: 32.800

Pendleton County TOTAL for the PRIMARY DIRECTION: 84.400

2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS  
PLANNING DIVISION

POCAHONTAS COUNTY - (38)

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	END LENGTH MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	URB CODE			
2	219/00	00	NB	0.000	3.690	3.690	0	0	2	3	2	1	75	11	18	30	0	2016	1365	2	1	01	4	2	1	99999	
2	219/00	00	NB	3.690	0.680	4.370	0	0	2	3	2	1	75	11	18	30	0	2016	881	2	1	01	4	2	1	99999	
2	219/00	00	NB	4.370	1.640	6.010	0	0	2	3	2	1	70	11	18	30	0	2016	881	2	1	01	4	2	1	99999	
2	219/00	00	NB	6.010	1.112	7.122	0	0	2	3	2	1	79	11	20	28	0	2016	1566	2	1	01	4	2	1	99999	
2	219/00	00	NB	7.122	0.238	7.360	1	0	2	3	2	1	79	11	20	28	0	2016	1566	2	1	01	4	2	1	99999	
2	219/00	00	NB	7.360	0.090	7.450	1	0	2	3	2	1	70	11	32	32	0	2016	1566	2	1	01	4	2	1	99999	
2	219/00	00	NB	7.450	0.300	7.750	1	0	2	3	2	1	70	11	32	32	0	2016	1483	2	1	01	4	2	1	99999	
2	219/00	00	NB	7.750	0.057	7.807	1	0	2	3	2	1	70	11	18	28	0	2016	1483	2	1	01	4	2	1	99999	
2	219/00	00	NB	7.807	2.013	9.820	0	0	2	3	2	1	70	11	18	28	0	2016	1483	2	1	01	4	2	1	99999	
2	219/00	00	NB	9.820	0.010	9.830	0	0	2	3	2	1	70	11	24	24	0	2016	1483	2	1	01	4	2	1	99999	
2	219/00	00	NB	9.830	0.130	9.960	0	0	2	3	2	1	70	11	18	28	0	2016	1483	2	1	01	4	2	1	99999	
2	219/00	00	NB	9.960	4.190	14.150	0	0	2	2	2	1	85	11	20	26	0	2016	1825	2	1	01	4	2	1	99999	
2	219/00	00	NB	14.150	0.590	14.740	0	0	2	2	2	1	85	11	20	26	0	2016	2057	2	1	01	4	2	1	99999	
2	219/00	00	NB	14.740	0.020	14.760	0	0	2	2	2	1	85	11	29	29	0	2016	2057	2	1	01	4	2	1	99999	
2	219/00	00	NB	14.760	0.307	15.067	0	0	2	2	2	1	85	11	24	30	0	2016	2057	2	1	01	4	2	1	99999	
2	219/00	00	NB	15.067	0.103	15.170	1	0	2	2	2	1	85	11	24	30	0	2016	2057	2	1	01	4	2	1	99999	
2	219/00	00	NB	15.170	1.030	16.200	1	0	2	2	2	1	85	11	20	30	0	2016	2057	2	1	01	4	2	1	99999	
2	219/00	00	NB	16.200	1.670	17.870	1	0	2	2	2	1	85	11	20	30	0	2016	2776	2	1	01	4	2	1	99999	
2	219/00	00	NB	17.870	0.090	17.960	1	0	2	2	2	1	89	11	20	30	0	2016	2776	2	1	01	4	2	1	99999	
2	219/00	00	NB	17.960	0.310	18.270	1	0	2	2	2	1	85	11	20	30	0	2016	5079	2	1	01	4	2	1	99999	
2	219/00	00	NB	18.270	1.260	19.530	1	0	2	2	2	1	00	11	20	30	0	2016	5079	2	1	01	4	2	1	99999	
2	219/00	00	NB	19.530	0.010	19.540	1	0	2	2	2	1	85	11	20	20	0	2016	2127	2	1	01	4	2	1	99999	
2	219/00	00	NB	19.540	0.040	19.580	1	0	2	2	2	1	85	11	20	30	0	2016	2127	2	1	01	4	2	1	99999	
2	219/00	00	NB	19.580	0.518	20.098	1	0	2	2	2	1	85	11	20	30	0	2016	825	2	1	01	4	2	1	99999	
2	219/00	00	NB	20.098	0.031	20.129	0	0	2	2	2	1	85	11	20	30	0	2016	825	2	1	01	4	2	1	99999	
2	219/00	00	NB	20.129	0.006	20.135	1	0	2	2	2	1	85	11	20	30	0	2016	825	2	1	01	4	2	1	99999	
2	219/00	00	NB	20.135	0.043	20.178	0	0	2	2	2	1	85	11	20	30	0	2016	825	2	1	01	4	2	1	99999	
2	219/00	00	NB	20.178	1.764	21.942	1	0	2	2	2	1	85	11	20	30	0	2016	825	2	1	01	4	2	1	99999	
2	219/00	00	NB	21.942	0.448	22.390	0	0	2	2	2	1	85	11	20	30	0	2016	825	2	1	01	4	2	1	99999	
2	219/00	00	NB	22.390	1.170	23.560	0	0	2	2	2	1	96	11	24	26	0	2016	825	3	1	01	4	2	1	99999	
2	219/00	00	NB	23.560	1.780	25.340	0	0	2	2	2	1	98	11	20	30	0	2016	825	2	1	01	4	2	1	99999	
2	219/00	00	NB	25.340	9.130	34.470	0	0	2	2	2	1	97	11	22	30	0	2016	1733	2	1	01	4	2	1	99999	
2	219/00	00	NB	34.470	0.310	34.780	0	0	2	2	2	1	92	11	22	30	0	2016	881	2	1	01	4	2	1	99999	
2	219/00	00	NB	34.780	0.010	34.790	0	0	2	2	2	1	85	11	24	24	0	2016	881	2	1	01	4	2	1	99999	
2	219/00	00	NB	34.790	3.100	37.890	0	0	2	2	2	1	92	11	22	30	0	2016	881	2	1	01	4	2	1	99999	
2	219/00	00	NB	37.890	4.390	42.280	0	0	2	2	2	1	85	11	20	30	0	2016	1013	2	1	01	4	2	1	99999	
<b>ROUTE TOTAL:</b>				<b>42.280</b>																							
2	250/00	00	NB	0.000	5.000	5.000	0	0	3	3	6	1	85	11	22	32	0	2016	349	2	1	01	4	2	0	99999	
2	250/00	00	NB	5.000	0.010	5.010	0	0	3	3	6	1	04	11	22	31	0	2016	349	2	1	01	4	2	0	99999	

2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS  
PLANNING DIVISION

POCAHONTAS COUNTY - (38)

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	LENGTH	END MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	URB CODE	
2	250/00	00	NB	5.010	1.990	7.000	0	0	3	3	6	1	85	11	18	32	0	2016	349	2	1	01	4	2	0	99999
2	250/00	00	NB	7.000	2.200	9.200	0	0	3	3	6	1	85	11	18	32	0	2016	850	2	1	01	4	2	0	99999
2	250/00	00	NB	9.200	0.030	9.230	0	0	3	3	6	1	85	11	22	28	0	2016	1996	2	1	01	4	2	0	99999
2	250/00	00	NB	9.230	0.020	9.250	0	0	3	3	6	1	85	11	18	18	0	2016	1996	2	1	01	4	2	0	99999
2	250/00	00	NB	9.250	2.620	11.870	0	0	3	3	6	1	85	11	22	28	0	2016	1996	2	1	01	4	2	0	99999
2	250/00	00	NB	11.870	0.118	11.988	0	0	3	3	6	1	90	11	22	28	0	2016	1996	2	1	01	4	2	0	99999
2	250/00	00	NB	11.988	0.082	12.070	1	0	3	3	6	1	90	11	22	28	0	2016	1996	2	1	01	4	2	0	99999
2	250/00	00	NB	12.070	0.230	12.300	1	0	3	3	6	1	85	11	41	41	0	2016	1996	2	1	01	4	2	0	99999
2	250/00	00	NB	12.300	0.601	12.901	1	0	3	3	6	1	85	11	22	34	0	2016	1996	2	1	01	4	2	0	99999
2	250/00	00	NB	12.901	0.229	13.130	0	0	3	3	6	1	85	11	22	34	0	2016	1996	2	1	01	4	2	0	99999
2	250/00	00	NB	13.130	0.020	13.150	0	0	3	3	6	1	85	11	22	34	0	2016	1285	2	1	01	4	2	0	99999
2	250/00	00	NB	13.150	0.050	13.200	0	0	3	3	6	1	85	11	28	28	0	2016	1285	2	1	01	4	2	0	99999
2	250/00	00	NB	13.200	1.330	14.530	0	0	3	3	6	1	85	11	22	34	0	2016	1285	2	1	01	4	2	0	99999
2	250/00	00	NB	14.530	0.140	14.670	0	0	3	3	6	1	85	11	22	34	0	2016	1211	2	1	01	4	2	0	99999
2	250/00	00	NB	14.670	2.270	16.940	0	0	3	3	6	1	85	11	22	28	0	2016	1211	2	1	01	4	2	0	99999

ROUTE TOTAL: 16.940

Pocahontas County TOTAL for the PRIMARY DIRECTION: 59.220

## 2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS  
PLANNING DIVISION

### PRESTON COUNTY - (39)

Page 75 of 94

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	LENGTH	END MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	URB CODE		
2	050/00	00	EB	0.000	1.790	1.790	0	0	3	2	6	1	72	11	22	30	0	2016	2415	2	1	01	4	2	0	99999	
2	050/00	00	EB	1.790	2.580	4.370	0	0	3	2	6	1	85	11	22	30	0	2016	2415	2	1	01	4	2	0	99999	
2	050/00	00	EB	4.370	0.040	4.410	0	0	3	2	6	1	71	11	22	30	0	2016	2415	2	1	01	4	2	0	99999	
2	050/00	00	EB	4.410	4.650	9.060	0	0	3	2	6	1	70	11	22	28	0	2016	1656	2	1	01	4	2	0	99999	
2	050/00	00	EB	9.060	0.200	9.260	0	0	3	2	6	1	70	11	22	28	0	2016	1134	2	1	01	4	2	0	99999	
2	050/00	00	EB	9.260	3.460	12.720	0	0	3	2	6	1	73	11	18	28	0	2016	1134	2	1	01	4	2	0	99999	
2	050/00	00	EB	12.720	0.010	12.730	0	0	3	2	6	1	73	11	20	20	0	2016	1134	2	1	01	4	2	0	99999	
2	050/00	00	EB	12.730	0.670	13.400	0	0	3	2	6	1	73	11	18	28	0	2016	1173	2	1	01	4	2	0	99999	
2	050/00	00	EB	13.400	0.750	14.150	0	0	3	2	6	1	73	11	22	42	0	2016	1173	2	1	01	4	2	0	99999	
2	050/00	00	EB	14.150	0.030	14.180	0	0	3	2	6	1	73	11	28	28	0	2016	1003	2	1	01	4	2	0	99999	
2	050/00	00	EB	14.180	0.150	14.330	0	0	3	2	6	1	73	11	22	42	0	2016	1003	2	1	01	4	2	0	99999	
2	050/00	00	EB	14.330	1.790	16.120	0	0	3	2	6	1	73	11	18	28	0	2016	1003	2	1	01	4	2	0	99999	
2	050/00	00	EB	16.120	0.080	16.200	0	0	3	2	6	1	69	11	30	30	0	2016	1003	2	1	01	4	2	0	99999	
2	050/00	00	EB	16.200	2.500	18.700	0	0	3	2	6	1	77	11	18	28	0	2016	1003	2	1	01	4	2	0	99999	
2	050/00	00	EB	18.700	0.010	18.710	0	0	3	2	6	1	69	11	24	24	0	2016	1003	2	1	01	4	2	0	99999	
2	050/00	00	EB	18.710	0.090	18.800	0	0	3	2	6	1	73	11	18	28	0	2016	1003	2	1	01	4	2	0	99999	
2	050/00	00	EB	18.800	4.700	23.500	0	0	3	2	6	1	73	11	18	28	0	2016	862	2	1	01	4	2	0	99999	
2	050/00	00	EB	23.500	0.700	24.200	0	0	3	2	6	1	72	11	18	28	0	2016	1523	2	1	01	4	2	0	99999	
2	050/00	00	EB	24.200	1.490	25.690	0	0	3	2	6	1	69	11	18	28	0	2016	1523	2	1	01	4	2	0	99999	
2	050/00	00	EB	25.690	2.480	28.170	0	0	3	2	6	1	69	11	18	28	0	2016	1405	2	1	01	4	2	0	99999	
<b>ROUTE TOTAL:</b>				<b>28.170</b>																							
2	219/00	00	NB	0.000	3.310	3.310	0	0	2	3	2	1	85	11	20	32	0	2016	1327	2	1	01	4	2	1	99999	
2	219/00	00	NB	3.310	1.450	4.760	0	0	2	4	2	1	73	11	20	32	0	2016	1377	2	1	01	4	2	1	99999	
<b>ROUTE TOTAL:</b>				<b>4.760</b>																							

**Preston County TOTAL for the PRIMARY DIRECTION: 32.930**

## 2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS  
PLANNING DIVISION

### PUTNAM COUNTY - (40)

Page 76 of 94

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	END MP	LENGTH	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	URB CODE	
2	035/00	00	NB	0.000	0.050	0.050	0	2	2	2	14	4	10	11	24	38	38	2016	12962	4	1	01	2	2	1	40753
2	035/00	00	NB	0.050	2.010	2.060	0	2	2	2	14	4	10	11	24	48	38	2016	14758	4	1	01	2	2	1	40753
2	035/00	00	NB	2.060	0.040	2.100	0	2	2	2	14	4	10	11	24	38	38	2016	14758	4	1	01	2	2	1	40753
2	035/00	00	NB	2.100	0.140	2.240	0	2	2	2	14	4	10	11	24	38	38	2016	18045	4	1	01	2	2	1	40753
2	035/00	00	NB	2.240	0.289	2.529	0	2	2	2	14	4	10	11	24	48	38	2016	18045	4	1	01	2	2	1	40753
2	035/00	00	NB	2.529	0.003	2.532	0	2	2	2	14	4	10	11	24	48	38	2016	18045	4	1	01	2	2	1	40753
2	035/00	00	NB	2.532	1.568	4.100	0	0	2	2	2	4	10	11	24	48	38	2016	18045	4	1	01	2	2	1	99999
2	035/00	00	NB	4.100	4.710	8.810	0	0	2	2	2	4	10	11	24	48	38	2016	15208	4	1	01	2	2	1	99999
2	035/00	00	NB	8.810	2.120	10.930	0	0	2	2	2	4	10	11	24	48	38	2016	17410	4	1	01	2	2	1	99999
2	035/00	00	NB	10.930	0.665	11.595	0	0	2	2	2	4	10	11	24	48	38	2016	14233	4	1	01	2	2	1	99999
2	035/00	00	NB	11.595	0.585	12.180	0	0	2	2	2	4	10	11	24	48	0	2016	14233	2	1	01	2	2	1	99999
2	035/00	00	NB	12.180	0.370	12.550	0	0	2	2	2	4	10	11	20	38	0	2016	6099	2	1	01	2	2	1	99999
2	035/00	00	NB	12.550	0.270	12.820	0	0	2	2	2	4	10	11	20	38	0	2016	12072	2	1	01	2	2	1	99999
2	035/00	00	NB	12.820	0.500	13.320	0	0	2	2	2	4	10	11	22	22	0	2016	12072	2	1	01	2	2	1	99999
2	035/00	00	NB	13.320	4.520	17.840	0	0	2	2	2	4	10	11	20	38	0	2016	12072	2	1	01	2	2	1	99999
				<b>ROUTE TOTAL:</b>	<b>17.840</b>																					
2	035/00	03	NB	0.000	0.200	0.200	0	2	3	2	16	1	10	11	22	48	38	2016	12657	4	1	01	2	2	0	40753
				<b>ROUTE TOTAL:</b>	<b>0.200</b>																					
2	060/00	00	EB	0.000	0.005	0.005	0	2	3	3	16	1	73	11	20	30	0	2016	8377	2	1	01	4	2	0	40753
2	060/00	00	EB	0.005	0.025	0.030	3	2	3	3	16	1	73	11	20	30	0	2016	8377	2	1	01	4	2	0	40753
2	060/00	00	EB	0.030	0.030	0.060	3	2	3	3	16	1	80	11	40	40	0	2016	8377	2	1	01	4	2	0	40753
2	060/00	00	EB	0.060	0.220	0.280	3	2	3	3	16	1	73	11	20	30	0	2016	8377	2	1	01	4	2	0	40753
2	060/00	00	EB	0.280	0.370	0.650	3	2	3	3	16	1	73	11	26	36	0	2016	8377	2	1	01	4	2	0	40753
2	060/00	00	EB	0.650	1.180	1.830	3	2	3	3	16	1	73	11	26	36	0	2016	5367	2	1	01	4	2	0	40753
2	060/00	00	EB	1.830	0.010	1.840	3	2	3	3	16	1	73	11	30	30	0	2016	5367	2	1	01	4	2	0	40753
2	060/00	00	EB	1.840	0.100	1.940	3	2	3	3	16	1	73	11	26	36	0	2016	5367	2	1	01	4	2	0	40753
2	060/00	00	EB	1.940	1.978	3.918	3	2	3	3	16	1	69	11	26	36	0	2016	5106	2	1	01	4	2	0	40753
2	060/00	00	EB	3.918	0.133	4.051	0	2	3	3	16	1	69	11	26	36	0	2016	5106	2	1	01	4	2	0	40753
2	060/00	00	EB	4.051	0.009	4.060	0	0	3	3	6	1	69	11	26	36	0	2016	5106	2	1	01	4	2	0	99999
2	060/00	00	EB	4.060	4.490	8.550	0	0	3	3	7	1	07	11	26	36	0	2016	4096	2	1	01	4	2	0	99999
2	060/00	00	EB	8.550	0.460	9.010	0	0	3	3	7	1	69	11	24	36	0	2016	4096	2	1	01	4	2	0	99999
				<b>ROUTE TOTAL:</b>	<b>9.010</b>																					

**Putnam County TOTAL for the PRIMARY DIRECTION: 27.050**

## 2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS

PLANNING DIVISION

### RALEIGH COUNTY - (41)

Page 77 of 94

SIGN	ROUTE	SUPP	DIRECT	BEG	END		WV			NAT	ACC	YEAR	SURF	PAV	GRADE	MED	AADT	LANES	REV	SPEC	TRK	FAC	URB			
		DSG	SURV	MP	LENGTH	MP	MUN	URB	FAS	FUN	FUNC	CONT	CHNG	TYPE	WIDTH	WIDTH	WIDTH		YR	LANES	SYS	RT		TYPE	CODE	
2	019/00	00	NB	0.000	2.170	2.170	0	0	3	3	7	1	01	11	22	30	0	2016	1318	2	1	01	4	2	0	99999
2	019/00	00	NB	2.170	2.800	4.970	0	2	3	3	17	1	01	11	20	30	0	2016	5014	2	1	01	4	2	0	06139
2	019/00	00	NB	4.970	1.500	6.470	0	2	3	3	17	1	01	11	20	30	0	2016	5014	2	1	01	4	2	0	06139
2	019/00	00	NB	6.470	0.980	7.450	0	2	3	3	17	1	05	11	20	30	0	2016	7103	2	1	01	4	2	0	06139
2	019/00	00	NB	7.450	1.330	8.780	0	2	3	3	17	1	01	11	20	30	0	2016	7103	2	1	01	4	2	0	06139
2	019/00	00	NB	8.780	1.600	10.380	0	2	3	3	16	1	01	11	24	40	0	2016	14231	2	1	01	4	2	0	06139
2	019/00	00	NB	10.380	2.030	12.410	0	2	3	3	16	1	01	11	24	40	0	2016	15477	2	1	01	4	2	0	06139
2	019/00	00	NB	12.410	0.490	12.900	0	2	3	3	16	1	01	11	32	40	0	2016	15477	2	1	01	4	2	0	06139
2	019/00	00	NB	12.900	0.980	13.880	0	2	3	3	16	1	01	11	24	30	0	2016	15477	2	1	01	4	2	0	06139
2	019/00	00	NB	13.880	0.020	13.900	0	2	3	3	16	1	01	11	28	28	0	2016	15477	2	1	01	4	2	0	06139
2	019/00	00	NB	13.900	0.400	14.300	0	2	3	3	16	1	01	11	24	40	0	2016	15477	2	1	01	4	2	0	06139
2	019/00	00	NB	14.300	0.008	14.308	0	2	3	3	16	1	01	11	26	38	0	2016	15477	2	1	01	4	2	0	06139
2	019/00	00	NB	14.308	0.012	14.320	4	2	3	3	16	1	01	11	26	38	0	2016	15477	2	1	01	4	2	0	06139
2	019/00	00	NB	14.320	0.040	14.360	4	2	3	3	16	1	01	11	26	38	0	2016	15270	2	1	01	4	2	0	06139
2	019/00	00	NB	14.360	0.290	14.650	4	2	3	3	16	1	01	11	26	38	0	2016	15270	2	1	01	4	2	0	06139
2	019/00	00	NB	14.650	0.080	14.730	4	2	3	3	16	1	01	11	34	48	0	2016	15270	2	1	01	4	2	0	06139
2	019/00	00	NB	14.730	0.108	14.838	4	2	3	3	16	1	01	11	34	48	0	2016	11426	2	1	01	4	2	0	06139
2	019/00	00	NB	14.838	0.082	14.920	0	2	3	3	16	1	01	11	34	48	0	2016	11426	2	1	01	4	2	0	06139
2	019/00	00	NB	14.920	0.040	14.960	0	2	3	3	16	1	01	11	34	48	0	2016	10908	2	1	01	4	2	0	06139
2	019/00	00	NB	14.960	0.058	15.018	0	2	3	3	16	1	01	11	24	32	0	2016	10908	2	1	01	4	2	0	06139
2	019/00	00	NB	15.018	0.504	15.522	4	2	3	3	16	1	01	11	24	32	0	2016	10908	2	1	01	4	2	0	06139
2	019/00	00	NB	15.522	0.012	15.534	0	2	3	3	16	1	01	11	24	32	0	2016	10908	2	1	01	4	2	0	06139
2	019/00	00	NB	15.534	0.867	16.401	4	2	3	3	16	1	01	11	24	32	0	2016	10908	2	1	01	4	2	0	06139
2	019/00	00	NB	16.401	0.138	16.539	0	2	3	3	16	1	01	11	24	32	0	2016	10908	2	1	01	4	2	0	06139
2	019/00	00	NB	16.539	0.130	16.669	4	2	3	3	16	1	01	11	24	32	0	2016	10908	2	1	01	4	2	0	06139
2	019/00	00	NB	16.669	0.256	16.925	0	2	3	3	16	1	01	11	24	32	0	2016	10908	2	1	01	4	2	0	06139
2	019/00	00	NB	16.925	0.045	16.970	4	2	3	3	16	1	01	11	24	32	0	2016	10908	2	1	01	4	2	0	06139
2	019/00	00	NB	16.970	0.210	17.180	4	2	3	3	16	1	01	11	24	32	0	2016	14231	2	1	01	4	2	0	06139
2	019/00	00	NB	17.180	0.770	17.950	4	2	3	3	16	1	01	11	24	40	0	2016	17243	2	1	01	4	2	0	06139
2	019/00	00	NB	17.950	0.160	18.110	4	2	3	3	16	1	01	11	24	40	0	2016	17243	2	1	01	4	2	0	06139
2	019/00	00	NB	18.110	0.120	18.230	4	2	3	3	16	1	01	11	24	30	0	2016	17451	2	1	01	4	2	0	06139
2	019/00	00	NB	18.230	0.080	18.310	4	2	3	3	16	1	01	11	24	30	0	2016	17451	4	1	01	4	2	0	06139
2	019/00	00	NB	18.310	0.330	18.640	4	2	3	3	16	1	01	11	24	30	0	2016	24515	4	1	01	4	2	0	06139
2	019/00	00	NB	18.640	0.445	19.085	4	2	3	3	16	1	01	11	25	30	5	2016	36877	4	1	01	4	2	0	06139
2	019/00	00	NB	19.085	0.245	19.330	0	2	3	3	16	1	01	11	25	30	5	2016	36877	4	1	01	4	2	0	06139
2	019/00	00	NB	19.330	0.470	19.800	0	2	3	3	16	1	01	11	25	30	5	2016	20880	4	1	01	4	2	0	06139
2	019/00	00	NB	19.800	1.810	21.610	0	2	3	3	16	1	01	11	25	30	5	2016	22749	4	1	01	4	2	0	06139
2	019/00	00	NB	21.610	0.390	22.000	0	2	2	1	14	4	01	11	16	30	0	2016	21414	2	1	10	4	2	1	06139
2	019/00	00	NB	22.000	0.070	22.070	0	2	2	1	14	4	01	11	24	36	40	2016	22196	4	1	10	4	2	1	06139

## 2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS  
PLANNING DIVISION

### RALEIGH COUNTY - (41)

Page 78 of 94

SIGN	ROUTE	SUPP	DIRECT	BEG	END					WV	NAT	ACC	YEAR	SURF	PAV	GRADE	MED	AADT				REV	SPEC	TRK	FAC	URB			
		DSG	SURV	MP	LENGTH	MP	MUN	URB	FAS	FUN	FUNC	CONT	CHNG	TYPE	WIDTH	WIDTH	WIDTH	YR	AADT	LANES	LANES	SYS	RT	TYPE	CODE				
2	019/00	00	NB	22.070	1.240	23.310	0	2	2	1	14	4	01	11	24	36	40	2016	22196	4	1	10	1	2	1	06139			
2	019/00	00	NB	23.310	0.780	24.090	0	2	2	1	14	4	01	11	24	36	40	2016	20534	4	1	10	1	2	1	06139			
<b>ROUTE TOTAL:</b>				<b>24.090</b>																									
2	019/00	01	EB	0.000	0.580	0.580	0	2	2	1	14	7	01	12	24	30	40	2016	14931	4	1	10	1	2	1	06139			
2	019/00	01	EB	0.580	0.030	0.610	0	2	2	1	14	7	01	12	25	25	40	2016	14931	4	1	10	1	2	1	06139			
2	019/00	01	EB	0.610	1.170	1.780	0	2	2	1	14	7	01	11	24	30	40	2016	14931	4	1	10	1	2	1	06139			
2	019/00	01	EB	1.780	0.040	1.820	0	2	2	1	14	7	01	11	21	21	40	2016	14931	4	1	10	1	2	1	06139			
2	019/00	01	EB	1.820	0.250	2.070	0	2	2	1	14	7	01	11	24	30	40	2016	14931	4	1	10	1	2	1	06139			
<b>ROUTE TOTAL:</b>				<b>2.070</b>																									
2	019/00	14	NB	0.000	0.020	0.020	0	2	2	1	14	1	12	11	74	96	0	2016	6942	2	1	01	4	2	1	06139			
2	019/00	14	NB	0.020	0.011	0.031	4	2	2	1	14	1	12	11	74	96	0	2016	6942	2	1	01	4	2	1	06139			
2	019/00	14	NB	0.031	0.448	0.479	0	2	2	1	14	1	12	11	74	96	0	2016	6942	2	1	01	4	2	1	06139			
2	019/00	14	NB	0.479	0.326	0.805	4	2	2	1	14	1	12	11	74	96	0	2016	6942	2	1	01	4	2	1	06139			
2	019/00	14	NB	0.805	0.215	1.020	0	2	2	1	14	1	12	11	74	96	0	2016	6942	2	1	01	4	2	1	06139			
2	019/00	14	NB	1.020	0.070	1.090	4	2	2	1	14	1	12	11	74	96	0	2016	6942	2	1	01	4	2	1	06139			
2	019/00	14	NB	1.090	0.421	1.511	0	2	2	1	14	1	12	11	74	96	0	2016	6942	2	1	01	4	2	1	06139			
2	019/00	14	NB	1.511	0.730	2.241	4	2	2	1	14	1	12	11	74	96	0	2016	6942	2	1	01	4	2	1	06139			
2	019/00	14	NB	2.241	0.010	2.251	0	2	2	1	14	1	12	11	74	96	0	2016	6942	2	1	01	4	2	1	06139			
2	019/00	14	NB	2.251	0.449	2.700	4	2	2	1	14	1	12	11	74	96	0	2016	6942	2	1	01	4	2	1	06139			
<b>ROUTE TOTAL:</b>				<b>2.700</b>																									
2	019/00	18	EB	0.000	0.034	0.034	4	2	2	3	14	7	01	12	24	30	0	2016	13200	4	1	01	4	2	1	06139			
2	019/00	18	EB	0.034	0.406	0.440	0	2	2	3	14	7	01	12	24	30	0	2016	13200	4	1	01	4	2	1	06139			
2	019/00	18	EB	0.440	0.660	1.100	0	2	2	3	14	7	01	12	24	30	0	2016	13200	4	1	01	4	2	1	06139			
2	019/00	18	EB	1.100	0.260	1.360	0	2	2	3	14	7	01	12	24	36	0	2016	13200	2	1	01	4	2	1	06139			
<b>ROUTE TOTAL:</b>				<b>1.360</b>																									

**Raleigh County TOTAL for the PRIMARY DIRECTION: 30.220**

## 2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS

PLANNING DIVISION

### RANDOLPH COUNTY - (42)

Page 79 of 94

SIGN	ROUTE	SUPP	DIRECT	BEG	END		WV			NAT	ACC	YEAR	SURF	PAV	GRADE	MED	AADT	AADT	LANES	REV	SPEC	TRK	FAC	URB		
		DSG	SURV	MP	LENGTH	MP	MUN	URB	FAS	FUN	FUNC	CONT	CHNG	TYPE	WIDTH	WIDTH	WIDTH			YR	LANES	SYS	RT		TYPE	CODE
2	033/00	00	EB	0.000	1.340	1.340	0	0	2	1	2	4	98	12	24	36	40	2016	8002	4	1	10	2	2	1	99999
2	033/00	00	EB	1.340	1.630	2.970	0	0	2	1	2	4	98	12	24	36	40	2016	15202	4	1	10	2	2	1	99999
2	033/00	00	EB	2.970	1.200	4.170	0	0	2	2	2	4	98	12	24	36	40	2016	15202	4	1	10	2	2	1	99999
2	033/00	00	EB	4.170	0.352	4.522	0	0	2	2	2	4	98	12	24	36	0	2016	5438	2	1	10	2	2	1	99999
2	033/00	00	EB	4.522	0.002	4.524	0	1	2	2	14	4	98	12	24	36	0	2016	5438	2	1	10	2	2	1	99998
2	033/00	00	EB	4.524	0.176	4.700	0	1	2	2	14	4	98	12	24	36	0	2016	5438	2	1	10	2	2	1	99998
2	033/00	00	EB	4.700	1.060	5.760	0	1	2	2	14	4	98	11	22	30	0	2016	5438	2	1	10	2	2	1	99998
2	033/00	00	EB	5.760	0.680	6.440	0	1	2	2	14	4	98	11	24	36	0	2016	5438	2	1	10	2	2	1	99998
2	033/00	00	EB	6.440	0.580	7.020	0	1	2	2	14	4	05	11	24	36	0	2016	5438	2	1	10	2	2	1	99998
2	033/00	00	EB	7.020	0.030	7.050	0	1	2	2	14	4	98	12	28	28	0	2016	5438	2	1	10	2	2	1	99998
2	033/00	00	EB	7.050	0.710	7.760	0	1	2	2	14	4	98	11	24	30	0	2016	5438	2	1	10	2	2	1	99998
2	033/00	00	EB	7.760	0.290	8.050	0	1	2	2	14	4	98	11	40	40	0	2016	18330	2	1	10	2	2	1	99998
2	033/00	00	EB	8.050	0.005	8.055	0	1	2	2	14	4	98	11	30	30	0	2016	18330	2	1	10	2	2	1	99998
2	033/00	00	EB	8.055	0.725	8.780	3	1	2	2	14	4	98	11	30	30	0	2016	18330	2	1	10	2	2	1	99998
2	033/00	00	EB	8.780	0.720	9.500	3	1	2	2	14	4	06	11	30	30	0	2016	9218	2	1	01	2	2	1	99998
2	033/00	00	EB	9.500	0.240	9.740	3	1	2	2	14	4	98	11	30	30	0	2016	9218	2	1	01	2	2	1	99998
2	033/00	00	EB	9.740	0.030	9.770	3	1	2	2	14	4	98	11	34	40	0	2016	9218	2	1	01	2	2	1	99998
2	033/00	00	EB	9.770	0.040	9.810	3	1	2	2	14	4	98	11	52	52	0	2016	9218	2	1	01	2	2	1	99998
2	033/00	00	EB	9.810	0.060	9.870	3	1	2	2	14	4	98	11	36	36	0	2016	9218	2	1	01	2	2	1	99998
2	033/00	00	EB	9.870	0.390	10.260	3	1	2	2	14	4	98	11	20	30	0	2016	9218	2	1	01	4	2	1	99998
2	033/00	00	EB	10.260	0.726	10.986	3	1	3	2	16	4	05	11	20	30	0	2016	18330	2	1	01	4	2	0	99998
2	033/00	00	EB	10.986	0.004	10.990	0	1	3	2	16	4	05	11	20	30	0	2016	18330	2	1	01	4	2	0	99998
2	033/00	00	EB	10.990	0.070	11.060	0	1	3	2	16	4	05	11	20	30	0	2016	5520	2	1	01	4	2	0	99998
2	033/00	00	EB	11.060	0.730	11.790	0	1	3	2	16	4	05	11	20	30	0	2016	3373	2	1	01	4	2	0	99998
2	033/00	00	EB	11.790	0.150	11.940	0	1	3	2	16	4	98	11	35	50	0	2016	3373	2	1	01	4	2	0	99998
2	033/00	00	EB	11.940	0.442	12.382	0	1	3	2	16	4	98	12	24	36	10	2016	3373	4	1	01	4	2	0	99998
2	033/00	00	EB	12.382	0.001	12.383	0	1	3	2	16	4	98	12	24	36	10	2016	3373	4	1	01	4	2	0	99998
2	033/00	00	EB	12.383	0.657	13.040	0	0	3	2	6	4	98	12	24	36	10	2016	3373	4	1	01	4	2	0	99999
2	033/00	00	EB	13.040	1.800	14.840	0	0	3	2	6	4	98	12	24	36	10	2016	3373	4	1	01	4	2	0	99999
2	033/00	00	EB	14.840	2.570	17.410	0	0	3	2	6	4	98	12	24	36	40	2016	3748	4	1	01	4	2	0	99999
2	033/00	00	EB	17.410	1.030	18.440	0	0	3	2	6	4	98	12	24	36	10	2016	3748	4	1	01	4	2	0	99999
2	033/00	00	EB	18.440	0.090	18.530	0	0	3	2	6	4	98	12	38	38	10	2016	3748	4	1	01	4	2	0	99999
2	033/00	00	EB	18.530	0.080	18.610	0	0	3	2	6	4	98	12	24	36	10	2016	3748	4	1	01	4	2	0	99999
2	033/00	00	EB	18.610	0.070	18.680	0	0	3	2	6	4	98	11	22	32	0	2016	3748	2	1	01	4	2	0	99999
2	033/00	00	EB	18.680	0.010	18.690	0	0	3	2	6	4	98	11	25	25	0	2016	3748	2	1	01	4	2	0	99999
2	033/00	00	EB	18.690	0.930	19.620	0	0	3	2	6	4	98	11	22	32	0	2016	3748	2	1	01	4	2	0	99999
2	033/00	00	EB	19.620	1.260	20.880	0	0	3	2	6	4	98	11	22	32	0	2016	3748	2	1	01	4	2	0	99999
2	033/00	00	EB	20.880	2.150	23.030	0	0	3	2	6	4	98	11	20	30	0	2016	3748	2	1	01	4	2	0	99999
2	033/00	00	EB	23.030	0.020	23.050	0	0	3	2	6	4	98	11	24	24	0	2016	3748	2	1	01	4	2	0	99999

## 2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS  
PLANNING DIVISION

### RANDOLPH COUNTY - (42)

Page 80 of 94

SIGN	ROUTE	SUPP	DIRECT	BEG	END					WV	NAT	ACC	YEAR	SURF	PAV	GRADE	MED	AADT				REV	SPEC	TRK	FAC	URB		
		DSG	SURV	MP	LENGTH	MP	MUN	URB	FAS	FUN	FUNC	CONT	CHNG	TYPE	WIDTH	WIDTH	WIDTH	YR	AADT	LANES	LANES	SYS	RT	TYPE	CODE			
2	033/00	00	EB	23.050	2.790	25.840	0	0	3	2	6	4	98	11	20	30	0	2016	3748	2	1	01	4	2	0	99999		
2	033/00	00	EB	25.840	0.010	25.850	0	0	3	2	6	4	98	11	24	24	0	2016	3748	2	1	01	4	2	0	99999		
2	033/00	00	EB	25.850	5.070	30.920	0	0	3	2	6	4	98	11	22	30	0	2016	2721	2	1	01	4	2	0	99999		
2	033/00	00	EB	30.920	0.020	30.940	0	0	3	2	6	4	98	11	24	24	0	2016	2721	2	1	01	4	2	0	99999		
2	033/00	00	EB	30.940	0.770	31.710	0	0	3	2	6	4	98	11	22	30	0	2016	2721	2	1	01	4	2	0	99999		
2	033/00	00	EB	31.710	0.406	32.116	0	0	3	2	6	4	98	11	22	30	0	2016	1806	2	1	01	4	2	0	99999		
2	033/00	00	EB	32.116	0.424	32.540	1	0	3	2	6	4	98	11	22	30	0	2016	1806	2	1	01	4	2	0	99999		
2	033/00	00	EB	32.540	0.292	32.832	1	0	3	2	6	4	98	11	22	36	0	2016	1806	2	1	01	4	2	0	99999		
2	033/00	00	EB	32.832	3.218	36.050	0	0	3	2	6	4	98	11	22	36	0	2016	1806	2	1	01	4	2	0	99999		
<b>ROUTE TOTAL:</b>				<b>36.050</b>																								
2	219/00	00	NB	0.000	8.550	8.550	0	0	2	2	2	1	98	11	18	28	0	2016	1119	2	1	01	4	2	1	99999		
2	219/00	00	NB	8.550	0.190	8.740	0	0	2	2	2	1	98	11	22	38	0	2016	1041	2	1	01	4	2	1	99999		
2	219/00	00	NB	8.740	7.150	15.890	0	0	2	2	2	1	98	11	20	28	0	2016	1209	2	1	01	4	2	1	99999		
2	219/00	00	NB	15.890	3.260	19.150	0	0	2	2	2	1	05	11	20	28	0	2016	1611	2	1	01	4	2	1	99999		
2	219/00	00	NB	19.150	2.214	21.364	0	0	2	2	2	1	98	11	22	88	0	2016	1611	2	1	01	4	2	1	99999		
2	219/00	00	NB	21.364	0.076	21.440	1	0	2	2	2	1	98	11	22	88	0	2016	1611	2	1	01	4	2	1	99999		
2	219/00	00	NB	21.440	0.230	21.670	1	0	2	2	2	1	98	11	24	42	0	2016	1770	2	1	01	4	2	1	99999		
2	219/00	00	NB	21.670	0.689	22.359	1	0	2	2	2	1	98	11	18	30	0	2016	4034	2	1	01	4	2	1	99999		
2	219/00	00	NB	22.359	0.495	22.854	0	0	2	2	2	1	98	11	18	30	0	2016	4034	2	1	01	4	2	1	99999		
2	219/00	00	NB	22.854	0.571	23.425	1	0	2	2	2	1	98	11	18	30	0	2016	4034	2	1	01	4	2	1	99999		
2	219/00	00	NB	23.425	4.425	27.850	0	0	2	2	2	1	98	11	18	30	0	2016	4034	2	1	01	4	2	1	99999		
2	219/00	00	NB	27.850	2.310	30.160	0	0	2	2	2	1	98	11	22	32	0	2016	5206	2	1	01	4	2	1	99999		
2	219/00	00	NB	30.160	0.570	30.730	0	0	2	2	2	1	98	11	24	34	0	2016	7289	2	1	01	4	2	1	99999		
2	219/00	00	NB	30.730	0.370	31.100	0	0	2	2	2	1	98	11	24	46	0	2016	7289	2	1	01	4	2	1	99999		
2	219/00	00	NB	31.100	1.784	32.884	0	0	2	2	2	1	98	11	24	34	0	2016	7289	2	1	01	4	2	1	99999		
2	219/00	00	NB	32.884	0.001	32.885	0	0	2	2	2	1	98	11	24	34	0	2016	7289	2	1	01	4	2	1	99999		
2	219/00	00	NB	32.885	0.217	33.102	0	1	2	2	14	1	98	11	24	34	0	2016	7289	2	1	01	4	2	1	99998		
2	219/00	00	NB	33.102	0.088	33.190	1	1	2	2	14	1	98	11	24	34	0	2016	7289	2	1	01	4	2	1	99998		
2	219/00	00	NB	33.190	0.750	33.940	1	1	2	2	14	1	98	11	28	30	0	2016	7289	2	1	01	4	2	1	99998		
2	219/00	00	NB	33.940	0.190	34.130	1	1	2	2	14	1	98	11	24	44	0	2016	7289	2	1	01	4	2	1	99998		
2	219/00	00	NB	34.130	2.200	36.330	1	1	2	2	14	1	98	11	24	36	0	2016	24476	4	1	01	4	2	1	99998		
2	219/00	00	NB	36.330	0.066	36.396	1	1	2	2	14	1	98	11	24	36	0	2016	20489	4	1	01	4	2	1	99998		
2	219/00	00	NB	36.396	1.474	37.870	3	1	2	2	14	1	98	11	24	36	0	2016	20489	4	1	01	4	2	1	99998		
2	219/00	00	NB	37.870	1.590	39.460	3	1	2	2	14	1	98	11	26	35	0	2016	20489	4	1	01	4	2	1	99998		
2	219/00	00	NB	39.460	0.030	39.490	3	1	2	2	14	1	98	11	27	35	0	2016	22289	5	1	01	4	2	1	99998		
2	219/00	00	NB	39.490	0.050	39.540	3	1	2	2	14	1	98	11	38	44	0	2016	22289	4	1	01	4	2	1	99998		
2	219/00	00	NB	40.570	0.890	41.460	3	1	2	3	14	1	98	11	20	30	0	2016	15831	2	1	10	2	2	1	99998		
2	219/00	00	NB	41.460	0.330	41.790	3	1	2	3	14	1	98	11	20	30	0	2016	15831	2	1	10	2	2	1	99998		
2	219/00	00	NB	41.790	0.583	42.373	3	1	2	3	14	1	98	11	30	30	0	2016	12289	2	1	10	2	2	1	99998		

2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS  
PLANNING DIVISION

RANDOLPH COUNTY - (42)

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	LENGTH	END MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	URB CODE			
2	219/00	00	NB	42.373	0.005	42.378	3	0	2	3	2	1	98	11	30	30	0	2016	12289	2	1	10	2	2	1	99999		
2	219/00	00	NB	42.378	0.001	42.379	3	0	2	3	2	1	98	11	30	30	0	2016	12289	2	1	10	2	2	1	99999		
2	219/00	00	NB	42.379	0.541	42.920	0	0	2	3	2	1	98	11	30	30	0	2016	12289	2	1	10	2	2	1	99999		
2	219/00	00	NB	42.920	1.920	44.840	0	0	2	3	2	1	98	11	22	40	0	2016	2711	2	1	10	2	2	1	99999		
2	219/00	00	NB	44.840	3.450	48.290	0	0	2	3	2	1	98	11	22	30	0	2016	2711	2	1	10	2	2	1	99999		
2	219/00	00	NB	48.290	3.384	51.674	0	0	2	3	2	1	98	11	22	30	0	2016	3171	2	1	10	2	2	1	99999		
2	219/00	00	NB	51.674	0.056	51.730	1	0	2	3	2	1	98	11	22	30	0	2016	3171	2	1	10	2	2	1	99999		
2	219/00	00	NB	51.730	0.663	52.393	1	0	2	3	2	1	98	11	22	30	0	2016	2567	2	1	10	2	2	1	99999		
2	219/00	00	NB	52.393	1.417	53.810	0	0	2	3	2	1	98	11	22	30	0	2016	2567	2	1	10	2	2	1	99999		
<b>ROUTE TOTAL:</b>				<b>52.780</b>																								
2	250/00	00	NB	0.000	1.720	1.720	0	0	3	3	6	1	98	11	22	36	0	2016	879	2	1	01	4	2	0	99999		
2	250/00	00	NB	1.720	0.020	1.740	0	0	3	3	6	1	98	11	24	24	0	2016	879	2	1	01	4	2	0	99999		
2	250/00	00	NB	1.740	4.150	5.890	0	0	3	3	6	1	98	11	22	36	0	2016	879	2	1	01	4	2	0	99999		
2	250/00	00	NB	5.890	3.820	9.710	0	0	3	3	6	1	98	11	18	36	0	2016	879	2	1	01	4	2	0	99999		
2	250/00	00	NB	9.710	2.740	12.450	0	0	3	3	6	1	98	11	22	36	0	2016	879	2	1	01	4	2	0	99999		
2	250/00	00	NB	12.450	0.470	12.920	0	0	3	3	6	1	98	11	22	36	0	2016	2164	2	1	01	4	2	0	99999		
2	250/00	00	NB	12.920	1.433	14.353	0	0	3	3	6	1	98	11	22	22	0	2016	2164	2	1	01	4	2	0	99999		
2	250/00	00	NB	14.353	0.097	14.450	1	0	3	3	6	1	98	11	22	22	0	2016	2164	2	1	01	4	2	0	99999		
2	250/00	00	NB	39.790	0.200	39.990	0	0	3	2	6	1	98	11	22	44	0	2016	7017	2	1	01	2	2	0	99999		
2	250/00	00	NB	39.990	0.440	40.430	0	0	3	2	6	1	98	11	22	40	0	2016	5866	2	1	01	2	2	0	99999		
<b>ROUTE TOTAL:</b>				<b>15.090</b>																								

Randolph County TOTAL for the PRIMARY DIRECTION: 103.920

2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS  
PLANNING DIVISION

RITCHIE COUNTY - (43)

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	LENGTH	END MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	URB CODE	
2	050/00	00	EB	0.000	3.540	3.540	0	0	2	1	2	4	04	11	24	36	40	2016	11627	4	1	10	1	2	1	99999
2	050/00	00	EB	3.540	0.560	4.100	0	0	2	1	2	4	04	11	24	36	80	2016	11627	4	1	10	1	2	1	99999
2	050/00	00	EB	4.100	3.920	8.020	0	0	2	1	2	4	04	11	24	36	40	2016	11627	4	1	10	1	2	1	99999
2	050/00	00	EB	8.020	1.990	10.010	0	0	2	1	2	4	04	11	24	36	40	2016	12502	4	1	10	1	2	1	99999
2	050/00	00	EB	10.010	0.070	10.080	0	0	2	1	2	4	04	12	24	24	40	2016	12502	4	1	10	1	2	1	99999
2	050/00	00	EB	10.080	1.710	11.790	0	0	2	1	2	4	04	11	24	36	40	2016	9956	4	1	10	1	2	1	99999
2	050/00	00	EB	11.790	0.463	12.253	0	0	2	1	2	4	04	11	24	36	99	2016	9956	4	1	10	1	2	1	99999
2	050/00	00	EB	12.253	0.187	12.440	1	0	2	1	2	4	04	11	24	36	99	2016	9956	4	1	10	1	2	1	99999
2	050/00	00	EB	12.440	0.100	12.540	1	0	2	1	2	4	04	11	24	24	99	2016	9956	4	1	10	1	2	1	99999
2	050/00	00	EB	12.540	0.310	12.850	1	0	2	1	2	4	04	11	24	36	99	2016	14004	4	1	10	1	2	1	99999
2	050/00	00	EB	12.850	0.040	12.890	1	0	2	1	2	4	04	11	24	24	99	2016	14004	4	1	10	1	2	1	99999
2	050/00	00	EB	12.890	0.540	13.430	1	0	2	1	2	4	04	11	24	36	99	2016	14004	4	1	10	1	2	1	99999
2	050/00	00	EB	13.430	0.001	13.431	1	0	2	1	2	4	04	11	24	36	40	2016	14004	4	1	10	1	2	1	99999
2	050/00	00	EB	13.431	1.349	14.780	0	0	2	1	2	4	04	11	24	36	40	2016	14004	4	1	10	1	2	1	99999
2	050/00	00	EB	14.780	0.997	15.777	0	0	2	1	2	4	04	11	24	36	40	2016	15254	4	1	10	1	2	1	99999
2	050/00	00	EB	15.777	2.533	18.310	1	0	2	1	2	4	04	11	24	36	40	2016	15254	4	1	10	1	2	1	99999
2	050/00	00	EB	18.310	0.001	18.311	1	0	2	1	2	4	04	11	24	36	40	2016	14378	4	1	10	1	2	1	99999
2	050/00	00	EB	18.311	1.369	19.680	0	0	2	1	2	4	04	11	24	36	40	2016	14378	4	1	10	1	2	1	99999
2	050/00	00	EB	19.680	0.120	19.800	0	0	2	1	2	4	15	11	24	36	40	2016	14378	4	1	10	1	2	1	99999
2	050/00	00	EB	19.800	0.810	20.610	0	0	2	1	2	4	15	11	24	36	0	2016	14378	4	1	10	1	2	1	99999
2	050/00	00	EB	20.610	0.030	20.640	0	0	2	1	2	4	15	11	24	24	40	2016	14378	4	1	10	1	2	1	99999
2	050/00	00	EB	20.640	0.310	20.950	0	0	2	1	2	4	15	11	24	36	40	2016	14378	4	1	10	1	2	1	99999

ROUTE TOTAL: 20.950

Ritchie County TOTAL for the PRIMARY DIRECTION: 20.950

2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS  
PLANNING DIVISION

ROANE COUNTY - (44)

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	END LENGTH MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	URB CODE			
2	033/00	00	EB	0.000	4.330	4.330	0	0	3	2	6	1	03	11	20	30	0	2016	2281	2	1	01	4	2	0	99999	
2	033/00	00	EB	4.330	1.280	5.610	0	0	3	2	6	1	03	11	20	30	0	2016	2381	2	1	01	4	2	0	99999	
2	033/00	00	EB	5.610	1.040	6.650	0	0	3	2	6	1	03	11	20	30	0	2016	2182	2	1	01	4	2	0	99999	
2	033/00	00	EB	6.650	0.010	6.660	0	0	3	2	6	1	03	11	26	26	0	2016	2182	2	1	01	4	2	0	99999	
2	033/00	00	EB	6.660	0.090	6.750	0	0	3	2	6	1	03	11	20	30	0	2016	2182	2	1	01	4	2	0	99999	
2	033/00	00	EB	6.750	2.350	9.100	0	0	3	2	6	1	03	11	20	30	0	2016	2430	2	1	01	4	2	0	99999	
2	033/00	00	EB	9.100	1.972	11.072	0	0	3	2	6	1	03	11	20	30	0	2016	4315	2	1	01	4	2	0	99999	
2	033/00	00	EB	11.072	0.138	11.210	1	0	3	2	6	1	03	11	20	30	0	2016	4315	2	1	01	4	2	0	99999	
2	033/00	00	EB	11.210	0.390	11.600	1	0	3	2	6	1	03	11	24	42	0	2016	4315	2	1	01	4	2	0	99999	
2	033/00	00	EB	11.600	0.740	12.340	1	0	3	2	6	1	03	11	24	42	0	2016	4315	2	1	01	4	2	0	99999	
2	033/00	00	EB	12.340	0.420	12.760	1	0	3	2	6	1	03	11	40	40	0	2016	4315	2	1	01	4	2	0	99999	
2	033/00	00	EB	12.760	0.040	12.800	1	0	3	2	6	1	03	11	30	30	0	2016	4315	2	1	01	4	2	0	99999	
2	033/00	00	EB	12.800	0.040	12.840	1	0	3	2	6	1	03	11	25	40	0	2016	4315	2	1	01	4	2	0	99999	
2	033/00	00	EB	12.840	0.610	13.450	1	0	3	2	6	1	03	11	18	30	0	2016	4762	2	1	01	4	2	0	99999	
2	033/00	00	EB	13.450	0.003	13.453	1	0	3	2	6	1	03	11	18	30	0	2016	4167	2	1	01	4	2	0	99999	
2	033/00	00	EB	13.453	0.168	13.621	0	0	3	2	6	1	03	11	18	30	0	2016	4167	2	1	01	4	2	0	99999	
2	033/00	00	EB	13.621	2.149	15.770	0	0	3	2	6	1	03	11	18	30	0	2016	4167	2	1	01	4	2	0	99999	
2	033/00	00	EB	15.770	4.420	20.190	0	0	3	2	6	1	03	11	18	30	0	2016	2480	2	1	01	4	2	0	99999	
2	033/00	00	EB	20.190	0.030	20.220	0	0	3	2	6	1	03	11	20	29	0	2016	2480	2	1	01	4	2	0	99999	
2	033/00	00	EB	20.220	0.220	20.440	0	0	3	2	6	1	03	11	18	32	0	2016	2480	2	1	01	4	2	0	99999	
<b>ROUTE TOTAL:</b>				<b>20.440</b>																							
2	119/00	00	NB	0.000	5.860	5.860	0	0	3	2	7	1	15	11	22	30	0	2016	2030	2	1	01	4	2	0	99999	
2	119/00	00	NB	5.860	1.330	7.190	0	0	3	2	7	1	03	11	16	30	0	2016	1421	2	1	01	4	2	0	99999	
2	119/00	00	NB	7.190	0.010	7.200	0	0	3	2	7	1	03	11	25	25	0	2016	1421	2	1	01	4	2	0	99999	
2	119/00	00	NB	7.200	0.800	8.000	0	0	3	2	7	1	03	11	16	30	0	2016	1421	2	1	01	4	2	0	99999	
2	119/00	00	NB	8.000	1.040	9.040	0	0	3	2	7	1	03	11	22	28	0	2016	1421	2	1	01	4	2	0	99999	
2	119/00	00	NB	9.040	0.020	9.060	0	0	3	2	7	1	03	11	14	14	0	2016	1421	2	1	01	4	2	0	99999	
2	119/00	00	NB	9.060	0.050	9.110	0	0	3	2	7	1	03	11	30	30	0	2016	1421	2	1	01	4	2	0	99999	
2	119/00	00	NB	9.110	0.020	9.130	0	0	3	2	7	1	03	11	22	28	0	2016	1421	2	1	01	4	2	0	99999	
2	119/00	00	NB	9.130	2.630	11.760	0	0	3	2	7	1	03	11	22	38	0	2016	1522	2	1	01	4	2	0	99999	
2	119/00	00	NB	11.760	0.040	11.800	0	0	3	2	7	1	03	11	32	32	0	2016	1522	2	1	01	4	2	0	99999	
2	119/00	00	NB	11.800	0.910	12.710	0	0	3	2	7	1	03	11	22	30	0	2016	1522	2	1	01	4	2	0	99999	
2	119/00	00	NB	12.710	2.000	14.710	0	0	3	2	7	1	03	11	22	28	0	2016	1522	2	1	01	4	2	0	99999	
2	119/00	00	NB	14.710	2.090	16.800	0	0	3	2	7	1	03	11	22	28	0	2016	1624	2	1	01	4	2	0	99999	
2	119/00	00	NB	16.800	0.420	17.220	0	0	3	2	7	1	03	11	22	30	0	2016	1624	2	1	01	4	2	0	99999	
2	119/00	00	NB	17.220	1.730	18.950	0	0	3	2	7	1	03	11	22	30	0	2016	2335	2	1	01	4	2	0	99999	
2	119/00	00	NB	18.950	0.010	18.960	0	0	3	2	7	1	03	11	23	23	0	2016	2335	2	1	01	4	2	0	99999	
2	119/00	00	NB	18.960	1.880	20.840	0	0	3	2	7	1	03	11	22	30	0	2016	2335	2	1	01	4	2	0	99999	
2	119/00	00	NB	20.840	0.010	20.850	0	0	3	2	7	1	03	11	26	26	0	2016	2335	2	1	01	4	2	0	99999	

2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS  
PLANNING DIVISION

ROANE COUNTY - (44)

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	LENGTH	END MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	URB CODE	
2	119/00	00	NB	20.850	0.130	20.980	0	0	3	2	7	1	03	11	22	30	0	2016	2335	2	1	01	4	2	0	99999
2	119/00	00	NB	20.980	0.010	20.990	0	0	3	2	7	1	03	11	26	26	0	2016	2335	2	1	01	4	2	0	99999
2	119/00	00	NB	20.990	1.200	22.190	0	0	3	2	7	1	03	11	22	30	0	2016	2335	2	1	01	4	2	0	99999
2	119/00	00	NB	22.190	0.867	23.057	0	0	3	2	7	1	03	11	22	30	0	2016	3858	2	1	01	4	2	0	99999
2	119/00	00	NB	23.057	0.208	23.265	0	0	3	2	7	1	03	11	22	30	0	2016	3858	2	1	01	4	2	0	99999
2	119/00	00	NB	23.265	0.015	23.280	1	0	3	2	7	1	03	11	22	30	0	2016	3858	2	1	01	4	2	0	99999
2	119/00	00	NB	23.280	0.040	23.320	1	0	3	2	7	1	03	11	22	30	0	2016	6601	2	1	01	4	2	0	99999
2	119/00	00	NB	23.320	0.280	23.600	1	0	3	2	7	1	11	11	38	40	0	2016	6601	2	1	01	4	2	0	99999
2	119/00	00	NB	23.600	0.420	24.020	1	0	3	2	7	1	11	11	38	44	0	2016	6601	2	1	01	4	2	0	99999

ROUTE TOTAL: 24.020

Roane County TOTAL for the PRIMARY DIRECTION: 44.460

## 2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS

PLANNING DIVISION

### TAYLOR COUNTY - (46)

Page 85 of 94

SIGN	ROUTE	SUPP	DIRECT	BEG	END		WV			NAT	ACC	YEAR	SURF	PAV	GRADE	MED	AADT	LANES	REV	SPEC	TRK	FAC	URB				
		DSG	SURV	MP	LENGTH	MP	MUN	URB	FAS	FUN	FUNC	CONT	CHNG	TYPE	WIDTH	WIDTH	WIDTH		YR	AADT	LANES	SYS		RT	TYPE	CODE	
2	050/00	00	EB	0.000	0.001	0.001	3	1	3	2	16	1	00	11	22	28	0	2016	8758	2	1	01	4	2	0	99998	
2	050/00	00	EB	0.001	0.001	0.002	3	0	3	2	6	1	00	11	22	28	0	2016	8758	2	1	01	4	2	0	99999	
2	050/00	00	EB	0.002	3.068	3.070	0	0	3	2	6	1	00	11	22	28	0	2016	8758	2	1	01	4	2	0	99999	
2	050/00	00	EB	3.070	1.370	4.440	0	0	3	2	6	1	00	11	22	28	0	2016	5854	2	1	01	4	2	0	99999	
2	050/00	00	EB	4.440	3.051	7.491	0	0	3	2	6	1	00	11	22	28	0	2016	8095	2	1	01	4	2	0	99999	
2	050/00	00	EB	7.491	0.093	7.584	0	1	3	2	16	1	00	11	22	28	0	2016	8095	2	1	01	4	2	0	99998	
2	050/00	00	EB	7.584	0.016	7.600	0	0	3	2	6	1	00	11	22	28	0	2016	8095	2	1	01	4	2	0	99999	
2	050/00	00	EB	7.600	0.043	7.643	0	0	3	2	6	1	00	11	22	28	0	2016	8095	2	1	01	4	2	0	99999	
2	050/00	00	EB	7.643	0.027	7.670	0	1	3	2	16	1	00	11	22	28	0	2016	8095	2	1	01	4	2	0	99998	
2	050/00	00	EB	7.670	0.790	8.460	0	1	3	2	16	1	00	11	22	28	0	2016	8078	2	1	01	4	2	0	99998	
2	050/00	00	EB	8.460	1.810	10.270	0	1	3	2	16	1	00	12	24	46	0	2016	8078	2	1	01	4	2	0	99998	
2	050/00	00	EB	10.270	0.060	10.330	0	1	3	2	16	1	00	11	24	46	0	2016	8078	2	1	01	4	2	0	99998	
2	050/00	00	EB	10.330	0.051	10.381	0	1	3	2	16	1	00	11	30	30	0	2016	8078	2	1	01	4	2	0	99998	
2	050/00	00	EB	10.381	0.029	10.410	3	1	3	2	16	1	00	11	30	30	0	2016	8078	2	1	01	4	2	0	99998	
2	050/00	00	EB	10.410	0.090	10.500	3	1	3	2	16	1	00	11	30	30	0	2016	9746	2	1	01	4	2	0	99998	
2	050/00	00	EB	10.500	0.140	10.640	3	1	3	2	16	1	00	11	30	34	0	2016	9746	2	1	01	4	2	0	99998	
2	050/00	00	EB	10.640	0.310	10.950	3	1	3	2	16	1	00	11	30	30	0	2016	8135	2	1	01	4	2	0	99998	
2	050/00	00	EB	10.950	2.030	12.980	3	1	3	2	16	1	00	11	22	26	0	2016	8135	2	1	01	4	2	0	99998	
2	050/00	00	EB	12.980	0.010	12.990	3	1	3	2	16	1	00	11	22	26	0	2016	4816	2	1	01	4	2	0	99998	
2	050/00	00	EB	12.990	0.660	13.650	3	1	3	2	16	1	00	11	22	30	0	2016	4816	2	1	01	4	2	0	99998	
2	050/00	00	EB	13.650	0.300	13.950	3	1	3	2	16	1	00	11	22	30	0	2016	5031	2	1	01	4	2	0	99998	
2	050/00	00	EB	13.950	0.167	14.117	3	1	3	2	16	1	00	11	22	30	0	2016	5031	2	1	01	4	2	0	99998	
2	050/00	00	EB	14.117	0.001	14.118	0	1	3	2	16	1	00	11	22	30	0	2016	5031	2	1	01	4	2	0	99998	
2	050/00	00	EB	14.118	0.632	14.750	0	0	3	2	6	1	00	11	22	30	0	2016	5031	2	1	01	4	2	0	99999	
2	050/00	00	EB	14.750	1.680	16.430	0	0	3	2	6	1	00	11	22	30	0	2016	5031	2	1	01	4	2	0	99999	
2	050/00	00	EB	16.430	0.130	16.560	0	0	3	2	6	1	00	11	24	46	0	2016	5031	2	1	01	4	2	0	99999	
2	050/00	00	EB	16.560	0.100	16.660	0	0	3	2	6	1	00	11	30	30	0	2016	5031	2	1	01	4	2	0	99999	
2	050/00	00	EB	16.660	3.980	20.640	0	0	3	2	6	1	00	11	22	30	0	2016	2288	2	1	01	4	2	0	99999	
<b>ROUTE TOTAL:</b>				<b>20.640</b>																							
2	119/00	00	NB	0.000	2.470	2.470	0	0	3	2	6	1	00	11	18	30	0	2016	2314	2	1	01	4	2	0	99999	
2	119/00	00	NB	2.470	0.595	3.065	0	0	3	2	6	1	05	11	18	30	0	2016	2314	2	1	01	4	2	0	99999	
2	119/00	00	NB	3.065	0.045	3.110	0	1	3	2	16	1	05	11	18	30	0	2016	2314	2	1	01	4	2	0	99998	
2	119/00	00	NB	3.110	1.250	4.360	0	1	3	2	16	1	00	11	18	30	0	2016	2314	2	1	01	4	2	0	99998	
2	119/00	00	NB	4.360	0.550	4.910	0	1	3	2	16	1	00	11	22	32	0	2016	2314	2	1	01	4	2	0	99998	
2	119/00	00	NB	4.910	0.050	4.960	0	1	3	2	16	1	00	11	36	36	0	2016	2314	2	1	01	4	2	0	99998	
2	119/00	00	NB	4.960	0.370	5.330	0	1	3	2	16	1	00	11	22	32	0	2016	3539	2	1	01	4	2	0	99998	
2	119/00	00	NB	5.330	0.720	6.050	0	1	3	2	16	1	00	11	24	44	0	2016	3539	2	1	01	4	2	0	99998	
2	119/00	00	NB	6.050	0.490	6.540	0	1	3	2	16	1	05	11	24	44	0	2016	3334	2	1	01	4	2	0	99998	
2	119/00	00	NB	6.540	0.034	6.574	0	1	3	2	16	1	00	11	24	44	0	2016	3334	2	1	01	4	2	0	99998	

## 2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS  
PLANNING DIVISION

### TAYLOR COUNTY - (46)

SIGN	ROUTE	SUPP	DIRECT	BEG	END		WV			NAT	ACC	YEAR	SURF	PAV	GRADE	MED	AADT	LANES	REV	SPEC	TRK	FAC	URB								
		DSG	SURV	MP	LENGTH	MP	MUN	URB	FAS	FUN	FUNC	CONT	CHNG	TYPE	WIDTH	WIDTH	WIDTH		YR	LANES	SYS	RT		TYPE	CODE						
2	119/00	00	NB	6.574	0.096	6.670	3	1	3	2	16	1	00	11	24	44	0	2016	3334	2	1	01	4	2	0	99998					
2	119/00	00	NB	6.670	0.450	7.120	3	1	3	2	16	1	00	11	24	44	0	2016	3081	2	1	01	4	2	0	99998					
2	119/00	00	NB	7.120	0.020	7.140	3	1	3	2	16	1	00	12	28	28	0	2016	3081	2	1	01	4	2	0	99998					
2	119/00	00	NB	7.140	0.710	7.850	3	1	3	2	16	1	00	11	24	44	0	2016	2986	2	1	01	4	2	0	99998					
2	119/00	00	NB	7.850	0.080	7.930	3	1	3	2	16	1	00	11	47	47	0	2016	5561	2	1	01	4	2	0	99998					
2	119/00	00	NB	7.930	0.130	8.060	3	1	3	2	16	1	00	12	28	28	0	2016	5423	2	1	01	4	2	0	99998					
2	119/00	00	NB	8.060	0.020	8.080	3	1	3	2	16	1	00	11	47	47	0	2016	5423	2	1	01	4	2	0	99998					
2	119/00	00	NB	8.080	0.030	8.110	3	1	3	2	16	1	00	11	27	27	0	2016	5423	2	1	01	4	2	0	99998					
2	119/00	00	NB	8.110	0.040	8.150	3	1	3	2	16	1	00	11	34	34	0	2016	5423	2	1	01	4	2	0	99998					
2	119/00	00	NB	8.150	0.440	8.590	3	1	3	2	16	1	00	11	34	34	0	2016	6410	2	1	01	4	2	0	99998					
2	119/00	00	NB	8.590	0.730	9.320	3	1	3	2	16	1	00	11	20	20	0	2016	6410	2	1	01	4	2	0	99998					
2	119/00	00	NB	9.320	0.200	9.520	3	1	3	2	16	1	00	11	22	30	0	2016	6410	2	1	01	4	2	0	99998					
2	119/00	00	NB	9.520	0.060	9.580	3	1	3	2	16	1	00	11	30	30	0	2016	6410	2	1	01	4	2	0	99998					
2	119/00	00	NB	9.580	0.230	9.810	3	1	3	2	16	1	00	11	30	30	0	2016	7363	2	1	01	4	2	0	99998					
2	119/00	00	NB	9.810	0.518	10.328	3	1	3	2	16	1	00	11	18	30	0	2016	7117	2	1	01	4	2	0	99998					
2	119/00	00	NB	10.328	0.112	10.440	0	1	3	2	16	1	00	11	18	30	0	2016	7117	2	1	01	4	2	0	99998					
2	119/00	00	NB	10.440	0.055	10.495	0	1	3	2	16	1	00	11	18	30	0	2016	7940	2	1	01	4	2	0	99998					
2	119/00	00	NB	10.495	0.061	10.556	3	1	3	2	16	1	00	11	18	30	0	2016	7940	2	1	01	4	2	0	99998					
2	119/00	00	NB	10.556	0.004	10.560	3	0	3	2	6	1	00	11	18	30	0	2016	7940	2	1	01	4	2	0	99999					
2	119/00	00	NB	10.560	1.000	11.560	0	0	3	2	6	1	00	11	18	30	0	2016	7940	2	1	01	4	2	0	99999					
2	119/00	00	NB	11.560	1.810	13.370	0	0	3	2	6	1	00	11	18	30	0	2016	7940	2	1	01	4	2	0	99999					
2	119/00	00	NB	13.370	2.180	15.550	0	0	3	2	6	1	00	11	18	30	0	2016	3686	2	1	01	4	2	0	99999					
2	119/00	00	NB	15.550	4.120	19.670	0	0	3	2	6	1	00	11	18	30	0	2016	3353	2	1	01	4	2	0	99999					
<b>ROUTE TOTAL:</b>				<b>19.670</b>																											
2	250/00	00	NB	5.330	0.001	5.331	0	1	3	2	16	1	00	11	18	30	0	2016	2268	2	1	01	4	2	0	99998					
2	250/00	00	NB	5.331	1.424	6.755	0	0	3	2	6	1	00	11	18	30	0	2016	2268	2	1	01	4	2	0	99999					
2	250/00	00	NB	6.755	0.195	6.950	0	1	3	2	16	1	00	11	18	30	0	2016	2268	2	1	01	4	2	0	99998					
2	250/00	00	NB	6.950	0.132	7.082	0	1	3	2	16	1	05	11	18	30	0	2016	2268	2	1	01	4	2	0	99998					
2	250/00	00	NB	7.082	0.005	7.087	0	0	3	2	6	1	05	11	18	30	0	2016	2268	2	1	01	4	2	0	99999					
2	250/00	00	NB	7.087	0.063	7.150	0	1	3	2	16	1	05	11	18	30	0	2016	2268	2	1	01	4	2	0	99998					
2	250/00	00	NB	7.150	0.309	7.459	0	1	3	2	16	1	00	11	32	32	0	2016	2366	2	1	01	4	2	0	99998					
2	250/00	00	NB	7.459	0.001	7.460	0	0	3	2	6	1	00	11	32	32	0	2016	2366	2	1	01	4	2	0	99999					
2	250/00	00	NB	7.460	0.040	7.500	0	1	3	2	16	1	00	11	32	32	0	2016	2366	2	1	01	4	2	0	99998					
2	250/00	00	NB	7.500	0.140	7.640	0	1	3	2	16	1	00	11	18	30	0	2016	2366	2	1	01	4	2	0	99998					
2	250/00	00	NB	9.300	3.370	12.670	0	0	3	2	6	1	00	11	20	30	0	2016	2580	2	1	01	4	2	0	99999					
2	250/00	00	NB	12.670	3.710	16.380	0	0	3	2	6	1	00	11	20	30	0	2016	2422	2	1	01	4	2	0	99999					
2	250/00	00	NB	16.380	0.140	16.520	0	1	3	2	16	1	00	11	20	30	0	2016	2422	2	1	01	4	2	0	99998					
<b>ROUTE TOTAL:</b>				<b>9.530</b>																											
2	250/00	02	NB	0.000	0.120	0.120	0	1	3	4	16	1	00	11	32	32	0	2016	1905	2	1	01	4	2	0	99998					

2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS  
PLANNING DIVISION

TAYLOR COUNTY - (46)

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	END MP	LENGTH	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	URB CODE
------	-------	-------------	----------------	-----------	-----------	--------	-----	-----	-----	-----------	-------------	-------------	--------------	--------------	--------------	----------------	--------------	------------	------	-------	--------------	-------------	-----------	-------------	-------------

ROUTE TOTAL: 0.120

Taylor County TOTAL for the PRIMARY DIRECTION: 49.960

2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS  
PLANNING DIVISION

TUCKER COUNTY - (47)

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	END LENGTH MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	URB CODE		
2	219/00	00	NB	0.000	4.090	4.090	0	0	2	3	2	1	99	11	22	28	0	2016	2752	2	1	10	2	2	1	99999
2	219/00	00	NB	4.090	1.400	5.490	0	0	2	3	2	1	99	11	20	28	0	2016	2752	2	1	10	2	2	1	99999
2	219/00	00	NB	5.490	1.773	7.263	0	0	2	3	2	1	99	11	22	28	0	2016	2770	2	1	10	2	2	1	99999
2	219/00	00	NB	7.263	0.187	7.450	1	0	2	3	2	1	99	11	22	28	0	2016	2770	2	1	10	2	2	1	99999
2	219/00	00	NB	7.450	0.650	8.100	1	0	2	3	2	1	99	11	20	28	0	2016	6160	2	1	10	2	2	1	99999
2	219/00	00	NB	8.100	0.150	8.250	1	0	2	3	2	1	99	11	50	50	0	2016	4995	2	1	10	2	2	1	99999
2	219/00	00	NB	8.250	0.050	8.300	1	0	2	3	2	1	99	11	36	36	0	2016	4995	2	1	10	2	2	1	99999
2	219/00	00	NB	8.300	0.140	8.440	1	0	2	3	2	1	99	11	38	40	0	2016	4995	2	1	10	2	2	1	99999
2	219/00	00	NB	8.440	0.080	8.520	1	0	2	3	2	1	99	11	29	36	0	2016	4995	2	1	10	2	2	1	99999
2	219/00	00	NB	8.520	0.320	8.840	1	0	2	3	2	1	99	11	24	32	0	2016	4995	2	1	10	2	2	1	99999
2	219/00	00	NB	8.840	0.085	8.925	1	0	2	3	2	1	99	11	26	26	0	2016	4995	2	1	10	2	2	1	99999
2	219/00	00	NB	8.925	0.025	8.950	0	0	2	3	2	1	99	11	26	26	0	2016	4995	2	1	10	2	2	1	99999
2	219/00	00	NB	8.950	0.330	9.280	0	0	2	3	2	1	99	11	24	32	0	2016	7601	2	1	10	2	2	1	99999
2	219/00	00	NB	9.280	0.440	9.720	0	0	2	3	2	1	99	11	24	32	0	2016	4718	2	1	10	2	2	1	99999
2	219/00	00	NB	9.720	0.050	9.770	0	0	2	3	2	1	99	11	22	30	0	2016	4718	2	1	10	2	2	1	99999
2	219/00	00	NB	9.770	1.070	10.840	0	0	2	3	2	1	99	11	22	30	0	2016	3373	2	1	10	2	2	1	99999
2	219/00	00	NB	10.840	0.260	11.100	0	0	2	3	2	1	99	11	24	45	0	2016	3373	2	1	10	2	2	1	99999
2	219/00	00	NB	11.100	2.000	13.100	0	0	2	3	2	1	99	11	22	30	0	2016	3373	2	1	10	2	2	1	99999
2	219/00	00	NB	13.100	4.390	17.490	0	0	2	3	2	1	99	11	20	32	0	2016	2359	2	1	10	2	2	1	99999
2	219/00	00	NB	17.490	2.880	20.370	0	0	2	3	2	1	99	11	20	32	0	2016	2489	2	1	10	2	2	1	99999
2	219/00	00	NB	20.370	0.705	21.075	0	0	2	3	2	1	99	11	20	32	0	2016	2624	2	1	10	2	2	1	99999
2	219/00	00	NB	21.075	0.158	21.233	1	0	2	3	2	1	99	11	20	32	0	2016	2624	2	1	10	2	2	1	99999
2	219/00	00	NB	21.233	0.072	21.305	0	0	2	3	2	1	99	11	20	32	0	2016	2624	2	1	10	2	2	1	99999
2	219/00	00	NB	21.305	0.315	21.620	1	0	2	3	2	1	99	11	20	32	0	2016	2624	2	1	10	2	2	1	99999
2	219/00	00	NB	21.620	0.250	21.870	1	0	2	3	2	1	99	11	20	32	0	2016	2354	2	1	10	2	2	1	99999
2	219/00	00	NB	21.870	0.050	21.920	1	0	2	3	2	1	99	12	18	18	0	2016	2354	2	1	10	2	2	1	99999
2	219/00	00	NB	21.920	0.240	22.160	1	0	2	3	2	1	99	11	20	32	0	2016	2354	2	1	01	4	2	1	99999
2	219/00	00	NB	22.160	1.310	23.470	1	0	2	3	2	1	99	11	20	32	0	2016	1653	2	1	01	4	2	1	99999
2	219/00	00	NB	23.470	2.360	25.830	0	0	2	3	2	1	99	11	20	32	0	2016	1653	2	1	01	4	2	1	99999
2	219/00	00	NB	25.830	0.270	26.100	0	0	2	3	2	1	99	11	20	32	0	2016	1965	2	1	01	4	2	1	99999
2	219/00	00	NB	26.100	1.660	27.760	0	0	2	3	2	1	99	11	20	32	0	2016	1890	2	1	01	4	2	1	99999

ROUTE TOTAL: 27.760

Tucker County TOTAL for the PRIMARY DIRECTION: 27.760

2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS  
PLANNING DIVISION

UPSHUR COUNTY - (49)

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	END LENGTH MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	URB CODE				
2	033/00	00	EB	0.000	0.640	0.640	0	0	2	1	2	4	13	11	38	38	99	2016	15279	4	1	10	2	2	1	99999		
2	033/00	00	EB	0.640	0.002	0.642	0	1	2	1	14	4	13	11	38	38	99	2016	15279	4	1	10	2	2	1	99998		
2	033/00	00	EB	0.642	0.578	1.220	0	1	2	1	14	4	13	11	38	38	99	2016	15279	4	1	10	2	2	1	99998		
2	033/00	00	EB	1.220	1.284	2.504	0	1	2	1	14	4	13	11	38	38	30	2016	15279	4	1	10	2	2	1	99998		
2	033/00	00	EB	2.504	0.002	2.506	3	1	2	1	14	4	13	11	38	38	30	2016	15279	4	1	10	2	2	1	99998		
2	033/00	00	EB	2.506	0.004	2.510	3	1	2	1	14	4	13	11	38	38	30	2016	15279	4	1	10	2	2	1	99998		
2	033/00	00	EB	2.510	1.490	4.000	3	1	2	1	14	4	13	11	38	38	99	2016	16222	4	1	10	2	2	1	99998		
2	033/00	00	EB	4.000	0.350	4.350	3	1	2	1	14	4	13	11	38	38	40	2016	16222	4	1	10	2	2	1	99998		
2	033/00	00	EB	4.350	0.130	4.480	3	1	2	1	14	4	13	11	38	38	0	2016	16222	4	1	10	2	2	1	99998		
2	033/00	00	EB	4.480	0.360	4.840	3	1	2	1	14	4	16	11	38	38	32	2016	13174	4	1	10	2	2	1	99998		
2	033/00	00	EB	4.840	0.210	5.050	3	1	2	1	14	4	16	11	49	49	0	2016	13174	4	1	10	2	2	1	99998		
2	033/00	00	EB	5.050	2.140	7.190	3	1	2	1	14	4	16	11	49	49	0	2016	13494	4	1	10	2	2	1	99998		
2	033/00	00	EB	7.190	0.001	7.191	3	1	2	1	14	4	16	11	49	49	0	2016	13494	4	1	10	2	2	1	99998		
2	033/00	00	EB	7.191	0.001	7.192	0	1	2	1	14	4	16	11	49	49	0	2016	13494	4	1	10	2	2	1	99998		
2	033/00	00	EB	7.192	0.038	7.230	0	0	2	1	2	4	16	11	49	49	0	2016	13494	4	1	10	2	2	1	99999		
2	033/00	00	EB	7.230	1.080	8.310	0	0	2	1	2	4	13	11	24	56	0	2016	11944	4	1	10	2	2	1	99999		
2	033/00	00	EB	8.310	2.560	10.870	0	0	2	1	2	4	13	11	24	36	33	2016	13179	4	1	10	2	2	1	99999		
2	033/00	00	EB	10.870	4.400	15.270	0	0	2	1	2	4	09	11	24	36	40	2016	9048	4	1	10	2	2	1	99999		
2	033/00	00	EB	15.270	0.130	15.400	0	0	2	1	2	4	12	11	38	38	40	2016	9048	4	1	10	2	2	1	99999		
<b>ROUTE TOTAL:</b>				<b>15.400</b>																								
2	119/00	00	NB	5.050	0.070	5.120	3	1	3	3	16	1	16	11	30	34	0	2016	4883	4	1	01	4	2	0	99998		
2	119/00	00	NB	5.120	0.050	5.170	3	1	3	3	16	1	16	11	30	34	16	2016	4883	4	1	01	4	2	0	99998		
2	119/00	00	NB	5.170	0.090	5.260	3	1	3	3	16	1	16	11	30	34	99	2016	4883	4	1	01	4	2	0	99998		
2	119/00	00	NB	5.260	0.070	5.330	3	1	3	3	16	1	16	11	36	36	0	2016	4883	2	1	01	4	2	0	99998		
2	119/00	00	NB	5.330	0.050	5.380	3	1	3	3	16	1	92	11	36	36	0	2016	4883	2	1	01	4	2	0	99998		
2	119/00	00	NB	5.380	0.041	5.421	3	1	3	3	16	1	12	11	30	35	0	2016	4883	2	1	01	4	2	0	99998		
2	119/00	00	NB	5.421	0.179	5.600	0	1	3	3	16	1	12	11	30	35	0	2016	4883	2	1	01	4	2	0	99998		
2	119/00	00	NB	5.600	0.179	5.779	0	1	3	3	16	1	13	11	30	34	0	2016	4707	2	1	01	4	2	0	99998		
2	119/00	00	NB	5.779	4.391	10.170	0	0	3	3	6	1	13	11	30	34	0	2016	4707	2	1	01	4	2	0	99999		
2	119/00	00	NB	10.170	0.430	10.600	0	0	3	3	6	1	15	11	34	48	0	2016	4707	2	1	01	4	2	0	99999		
2	119/00	00	NB	10.600	0.920	11.520	0	0	3	3	6	1	15	11	30	34	0	2016	4707	2	1	01	4	2	0	99999		
2	119/00	00	NB	11.520	2.040	13.560	0	0	3	3	6	1	06	11	30	38	0	2016	1223	2	1	01	4	2	0	99999		
<b>ROUTE TOTAL:</b>				<b>8.510</b>																								

Upshur County TOTAL for the PRIMARY DIRECTION: 23.910

## 2016 ROAD INVENTORY LOG - US Routes

WV DOT - HIGHWAYS

PLANNING DIVISION

### WAYNE COUNTY - (50)

Page 90 of 94

SIGN	ROUTE	SUPP	DIRECT	BEG	END		WV			NAT	ACC	YEAR	SURF	PAV	GRADE	MED	AADT	LANES	REV	SPEC	TRK	FAC	URB				
		DSG	SURV	MP	LENGTH	MP	MUN	URB	FAS	FUN	FUNC	CONT	CHNG	TYPE	WIDTH	WIDTH	WIDTH		YR	LANES	SYS	RT		TYPE	CODE		
2	052/00	00	EB	4.410	0.260	4.670	2	2	2	2	14	4	00	12	14	26	0	2016	6038	1	1	01	4	1	1	40753	
2	052/00	00	EB	4.670	0.061	4.731	2	2	2	2	14	4	00	11	25	32	14	2016	6782	4	1	01	4	1	1	40753	
2	052/00	00	EB	4.731	0.169	4.900	1	2	2	2	14	4	00	11	25	32	14	2016	6782	4	1	01	4	1	1	40753	
2	052/00	00	EB	4.900	0.242	5.142	1	2	2	2	14	4	00	11	54	54	0	2016	6782	4	1	01	4	1	1	40753	
2	052/00	00	EB	5.142	0.028	5.170	0	2	2	2	14	4	00	11	54	54	0	2016	6782	4	1	01	4	1	1	40753	
2	052/00	00	EB	5.170	0.003	5.173	0	2	2	2	14	4	07	11	24	38	0	2016	6782	4	1	01	4	1	1	40753	
2	052/00	00	EB	5.173	0.052	5.225	1	2	2	2	14	4	07	11	24	38	0	2016	6782	4	1	01	4	1	1	40753	
2	052/00	00	EB	5.225	0.001	5.226	1	2	2	2	14	4	07	11	24	38	0	2016	6782	4	1	01	4	2	1	40753	
2	052/00	00	EB	5.226	0.574	5.800	0	2	2	2	14	4	07	11	24	38	0	2016	6782	4	1	01	4	2	1	40753	
2	052/00	00	EB	5.800	0.710	6.510	0	2	2	2	14	4	08	11	24	38	0	2016	6782	2	1	01	4	2	1	40753	
2	052/00	00	EB	6.510	0.430	6.940	0	2	2	2	14	1	05	11	24	38	0	2016	4552	2	1	01	4	2	1	40753	
2	052/00	00	EB	6.940	4.080	11.020	0	2	2	2	14	1	00	11	24	38	0	2016	3457	2	1	01	4	2	1	40753	
2	052/00	00	EB	11.020	0.002	11.022	0	2	2	2	14	1	00	11	24	38	0	2016	3457	2	1	01	4	2	1	40753	
2	052/00	00	EB	11.022	4.978	16.000	0	0	2	2	2	1	00	11	24	38	0	2016	3457	2	1	01	4	2	1	99999	
2	052/00	00	EB	16.000	0.590	16.590	0	0	2	2	2	4	08	11	24	38	0	2016	3457	4	1	01	4	2	1	99999	
2	052/00	00	EB	16.590	2.510	19.100	0	0	2	2	2	4	00	11	24	48	0	2016	3457	4	1	01	4	2	1	99999	
2	052/00	00	EB	19.100	2.040	21.140	0	0	2	2	2	1	08	11	24	48	0	2016	3457	2	1	01	4	2	1	99999	
2	052/00	00	EB	21.140	6.311	27.451	0	0	2	2	2	1	00	11	24	44	0	2016	3983	2	1	01	4	2	1	99999	
2	052/00	00	EB	27.451	0.026	27.477	0	0	2	2	2	1	00	11	24	44	0	2016	3983	2	1	01	4	2	1	99999	
2	052/00	00	EB	27.477	0.021	27.498	1	0	2	2	2	1	00	11	24	44	0	2016	3983	2	1	01	4	2	1	99999	
2	052/00	00	EB	27.498	0.002	27.500	1	0	2	2	2	1	00	11	24	44	0	2016	3983	2	1	01	4	2	1	99999	
2	052/00	00	EB	27.500	0.017	27.517	1	0	2	2	2	1	00	11	24	44	0	2016	4562	2	1	01	4	2	1	99999	
2	052/00	00	EB	27.517	0.021	27.538	0	0	2	2	2	1	00	11	24	44	0	2016	4562	2	1	01	4	2	1	99999	
2	052/00	00	EB	27.538	0.081	27.619	1	0	2	2	2	1	00	11	24	44	0	2016	4562	2	1	01	4	2	1	99999	
2	052/00	00	EB	27.619	0.031	27.650	0	0	2	2	2	1	00	11	24	44	0	2016	4562	2	1	01	4	2	1	99999	
2	052/00	00	EB	27.650	0.037	27.687	1	0	2	2	2	1	00	11	24	44	0	2016	4562	2	1	01	4	2	1	99999	
2	052/00	00	EB	27.687	0.025	27.712	0	0	2	2	2	1	00	11	24	44	0	2016	4562	2	1	01	4	2	1	99999	
2	052/00	00	EB	27.712	0.002	27.714	0	0	2	2	2	1	00	11	24	44	0	2016	4562	2	1	01	4	2	1	99999	
2	052/00	00	EB	27.714	1.406	29.120	0	0	2	2	2	1	00	11	24	44	0	2016	4562	2	1	01	4	2	1	99999	
2	052/00	00	EB	29.120	2.280	31.400	0	0	2	2	2	1	00	11	24	44	0	2016	3860	2	1	01	4	2	1	99999	
2	052/00	00	EB	31.400	10.310	41.710	0	0	2	2	2	1	00	11	24	44	0	2016	3147	2	1	01	4	2	1	99999	
2	052/00	00	EB	41.710	3.120	44.830	0	0	2	2	2	1	00	11	32	44	0	2016	3147	2	1	01	4	2	1	99999	
2	052/00	00	EB	44.830	0.510	45.340	0	0	2	2	2	1	00	11	24	44	0	2016	2434	2	1	01	4	2	1	99999	
2	052/00	00	EB	45.340	3.490	48.830	0	0	2	2	2	1	00	11	24	34	0	2016	2434	2	1	01	4	2	1	99999	
2	052/00	00	EB	48.830	5.390	54.220	0	0	2	2	2	1	00	11	18	28	0	2016	2434	2	1	01	4	2	1	99999	
2	052/00	00	EB	54.220	0.100	54.320	0	0	2	2	2	1	00	11	18	38	0	2016	2434	2	1	01	4	2	1	99999	
<b>ROUTE TOTAL:</b>				<b>49.910</b>																							
2	060/00	00	EB	0.000	0.160	0.160	2	2	2	3	14	1	00	11	24	30	0	2016	7290	2	1	01	4	2	1	40753	
2	060/00	00	EB	0.160	0.080	0.240	2	2	2	3	14	1	02	12	42	42	0	2016	7290	2	1	01	4	2	1	40753	

2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS  
PLANNING DIVISION

WAYNE COUNTY - (50)

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	LENGTH	END MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	URB CODE	
2	060/00	00	EB	0.240	0.080	0.320	2	2	2	3	14	1	00	12	42	42	0	2016	5388	2	1	01	4	2	1	40753
2	060/00	00	EB	0.320	0.170	0.490	2	2	2	3	14	1	00	11	30	30	0	2016	5388	2	1	01	4	2	1	40753
2	060/00	00	EB	0.490	0.230	0.720	2	2	2	3	14	1	00	11	30	30	0	2016	5197	2	1	01	4	2	1	40753
2	060/00	00	EB	0.720	0.410	1.130	2	2	2	3	14	1	00	11	32	32	0	2016	6164	4	1	01	4	2	1	40753
2	060/00	00	EB	1.130	0.694	1.824	2	2	2	3	14	1	00	11	32	32	4	2016	9240	4	1	01	4	2	1	40753
2	060/00	00	EB	1.824	0.036	1.860	1	2	2	3	14	1	00	11	32	32	4	2016	9240	4	1	01	4	2	1	40753
2	060/00	00	EB	1.860	0.070	1.930	1	2	2	3	14	1	00	11	40	42	0	2016	9240	2	1	01	4	2	1	40753
2	060/00	00	EB	1.930	0.560	2.490	1	2	2	3	14	1	00	11	40	42	0	2016	7870	2	1	01	4	2	1	40753
2	060/00	00	EB	2.490	1.010	3.500	1	2	2	3	14	1	00	11	30	42	0	2016	7870	2	1	01	4	2	1	40753
2	060/00	00	EB	3.500	0.070	3.570	1	2	2	3	14	1	00	11	24	24	0	2016	7870	4	1	01	4	2	1	40753
2	060/00	00	EB	3.570	0.220	3.790	1	2	2	3	14	1	00	11	28	34	4	2016	7870	4	1	01	4	2	1	40753
2	060/00	00	EB	3.790	0.013	3.803	1	2	2	3	14	1	02	11	28	34	4	2016	7506	4	1	01	4	2	1	40753
2	060/00	00	EB	3.803	0.208	4.011	0	2	2	3	14	1	02	11	28	34	4	2016	7506	4	1	01	4	2	1	40753
2	060/00	00	EB	4.011	0.379	4.390	5	2	2	3	14	1	02	11	28	34	4	2016	7506	4	1	01	4	2	1	40753
2	060/00	00	EB	4.390	1.210	5.600	5	2	2	3	14	1	00	11	28	34	4	2016	7506	4	1	01	4	2	1	40753

ROUTE TOTAL: 5.600

Wayne County TOTAL for the PRIMARY DIRECTION: 55.510

2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS  
PLANNING DIVISION

WETZEL COUNTY - (52)

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	LENGTH	END MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	URB CODE	
2	250/00	00	NB	0.000	1.130	1.130	0	0	3	3	6	1	70	11	20	26	0	2016	1874	2	1	01	4	2	0	99999
2	250/00	00	NB	1.130	0.050	1.180	0	0	3	3	6	1	82	11	18	30	0	2016	1874	2	1	01	4	2	0	99999
2	250/00	00	NB	1.180	0.710	1.890	0	0	2	3	2	1	82	11	18	30	0	2016	2524	2	1	01	4	2	1	99999
2	250/00	00	NB	1.890	1.370	3.260	0	0	2	3	2	1	82	11	18	30	0	2016	2765	2	1	01	4	2	1	99999
2	250/00	00	NB	3.260	0.029	3.289	0	0	2	3	2	1	82	11	18	30	0	2016	2960	2	1	01	4	2	1	99999
2	250/00	00	NB	3.289	0.431	3.720	1	0	2	3	2	1	82	11	18	30	0	2016	2960	2	1	01	4	2	1	99999
2	250/00	00	NB	3.720	0.160	3.880	1	0	2	3	2	1	82	12	18	30	0	2016	2960	2	1	01	4	2	1	99999
2	250/00	00	NB	3.880	0.020	3.900	1	0	2	3	2	1	92	11	30	30	0	2016	2960	2	1	01	4	2	1	99999
2	250/00	00	NB	3.900	0.040	3.940	1	0	2	3	2	1	00	11	30	30	0	2016	2960	2	1	01	4	2	1	99999
2	250/00	00	NB	3.940	0.440	4.380	1	0	2	3	2	1	00	11	18	30	0	2016	2960	2	1	01	4	2	1	99999
2	250/00	00	NB	4.380	0.176	4.556	1	0	2	3	2	1	00	11	18	30	0	2016	1392	2	1	01	4	2	1	99999
2	250/00	00	NB	4.556	0.894	5.450	0	0	2	3	2	1	00	11	18	30	0	2016	1392	2	1	01	4	2	1	99999
2	250/00	00	NB	5.450	0.010	5.460	0	0	2	3	2	1	00	12	29	29	0	2016	1392	2	1	01	4	2	1	99999
2	250/00	00	NB	5.460	0.070	5.530	0	0	2	3	2	1	00	11	24	30	0	2016	1392	2	1	01	4	2	1	99999
2	250/00	00	NB	5.530	0.010	5.540	0	0	2	3	2	1	00	11	29	29	0	2016	1392	2	1	01	4	2	1	99999
2	250/00	00	NB	5.540	1.340	6.880	0	0	2	3	2	1	00	11	20	32	0	2016	1392	2	1	01	4	2	1	99999
2	250/00	00	NB	6.880	0.140	7.020	0	0	2	3	2	1	00	11	24	36	0	2016	749	2	1	01	4	2	1	99999
2	250/00	00	NB	7.020	0.950	7.970	0	0	2	3	2	1	00	11	20	32	0	2016	749	2	1	01	4	2	1	99999
2	250/00	00	NB	7.970	0.130	8.100	0	0	2	3	2	1	95	11	18	30	0	2016	749	2	1	01	4	2	1	99999
2	250/00	00	NB	8.100	0.540	8.640	0	0	2	3	2	1	95	11	18	30	0	2016	768	2	1	01	4	2	1	99999
2	250/00	00	NB	8.640	0.030	8.670	0	0	2	3	2	1	95	11	18	18	0	2016	768	2	1	01	4	2	1	99999
2	250/00	00	NB	8.670	0.380	9.050	0	0	2	3	2	1	95	11	18	30	0	2016	768	2	1	01	4	2	1	99999
2	250/00	00	NB	9.050	2.020	11.070	0	0	2	3	2	1	02	11	18	30	0	2016	768	2	1	01	4	2	1	99999

ROUTE TOTAL: 11.070

Wetzel County TOTAL for the PRIMARY DIRECTION: 11.070

2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS  
PLANNING DIVISION

WOOD COUNTY - (54)

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	LENGTH	END MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	URB CODE	
2	050/00	00	EB	0.000	0.610	0.610	0	2	2	1	14	1	06	11	22	96	4	2016	12800	4	1	10	4	2	1	67672
2	050/00	00	EB	0.610	1.580	2.190	0	2	2	1	14	1	06	11	72	99	38	2016	12800	4	1	10	4	2	1	67672
2	050/00	00	EB	2.190	0.340	2.530	0	2	2	1	14	1	06	11	48	76	38	2016	12800	4	1	10	4	2	1	67672
2	050/00	00	EB	2.530	0.620	3.150	0	2	2	1	14	1	06	11	48	76	32	2016	12800	4	1	10	4	2	1	67672
2	050/00	00	EB	3.150	0.280	3.430	0	2	2	1	14	1	06	11	48	76	0	2016	12800	4	1	10	4	2	1	67672
2	050/00	00	EB	3.430	1.870	5.300	0	2	2	1	14	1	06	11	72	99	0	2016	18628	4	1	10	4	2	1	67672
2	050/00	00	EB	5.300	0.126	5.426	0	2	2	1	14	1	06	11	48	76	0	2016	13112	4	1	10	4	2	1	67672
2	050/00	00	EB	5.426	0.008	5.434	5	2	2	1	14	1	06	11	48	76	0	2016	13112	4	1	10	4	2	1	67672
2	050/00	00	EB	5.434	0.390	5.824	0	2	2	1	14	1	06	11	48	76	0	2016	13112	4	1	10	4	2	1	67672
2	050/00	00	EB	5.824	0.029	5.853	5	2	2	1	14	1	06	11	48	76	0	2016	13112	4	1	10	4	2	1	67672
2	050/00	00	EB	5.853	0.438	6.291	0	2	2	1	14	1	06	11	48	76	0	2016	13112	4	1	10	4	2	1	67672
2	050/00	00	EB	6.291	0.003	6.294	5	2	2	1	14	1	06	11	48	76	0	2016	13112	4	1	10	4	2	1	67672
2	050/00	00	EB	6.294	0.006	6.300	5	2	2	1	14	1	06	11	48	76	0	2016	13112	4	1	10	4	2	1	67672
2	050/00	00	EB	6.300	1.080	7.380	5	2	2	1	14	1	06	11	48	76	38	2016	12904	4	1	10	4	2	1	67672
2	050/00	00	EB	7.380	0.014	7.394	5	2	2	1	14	1	06	11	48	76	38	2016	17171	4	1	10	4	2	1	67672
2	050/00	00	EB	7.394	0.003	7.397	5	2	2	1	14	1	06	11	48	76	38	2016	17171	4	1	10	4	2	1	67672
2	050/00	00	EB	7.397	0.633	8.030	0	2	2	1	14	1	06	11	48	76	38	2016	17171	4	1	10	4	2	1	67672
2	050/00	00	EB	8.030	0.910	8.940	0	2	2	1	14	1	06	11	48	76	38	2016	17171	4	1	10	4	2	1	67672
2	050/00	00	EB	8.940	0.470	9.410	0	2	2	1	14	1	06	11	48	76	38	2016	22790	4	1	10	4	2	1	67672
2	050/00	00	EB	9.410	0.440	9.850	0	2	2	1	14	1	15	11	24	36	28	2016	22790	4	1	10	4	2	1	67672
2	050/00	00	EB	9.850	0.040	9.890	0	2	2	1	14	1	15	11	24	36	0	2016	22790	4	1	10	4	2	1	67672
2	050/00	00	EB	9.890	0.130	10.020	0	2	2	1	14	1	15	11	24	36	0	2016	22790	4	1	10	4	2	1	67672
2	050/00	00	EB	10.020	2.939	12.959	0	2	2	1	14	1	15	11	24	36	0	2016	9782	4	1	10	4	2	1	67672
2	050/00	00	EB	12.959	0.002	12.961	0	2	2	1	14	1	15	11	24	36	0	2016	9782	4	1	10	1	2	1	67672
2	050/00	00	EB	12.961	11.169	24.130	0	0	2	1	2	1	15	11	24	36	0	2016	9782	4	1	10	1	2	1	99999

ROUTE TOTAL: 24.130

Wood County TOTAL for the PRIMARY DIRECTION: 24.130

2016 ROAD INVENTORY LOG - US Routes

WVDOT - HIGHWAYS  
PLANNING DIVISION

WYOMING COUNTY - (55)

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	LENGTH	END MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	URB CODE	
2	052/00	00	EB	0.000	1.400	1.400	0	0	2	2	2	1	82	11	24	34	0	2016	3920	2	1	01	4	2	1	99999
2	052/00	00	EB	1.400	1.730	3.130	0	0	2	2	2	1	81	11	24	34	0	2016	3213	2	1	01	4	2	1	99999
2	052/00	00	EB	3.130	1.650	4.780	0	0	2	2	2	1	98	11	24	28	0	2016	3213	2	1	01	4	2	1	99999
2	052/00	00	EB	4.780	2.870	7.650	0	0	2	2	2	1	98	11	24	34	0	2016	2558	2	1	01	4	2	1	99999
2	052/00	00	EB	7.650	0.960	8.610	0	0	2	2	2	1	83	11	24	34	0	2016	2987	2	1	01	4	2	1	99999

ROUTE TOTAL: 8.610

Wyoming County TOTAL for the PRIMARY DIRECTION: 8.610

STATE TOTAL for US ROUTES (PRIMARY DIRECTION): 1,830.360