

2019 ROAD INVENTORY LOG - INTERSTATES

WVDOT - HIGHWAYS
Strategic Performance Management Division

BERKELEY COUNTY - (02)

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	LENGTH	END MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	NHS	URB CODE
1	081/00	00	NB	0.000	1.390	1.390	0	2	1	1	11	7	95	11	24	34	60	2019	58700	4	1	01	1	2	1	36190
1	081/00	00	NB	1.390	1.900	3.290	0	2	1	1	11	7	95	11	24	34	60	2019	58400	4	1	01	1	2	1	36190
1	081/00	00	NB	3.290	0.010	3.300	0	2	1	1	11	7	95	11	37	37	60	2019	58400	4	1	01	1	2	1	36190
1	081/00	00	NB	3.300	2.970	6.270	0	2	1	1	11	7	95	11	24	34	60	2019	58400	4	1	01	1	2	1	36190
1	081/00	00	NB	6.270	2.150	8.420	0	2	1	1	11	7	05	11	24	31	60	2019	61300	4	1	01	1	2	1	36190
1	081/00	00	NB	8.420	3.210	11.630	0	2	1	1	11	7	06	11	24	34	60	2019	61300	4	1	01	1	2	1	36190
1	081/00	00	NB	11.630	0.030	11.660	0	2	1	1	11	7	05	11	30	30	60	2019	73000	4	1	01	1	2	1	36190
1	081/00	00	NB	11.660	0.278	11.938	0	2	1	1	11	7	05	11	24	34	60	2019	73000	4	1	01	1	2	1	36190
1	081/00	00	NB	11.938	0.899	12.837	4	2	1	1	11	7	05	11	24	34	60	2019	73000	4	1	01	1	2	1	36190
1	081/00	00	NB	12.837	0.673	13.510	0	2	1	1	11	7	05	11	24	34	60	2019	73000	4	1	01	1	2	1	36190
1	081/00	00	NB	13.510	0.030	13.540	0	2	1	1	11	7	05	11	30	30	60	2019	73000	4	1	01	1	2	1	36190
1	081/00	00	NB	13.540	0.720	14.260	0	2	1	1	11	7	05	11	24	34	60	2019	76800	4	1	01	1	2	1	36190
1	081/00	00	NB	14.260	1.060	15.320	0	2	1	1	11	7	05	11	24	34	60	2019	68200	4	1	01	1	2	1	36190
1	081/00	00	NB	15.320	0.300	15.620	0	2	1	1	11	7	81	11	24	34	60	2019	68200	4	1	01	1	2	1	36190
1	081/00	00	NB	15.620	0.610	16.230	0	2	1	1	11	7	79	11	24	34	60	2019	68200	4	1	01	1	2	1	36190
1	081/00	00	NB	16.230	1.880	18.110	0	2	1	1	11	7	05	11	24	34	60	2019	58700	4	1	01	1	2	1	36190
1	081/00	00	NB	18.110	0.020	18.130	0	2	1	1	11	7	05	11	30	30	60	2019	58700	4	1	01	1	2	1	36190
1	081/00	00	NB	18.130	0.970	19.100	0	2	1	1	11	7	05	11	24	34	60	2019	58700	4	1	01	1	2	1	36190
1	081/00	00	NB	19.100	0.020	19.120	0	2	1	1	11	7	05	11	30	30	60	2019	58700	4	1	01	1	2	1	36190
1	081/00	00	NB	19.120	1.250	20.370	0	2	1	1	11	7	05	11	24	34	60	2019	58700	4	1	01	1	2	1	36190
1	081/00	00	NB	20.370	1.370	21.740	0	2	1	1	11	7	05	11	24	34	60	2019	59600	4	1	01	1	2	1	36190
1	081/00	00	NB	21.740	0.020	21.760	0	2	1	1	11	7	05	11	37	37	60	2019	59600	4	1	01	1	2	1	36190
1	081/00	00	NB	21.760	1.240	23.000	0	2	1	1	11	7	05	11	24	34	60	2019	59600	4	1	01	1	2	1	36190
1	081/00	00	NB	23.000	0.420	23.420	0	2	1	1	11	7	05	11	24	34	60	2019	70000	4	1	01	1	2	1	36190
1	081/00	00	NB	23.420	0.040	23.460	0	2	1	1	11	7	05	11	30	30	60	2019	70000	4	1	01	1	2	1	36190
1	081/00	00	NB	23.460	2.470	25.930	0	2	1	1	11	7	05	11	24	34	60	2019	70000	4	1	01	1	2	1	36190
1	081/00	00	NB	25.930	0.070	26.000	0	2	1	1	11	7	05	11	30	30	60	2019	70000	4	1	01	1	2	1	36190

ROUTE TOTAL: 26.000

Berkeley County TOTAL for the PRIMARY DIRECTION: 26.000

2019 ROAD INVENTORY LOG - INTERSTATES

WVDOT - HIGHWAYS

Strategic Performance Management Division

BRAXTON COUNTY - (04)

Page 2 of 36

SIGN	ROUTE	SUPP	DIRECT	BEG	END			WV	NAT	ACC	YEAR	SURF	PAV	GRADE	MED	AADT	AADT	LANES	REV	SPEC	TRK	FAC	URB			
		DSG	SURV	MP	LENGTH	MP	MUN	URB	FAS	FUN	FUNC	CHNG	TYPE	WIDTH	WIDTH	WIDTH			YR	LANES	SYS	RT	TYPE	NHS	CODE	
1	079/00	00	NB	44.600	1.580	46.180	0	0	1	1	1	7	05	11	24	36	60	2019	10800	4	1	01	1	2	1	99999
1	079/00	00	NB	46.180	0.040	46.220	0	0	1	1	1	7	05	12	44	44	60	2019	10800	4	1	01	1	2	1	99999
1	079/00	00	NB	46.220	3.190	49.410	0	0	1	1	1	7	05	11	38	42	60	2019	10400	4	1	01	1	2	1	99999
1	079/00	00	NB	49.410	0.200	49.610	0	0	1	1	1	7	05	11	24	36	60	2019	10400	4	1	01	1	2	1	99999
1	079/00	00	NB	49.610	0.120	49.730	0	0	1	1	1	7	05	11	24	36	60	2019	10400	4	1	01	1	2	1	99999
1	079/00	00	NB	49.730	0.620	50.350	0	0	1	1	1	7	05	11	24	36	60	2019	10400	4	1	01	1	2	1	99999
1	079/00	00	NB	50.350	0.670	51.020	0	0	1	1	1	7	05	11	24	36	40	2019	10600	4	1	01	1	2	1	99999
1	079/00	00	NB	51.020	0.450	51.470	0	0	1	1	1	7	05	11	24	36	60	2019	10600	4	1	01	1	2	1	99999
1	079/00	00	NB	51.470	0.140	51.610	0	0	1	1	1	7	11	11	40	40	40	2019	10600	4	1	01	1	2	1	99999
1	079/00	00	NB	51.610	1.000	52.610	0	0	1	1	1	7	05	11	24	36	95	2019	11300	4	1	01	1	2	1	99999
1	079/00	00	NB	52.610	0.660	53.270	0	0	1	1	1	7	05	11	24	36	40	2019	11300	4	1	01	1	2	1	99999
1	079/00	00	NB	53.270	0.910	54.180	0	0	1	1	1	7	05	11	24	36	60	2019	11300	4	1	01	1	2	1	99999
1	079/00	00	NB	54.180	0.030	54.210	0	0	1	1	1	7	12	11	38	46	40	2019	11300	4	1	01	1	2	1	99999
1	079/00	00	NB	54.210	1.480	55.690	0	0	1	1	1	7	10	11	38	46	60	2019	11300	4	1	01	1	2	1	99999
1	079/00	00	NB	55.690	1.820	57.510	0	0	1	1	1	7	05	11	24	36	40	2019	11300	4	1	01	1	2	1	99999
1	079/00	00	NB	57.510	0.290	57.800	0	0	1	1	1	7	10	11	38	46	40	2019	18100	4	1	01	1	2	1	99999
1	079/00	00	NB	57.800	3.550	61.350	0	0	1	1	1	7	19	11	38	44	40	2019	18100	4	1	01	1	2	1	99999
1	079/00	00	NB	61.350	0.120	61.470	0	0	1	1	1	7	09	11	38	44	40	2019	18100	4	1	01	1	2	1	99999
1	079/00	00	NB	61.470	1.224	62.694	0	0	1	1	1	7	09	11	38	44	40	2019	18700	4	1	01	1	2	1	99999
1	079/00	00	NB	62.694	0.066	62.760	1	0	1	1	1	7	09	11	38	44	40	2019	18700	4	1	01	1	2	1	99999
1	079/00	00	NB	62.760	0.190	62.950	1	0	1	1	1	7	09	11	38	44	16	2019	18700	4	1	01	1	2	1	99999
1	079/00	00	NB	62.950	0.041	62.991	1	0	1	1	1	7	09	11	38	44	40	2019	18700	4	1	01	1	2	1	99999
1	079/00	00	NB	62.991	1.819	64.810	0	0	1	1	1	7	09	11	38	44	40	2019	18700	4	1	01	1	2	1	99999
1	079/00	00	NB	64.810	0.020	64.830	0	0	1	1	1	7	08	11	38	42	40	2019	18700	4	1	01	1	2	1	99999
1	079/00	00	NB	64.830	0.970	65.800	0	0	1	1	1	7	08	11	38	42	40	2019	19000	4	1	01	1	2	1	99999
1	079/00	00	NB	65.800	1.720	67.520	0	0	1	1	1	7	19	11	38	42	60	2019	19000	4	1	01	1	2	1	99999
1	079/00	00	NB	67.520	0.154	67.674	0	0	1	1	1	7	19	11	38	42	60	2019	19500	4	1	01	1	2	1	99999
1	079/00	00	NB	67.674	0.557	68.231	1	0	1	1	1	7	19	11	38	42	60	2019	19500	4	1	01	1	2	1	99999
1	079/00	00	NB	68.231	1.089	69.320	0	0	1	1	1	7	19	11	38	42	60	2019	19500	4	1	01	1	2	1	99999
1	079/00	00	NB	69.320	1.510	70.830	0	0	1	1	1	7	19	11	38	42	99	2019	19500	4	1	01	1	2	1	99999
1	079/00	00	NB	70.830	0.570	71.400	0	0	1	1	1	7	19	11	38	42	40	2019	19500	4	1	01	1	2	1	99999
1	079/00	00	NB	71.400	0.030	71.430	0	0	1	1	1	7	08	11	38	42	40	2019	19500	4	1	01	1	2	1	99999
1	079/00	00	NB	71.430	2.910	74.340	0	0	1	1	1	7	05	11	24	34	40	2019	19500	4	1	01	1	2	1	99999
1	079/00	00	NB	74.340	0.100	74.440	0	0	1	1	1	7	10	11	40	40	40	2019	19500	4	1	01	1	2	1	99999
1	079/00	00	NB	74.440	1.170	75.610	0	0	1	1	1	7	05	11	41	41	40	2019	19500	4	1	01	1	2	1	99999
1	079/00	00	NB	75.610	2.781	78.391	0	0	1	1	1	7	19	11	38	42	40	2019	19500	4	1	01	1	2	1	99999
1	079/00	00	NB	78.391	0.019	78.410	1	0	1	1	1	7	19	11	38	42	40	2019	19500	4	1	01	1	2	1	99999
1	079/00	00	NB	78.410	0.440	78.850	1	0	1	1	1	7	19	11	38	42	40	2019	18700	4	1	01	1	2	1	99999
1	079/00	00	NB	78.850	0.230	79.080	1	0	1	1	1	7	17	11	38	42	40	2019	18700	4	1	01	1	2	1	99999

2019 ROAD INVENTORY LOG - INTERSTATES

WVDOT - HIGHWAYS

Strategic Performance Management Division

BRAXTON COUNTY - (04)

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	LENGTH	END MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	NHS	URB CODE
1	079/00	00	NB	79.080	0.480	79.560	1	0	1	1	1	7	17	11	38	42	40	2019	17100	4	1	01	1	2	1	99999
1	079/00	00	NB	79.560	0.080	79.640	1	0	1	1	1	7	17	11	40	40	40	2019	17100	4	1	01	1	2	1	99999
1	079/00	00	NB	79.640	0.316	79.956	1	0	1	1	1	7	17	11	38	42	40	2019	17100	4	1	01	1	2	1	99999
1	079/00	00	NB	79.956	3.194	83.150	0	0	1	1	1	7	17	11	38	42	40	2019	17100	4	1	01	1	2	1	99999

ROUTE TOTAL: 38.550

Braxton County TOTAL for the PRIMARY DIRECTION: 38.550

2019 ROAD INVENTORY LOG - INTERSTATES

WVDOT - HIGHWAYS

Strategic Performance Management Division

CABELL COUNTY - (06)

Page 4 of 36

SIGN	ROUTE	SUPP	DIRECT	BEG	END			WV		NAT	ACC	YEAR	SURF	PAV	GRADE	MED	AADT	REV			SPEC	TRK	FAC	URB		
		DSG	SURV	MP	LENGTH	MP	MUN	URB	FAS	FUN	FUNC	CONT	CHNG	TYPE	WIDTH	WIDTH	WIDTH	YR	AADT	LANES	LANES	SYS	RT	TYPE	NHS	CODE
1	064/00	00	EB	5.870	0.120	5.990	5	2	1	1	11	7	86	11	24	34	40	2019	40400	4	1	01	1	2	1	40753
1	064/00	00	EB	5.990	0.140	6.130	5	2	1	1	11	7	86	11	30	30	40	2019	40400	4	1	01	1	2	1	40753
1	064/00	00	EB	6.130	0.150	6.280	5	2	1	1	11	7	86	11	24	34	40	2019	40400	4	1	01	1	2	1	40753
1	064/00	00	EB	6.280	0.050	6.330	5	2	1	1	11	7	86	11	42	42	40	2019	40400	4	1	01	1	2	1	40753
1	064/00	00	EB	6.330	0.120	6.450	5	2	1	1	11	7	86	11	24	34	40	2019	40400	4	1	01	1	2	1	40753
1	064/00	00	EB	6.450	0.020	6.470	5	2	1	1	11	7	86	11	39	39	40	2019	40400	4	1	01	1	2	1	40753
1	064/00	00	EB	6.470	0.225	6.695	5	2	1	1	11	7	86	11	24	34	40	2019	38500	4	1	01	1	2	1	40753
1	064/00	00	EB	6.695	0.004	6.699	0	2	1	1	11	7	86	11	24	34	40	2019	38500	4	1	01	1	2	1	40753
1	064/00	00	EB	6.699	0.481	7.180	5	2	1	1	11	7	86	11	24	34	40	2019	38500	4	1	01	1	2	1	40753
1	064/00	00	EB	7.180	0.080	7.260	5	2	1	1	11	7	86	11	30	30	40	2019	38500	4	1	01	1	2	1	40753
1	064/00	00	EB	7.260	0.930	8.190	5	2	1	1	11	7	86	11	24	34	40	2019	38500	4	1	01	1	2	1	40753
1	064/00	00	EB	8.190	1.030	9.220	5	2	1	1	11	7	84	11	24	34	40	2019	45500	4	1	01	1	2	1	40753
1	064/00	00	EB	9.220	0.050	9.270	5	2	1	1	11	7	84	11	30	30	40	2019	45500	4	1	01	1	2	1	40753
1	064/00	00	EB	9.270	1.650	10.920	5	2	1	1	11	7	84	11	24	34	40	2019	45500	4	1	01	1	2	1	40753
1	064/00	00	EB	10.920	0.100	11.020	5	2	1	1	11	7	84	11	30	30	40	2019	45500	6	1	01	1	2	1	40753
1	064/00	00	EB	11.020	0.230	11.250	5	2	1	1	11	7	84	11	24	34	40	2019	45500	6	1	01	1	2	1	40753
1	064/00	00	EB	11.250	0.120	11.370	5	2	1	1	11	7	81	11	24	34	40	2019	45500	6	1	01	1	2	1	40753
1	064/00	00	EB	11.370	0.610	11.980	5	2	1	1	11	7	79	11	24	34	40	2019	47700	6	1	01	1	2	1	40753
1	064/00	00	EB	11.980	0.050	12.030	5	2	1	1	11	7	79	11	30	30	40	2019	47700	6	1	01	1	2	1	40753
1	064/00	00	EB	12.030	1.310	13.340	5	2	1	1	11	7	79	11	24	38	40	2019	47700	6	1	01	1	2	1	40753
1	064/00	00	EB	13.340	0.030	13.370	5	2	1	1	11	7	89	11	32	32	40	2019	47700	6	1	01	1	2	1	40753
1	064/00	00	EB	13.370	0.630	14.000	5	2	1	1	11	7	79	11	24	34	40	2019	47700	6	1	01	1	2	1	40753
1	064/00	00	EB	14.000	0.074	14.074	5	2	1	1	11	7	94	11	24	34	40	2019	47700	6	1	01	1	2	1	40753
1	064/00	00	EB	14.074	0.016	14.090	2	2	1	1	11	7	94	11	24	34	40	2019	47700	6	1	01	1	2	1	40753
1	064/00	00	EB	14.090	0.030	14.120	2	2	1	1	11	7	79	11	24	34	40	2019	47700	6	1	01	1	2	1	40753
1	064/00	00	EB	14.120	0.030	14.150	2	2	1	1	11	7	94	11	32	32	40	2019	47700	6	1	01	1	2	1	40753
1	064/00	00	EB	14.150	0.380	14.530	2	2	1	1	11	7	94	11	24	34	40	2019	47700	6	1	01	1	2	1	40753
1	064/00	00	EB	14.530	0.040	14.570	2	2	1	1	11	7	94	11	42	42	40	2019	42300	4	1	01	1	2	1	40753
1	064/00	00	EB	14.570	2.181	16.751	2	2	1	1	11	7	94	11	24	34	40	2019	42300	4	1	01	1	2	1	40753
1	064/00	00	EB	16.751	0.053	16.804	0	2	1	1	11	7	94	11	24	34	40	2019	42300	4	1	01	1	2	1	40753
1	064/00	00	EB	16.804	0.646	17.450	2	2	1	1	11	7	94	11	24	34	40	2019	42300	4	1	01	1	2	1	40753
1	064/00	00	EB	17.450	0.230	17.680	2	2	1	1	11	7	94	11	30	30	40	2019	42300	4	1	01	1	2	1	40753
1	064/00	00	EB	17.680	0.340	18.020	2	2	1	1	11	7	94	11	24	34	40	2019	42300	4	1	01	1	2	1	40753
1	064/00	00	EB	18.020	0.060	18.080	2	2	1	1	11	7	94	11	30	30	40	2019	42300	4	1	01	1	2	1	40753
1	064/00	00	EB	18.080	0.390	18.470	2	2	1	1	11	7	84	11	24	34	40	2019	44000	4	1	01	1	2	1	40753
1	064/00	00	EB	18.470	0.020	18.490	2	2	1	1	11	7	94	11	30	30	40	2019	44000	4	1	01	1	2	1	40753
1	064/00	00	EB	18.490	0.760	19.250	2	2	1	1	11	7	94	11	24	34	40	2019	44000	4	1	01	1	2	1	40753
1	064/00	00	EB	19.250	0.020	19.270	2	2	1	1	11	7	87	11	30	30	40	2019	44000	4	1	01	1	2	1	40753
1	064/00	00	EB	19.270	0.050	19.320	2	2	1	1	11	7	87	11	30	30	0	2019	44000	4	1	01	1	2	1	40753

2019 ROAD INVENTORY LOG - INTERSTATES

WVDOT - HIGHWAYS

Strategic Performance Management Division

CABELL COUNTY - (06)

Page 5 of 36

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	END LENGTH	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	NHS	URB CODE	
1	064/00	00	EB	19.320	0.390	19.710	2	2	1	1	11	7	87	11	24	34	40	2019	44000	4	1	01	1	2	1	40753
1	064/00	00	EB	19.710	0.020	19.730	2	2	1	1	11	7	95	11	37	37	40	2019	33800	4	1	01	1	2	1	40753
1	064/00	00	EB	19.730	0.080	19.810	2	2	1	1	11	7	81	11	24	34	40	2019	33800	4	1	01	1	2	1	40753
1	064/00	00	EB	19.810	0.380	20.190	2	2	1	1	11	7	94	11	24	34	40	2019	33800	4	1	01	1	2	1	40753
1	064/00	00	EB	20.190	0.011	20.201	2	2	1	1	11	7	75	11	30	30	40	2019	33800	4	1	01	1	2	1	40753
1	064/00	00	EB	20.201	0.069	20.270	0	2	1	1	11	7	75	11	30	30	40	2019	33800	4	1	01	1	2	1	40753
1	064/00	00	EB	20.270	1.480	21.750	0	2	1	1	11	7	94	11	24	34	40	2019	33800	4	1	01	1	2	1	40753
1	064/00	00	EB	21.750	0.080	21.830	0	2	1	1	11	7	94	11	30	30	40	2019	33800	4	1	01	1	2	1	40753
1	064/00	00	EB	21.830	0.560	22.390	0	2	1	1	11	7	94	11	24	34	40	2019	33800	4	1	01	1	2	1	40753
1	064/00	00	EB	22.390	0.070	22.460	0	2	1	1	11	7	75	11	30	30	40	2019	33800	4	1	01	1	2	1	40753
1	064/00	00	EB	22.460	0.560	23.020	0	2	1	1	11	7	75	11	24	34	40	2019	33800	4	1	01	1	2	1	40753
1	064/00	00	EB	23.020	0.020	23.040	0	2	1	1	11	7	75	11	37	37	40	2019	33800	4	1	01	1	2	1	40753
1	064/00	00	EB	23.040	0.870	23.910	0	2	1	1	11	7	75	11	24	34	40	2019	33800	4	1	01	1	2	1	40753
1	064/00	00	EB	23.910	0.040	23.950	0	2	1	1	11	7	75	11	30	30	40	2019	33800	4	1	01	1	2	1	40753
1	064/00	00	EB	23.950	1.252	25.202	0	2	1	1	11	7	75	11	24	34	40	2019	33800	4	1	01	1	2	1	40753
1	064/00	00	EB	25.202	0.008	25.210	1	2	1	1	11	7	75	11	24	34	40	2019	33800	4	1	01	1	2	1	40753
1	064/00	00	EB	25.210	0.090	25.300	1	2	1	1	11	7	75	11	30	30	40	2019	33800	4	1	01	1	2	1	40753
1	064/00	00	EB	25.300	1.150	26.450	1	2	1	1	11	7	75	11	24	34	40	2019	33800	4	1	01	1	2	1	40753
1	064/00	00	EB	26.450	0.060	26.510	1	2	1	1	11	7	75	11	30	30	40	2019	33800	4	1	01	1	2	1	40753
1	064/00	00	EB	26.510	0.560	27.070	1	2	1	1	11	7	75	11	24	34	40	2019	33800	4	1	01	1	2	1	40753
1	064/00	00	EB	27.070	0.040	27.110	1	2	1	1	11	7	75	11	30	30	40	2019	33800	4	1	01	1	2	1	40753
1	064/00	00	EB	27.110	0.400	27.510	1	2	1	1	11	7	94	11	24	34	40	2019	33800	4	1	01	1	2	1	40753
1	064/00	00	EB	27.510	0.040	27.550	1	2	1	1	11	7	94	11	30	30	40	2019	33800	4	1	01	1	2	1	40753
1	064/00	00	EB	27.550	1.120	28.670	1	2	1	1	11	7	94	11	24	34	40	2019	31100	4	1	01	1	2	1	40753
1	064/00	00	EB	28.670	0.030	28.700	1	2	1	1	11	7	94	11	37	37	40	2019	31100	4	1	01	1	2	1	40753
1	064/00	00	EB	28.700	0.124	28.824	1	2	1	1	11	7	94	11	24	34	40	2019	31100	4	1	01	1	2	1	40753
1	064/00	00	EB	28.824	0.616	29.440	0	2	1	1	11	7	94	11	24	34	40	2019	31100	4	1	01	1	2	1	40753
1	064/00	00	EB	29.440	0.030	29.470	0	2	1	1	11	7	94	11	37	37	40	2019	31100	4	1	01	1	2	1	40753
1	064/00	00	EB	29.470	1.260	30.730	0	2	1	1	11	7	85	11	24	34	40	2019	31100	4	1	01	1	2	1	40753
1	064/00	00	EB	30.730	0.920	31.650	0	2	1	1	11	7	94	11	24	34	40	2019	31100	4	1	01	1	2	1	40753
1	064/00	00	EB	31.650	0.030	31.680	0	2	1	1	11	7	85	11	37	37	40	2019	31100	4	1	01	1	2	1	40753
1	064/00	00	EB	31.680	0.090	31.770	0	2	1	1	11	7	85	11	24	34	40	2019	31100	4	1	01	1	2	1	40753

ROUTE TOTAL: 25.900

Cabell County TOTAL for the PRIMARY DIRECTION: 25.900

2019 ROAD INVENTORY LOG - INTERSTATES

WVDOT - HIGHWAYS

Strategic Performance Management Division

CLAY COUNTY - (08)

<i>SIGN</i>	<i>ROUTE</i>	<i>SUPP</i>	<i>DIRECT</i>	<i>BEG</i>	<i>END</i>	<i>MUN</i>	<i>URB</i>	<i>FAS</i>	<i>FUN</i>	<i>NAT</i>	<i>ACC</i>	<i>YEAR</i>	<i>SURF</i>	<i>PAV</i>	<i>GRADE</i>	<i>MED</i>	<i>AADT</i>	<i>REV</i>	<i>SPEC</i>	<i>TRK</i>	<i>FAC</i>	<i>URB</i>				
		<i>DSG</i>	<i>SURV</i>	<i>MP</i>	<i>LENGTH</i>	<i>MP</i>				<i>FUNC</i>	<i>CONT</i>	<i>CHNG</i>	<i>TYPE</i>	<i>WIDTH</i>	<i>WIDTH</i>	<i>WIDTH</i>	<i>YR</i>	<i>AADT</i>	<i>LANES</i>	<i>LANES</i>	<i>SYS</i>	<i>RT</i>	<i>TYPE</i>	<i>NHS</i>	<i>CODE</i>	
1	079/00	00	NB	36.000	3.910	39.910	0	0	1	1	1	7	10	11	24	36	99	2019	10700	4	1	01	1	2	1	99999
1	079/00	00	NB	39.910	0.060	39.970	0	0	1	1	1	7	76	11	44	44	40	2019	11400	4	1	01	1	2	1	99999
1	079/00	00	NB	39.970	1.460	41.430	0	0	1	1	1	7	76	11	24	36	40	2019	11400	4	1	01	1	2	1	99999
1	079/00	00	NB	41.430	3.170	44.600	0	0	1	1	1	7	76	11	24	36	40	2019	12000	4	1	01	1	2	1	99999

ROUTE TOTAL: 8.600

Clay County TOTAL for the PRIMARY DIRECTION: 8.600

2019 ROAD INVENTORY LOG - INTERSTATES

WVDOT - HIGHWAYS
Strategic Performance Management Division

FAYETTE COUNTY - (10)

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	LENGTH	END MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	NHS	URB CODE
1	077/00	16	NB	52.580	0.560	53.140	0	0	1	1	1	7	04	11	24	34	99	2019	25800	4	1	01	1	2	1	99999
1	077/00	16	NB	53.140	0.757	53.897	0	0	1	1	1	7	10	11	24	34	99	2019	25800	4	1	01	1	2	1	99999
1	077/00	16	NB	53.897	0.233	54.130	1	0	1	1	1	7	10	11	24	34	99	2019	25800	4	1	01	1	2	1	99999
1	077/00	16	NB	54.130	0.492	54.622	1	0	1	1	1	7	10	11	24	34	99	2019	30500	4	1	01	1	2	1	99999
1	077/00	16	NB	54.622	0.070	54.692	0	0	1	1	1	7	10	11	24	34	99	2019	30500	4	1	01	1	2	1	99999
1	077/00	16	NB	54.692	0.019	54.711	1	0	1	1	1	7	10	11	24	34	99	2019	30500	4	1	01	1	2	1	99999
1	077/00	16	NB	54.711	0.111	54.822	0	0	1	1	1	7	10	11	24	34	99	2019	30500	4	1	01	1	2	1	99999
1	077/00	16	NB	54.822	0.016	54.838	1	0	1	1	1	7	10	11	24	34	99	2019	30500	4	1	01	1	2	1	99999
1	077/00	16	NB	54.838	0.182	55.020	0	0	1	1	1	7	10	11	24	34	99	2019	30500	4	1	01	1	2	1	99999
1	077/00	16	NB	55.020	4.360	59.380	0	0	1	1	1	7	10	11	24	34	99	2019	28800	4	1	01	1	2	1	99999
1	077/00	16	NB	59.380	0.210	59.590	0	0	1	1	1	7	10	11	24	34	16	2019	28800	4	1	01	1	2	1	99999
1	077/00	16	NB	59.590	0.030	59.620	0	0	1	1	1	7	04	11	24	34	16	2019	28800	4	1	01	1	2	1	99999
1	077/00	16	NB	59.620	1.980	61.600	0	0	1	1	1	7	04	11	24	34	16	2019	28200	4	1	01	1	2	1	99999
1	077/00	16	NB	61.600	0.900	62.500	0	0	1	1	1	7	04	11	24	34	16	2019	28200	5	1	01	1	2	1	99999
1	077/00	16	NB	62.500	4.710	67.210	0	0	1	1	1	7	04	11	24	34	16	2019	28200	4	1	01	1	2	1	99999

ROUTE TOTAL: 14.630

Fayette County TOTAL for the PRIMARY DIRECTION: 14.630

2019 ROAD INVENTORY LOG - INTERSTATES

WVDOT - HIGHWAYS

Strategic Performance Management Division

GILMER COUNTY - (11)

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	LENGTH	END MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	NHS	URB CODE
1	079/00	00	NB	83.150	0.160	83.310	0	0	1	1	1	7	01	11	38	42	40	2019	18800	4	1	01	1	2	1	99999
1	079/00	00	NB	83.310	0.030	83.340	0	0	1	1	1	7	76	11	40	40	40	2019	18800	4	1	01	1	2	1	99999
1	079/00	00	NB	83.340	0.210	83.550	0	0	1	1	1	7	77	11	24	36	40	2019	18800	4	1	01	1	2	1	99999

ROUTE TOTAL: 0.400

Gilmer County TOTAL for the PRIMARY DIRECTION: 0.400

2019 ROAD INVENTORY LOG - INTERSTATES

WVDOT - HIGHWAYS

Strategic Performance Management Division

GREENBRIER COUNTY - (13)

Page 9 of 36

SIGN	ROUTE	SUPP	DIRECT	BEG	END		WV		NAT	ACC	YEAR	SURF	PAV	GRADE	MED	AADT	REV		SPEC	TRK	FAC	URB				
		DSG	SURV	MP	LENGTH	MP	MUN	URB	FAS	FUN	FUNC	CHNG	TYPE	WIDTH	WIDTH	WIDTH	YR	AADT	LANES	LANES	SYS	RT	TYPE	NHS	CODE	
1	064/00	00	EB	147.600	0.330	147.930	0	0	1	1	1	7	03	12	36	46	34	2019	10000	5	1	01	1	2	1	99999
1	064/00	00	EB	147.930	1.900	149.830	0	0	1	1	1	7	03	12	24	34	99	2019	10200	4	1	01	1	2	1	99999
1	064/00	00	EB	149.830	0.010	149.840	0	0	1	1	1	7	03	12	24	34	54	2019	10200	4	1	01	1	2	1	99999
1	064/00	00	EB	149.840	6.340	156.180	0	0	1	1	1	7	03	12	24	34	54	2019	11600	4	1	01	1	2	1	99999
1	064/00	00	EB	156.180	1.820	158.000	0	0	1	1	1	7	10	11	24	36	40	2019	13700	4	1	01	1	2	1	99999
1	064/00	00	EB	158.000	0.230	158.230	0	0	1	1	1	7	03	11	24	36	40	2019	13700	4	1	01	1	2	1	99999
1	064/00	00	EB	158.230	1.160	159.390	0	0	1	1	1	7	03	11	24	36	86	2019	13700	4	1	01	1	2	1	99999
1	064/00	00	EB	159.390	0.020	159.410	0	0	1	1	1	7	03	11	30	30	40	2019	13700	4	1	01	1	2	1	99999
1	064/00	00	EB	159.410	2.050	161.460	0	0	1	1	1	7	03	11	24	36	40	2019	13700	4	1	01	1	2	1	99999
1	064/00	00	EB	161.460	0.770	162.230	0	0	1	1	1	7	03	11	24	34	40	2019	14000	4	1	01	1	2	1	99999
1	064/00	00	EB	162.230	0.860	163.090	0	0	1	1	1	7	10	11	24	34	40	2019	14000	4	1	01	1	2	1	99999
1	064/00	00	EB	163.090	2.780	165.870	0	0	1	1	1	7	03	11	24	34	40	2019	14000	4	1	01	1	2	1	99999
1	064/00	00	EB	165.870	0.030	165.900	0	0	1	1	1	7	03	12	24	24	40	2019	14000	4	1	01	1	2	1	99999
1	064/00	00	EB	165.900	0.050	165.950	0	0	1	1	1	7	10	11	24	34	40	2019	14000	4	1	01	1	2	1	99999
1	064/00	00	EB	165.950	0.250	166.200	0	0	1	1	1	7	10	11	24	34	60	2019	14000	4	1	01	1	2	1	99999
1	064/00	00	EB	166.200	0.240	166.440	0	0	1	1	1	7	03	11	24	34	60	2019	14000	4	1	01	1	2	1	99999
1	064/00	00	EB	166.440	2.450	168.890	0	0	1	1	1	7	10	11	24	34	60	2019	14000	4	1	01	1	2	1	99999
1	064/00	00	EB	168.890	0.070	168.960	0	0	1	1	1	7	10	11	24	34	40	2019	14000	4	1	01	1	2	1	99999
1	064/00	00	EB	168.960	0.001	168.961	0	1	1	1	11	7	10	11	24	34	40	2019	14700	4	1	01	1	2	1	99998
1	064/00	00	EB	168.961	0.419	169.380	2	1	1	1	11	7	10	11	24	34	40	2019	14700	4	1	01	1	2	1	99998
1	064/00	00	EB	169.380	0.030	169.410	2	1	1	1	11	7	03	12	30	30	40	2019	14700	4	1	01	1	2	1	99998
1	064/00	00	EB	169.410	0.680	170.090	2	1	1	1	11	7	03	11	24	34	40	2019	14700	4	1	01	1	2	1	99998
1	064/00	00	EB	170.090	0.140	170.230	2	1	1	1	11	7	03	11	24	34	40	2019	11900	4	1	01	1	2	1	99998
1	064/00	00	EB	170.230	2.390	172.620	0	0	1	1	1	7	03	11	24	34	40	2019	11900	4	1	01	1	2	1	99999
1	064/00	00	EB	172.620	0.040	172.660	0	0	1	1	1	7	03	11	30	30	40	2019	11900	4	1	01	1	2	1	99999
1	064/00	00	EB	172.660	0.080	172.740	0	0	1	1	1	7	03	11	24	34	40	2019	11900	4	1	01	1	2	1	99999
1	064/00	00	EB	172.740	0.160	172.900	0	0	1	1	1	7	03	11	30	30	40	2019	11900	4	1	01	1	2	1	99999
1	064/00	00	EB	172.900	1.200	174.100	0	0	1	1	1	7	03	11	24	34	40	2019	11900	4	1	01	1	2	1	99999
1	064/00	00	EB	174.100	0.060	174.160	0	0	1	1	1	7	03	11	30	30	40	2019	11900	4	1	01	1	2	1	99999
1	064/00	00	EB	174.160	0.450	174.610	0	0	1	1	1	7	03	11	24	34	40	2019	11900	4	1	01	1	2	1	99999
1	064/00	00	EB	174.610	0.060	174.670	0	0	1	1	1	7	03	11	30	30	40	2019	11900	4	1	01	1	2	1	99999
1	064/00	00	EB	174.670	0.638	175.308	0	0	1	1	1	7	03	11	24	34	40	2019	11900	4	1	01	1	2	1	99999
1	064/00	00	EB	175.308	0.002	175.310	1	0	1	1	1	7	03	11	24	34	40	2019	11900	4	1	01	1	2	1	99999
1	064/00	00	EB	175.310	0.020	175.330	1	0	1	1	1	7	03	11	30	30	40	2019	7400	4	1	01	1	2	1	99999
1	064/00	00	EB	175.330	0.045	175.375	1	0	1	1	1	7	03	11	24	34	40	2019	7400	4	1	01	1	2	1	99999
1	064/00	00	EB	175.375	0.573	175.948	0	0	1	1	1	7	03	11	24	34	40	2019	7400	4	1	01	1	2	1	99999
1	064/00	00	EB	175.948	0.010	175.958	1	0	1	1	1	7	03	11	24	34	40	2019	7400	4	1	01	1	2	1	99999
1	064/00	00	EB	175.958	0.152	176.110	0	0	1	1	1	7	03	11	24	34	40	2019	7400	4	1	01	1	2	1	99999
1	064/00	00	EB	176.110	0.050	176.160	0	0	1	1	1	7	03	11	30	30	40	2019	7400	4	1	01	1	2	1	99999

2019 ROAD INVENTORY LOG - INTERSTATES

WVDOT - HIGHWAYS

Strategic Performance Management Division

GREENBRIER COUNTY - (13)

Page 10 of 36

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	LENGTH	END MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	NHS	URB CODE
1	064/00	00	EB	176.160	2.270	178.430	0	0	1	1	1	7	03	11	24	34	40	2019	7400	4	1	01	1	2	1	99999
1	064/00	00	EB	178.430	0.840	179.270	0	0	1	1	1	7	03	11	24	34	32	2019	8100	4	1	01	1	2	1	99999
1	064/00	00	EB	179.270	0.030	179.300	0	0	1	1	1	7	03	11	37	37	40	2019	8100	4	1	01	1	2	1	99999
1	064/00	00	EB	179.300	0.019	179.319	0	0	1	1	1	7	03	11	24	34	40	2019	8100	4	1	01	1	2	1	99999
1	064/00	00	EB	179.319	0.041	179.360	1	0	1	1	1	7	03	11	24	34	40	2019	8100	4	1	01	1	2	1	99999
1	064/00	00	EB	179.360	0.090	179.450	1	0	1	1	1	7	03	11	30	30	40	2019	8100	4	1	01	1	2	1	99999
1	064/00	00	EB	179.450	0.150	179.600	1	0	1	1	1	7	03	11	24	34	40	2019	8100	4	1	01	1	2	1	99999
1	064/00	00	EB	179.600	0.209	179.809	1	0	1	1	1	7	03	11	24	34	32	2019	8100	4	1	01	1	2	1	99999
1	064/00	00	EB	179.809	0.481	180.290	0	0	1	1	1	7	03	11	24	34	32	2019	8100	4	1	01	1	2	1	99999
1	064/00	00	EB	180.290	0.070	180.360	0	0	1	1	1	7	03	11	30	30	40	2019	8100	4	1	01	1	2	1	99999
1	064/00	00	EB	180.360	0.690	181.050	0	0	1	1	1	7	03	11	24	34	40	2019	8100	4	1	01	1	2	1	99999
1	064/00	00	EB	181.050	0.040	181.090	0	0	1	1	1	7	03	11	24	34	4	2019	8100	4	1	01	1	2	1	99999
1	064/00	00	EB	181.090	0.030	181.120	0	0	1	1	1	7	03	11	27	33	40	2019	8100	4	1	01	1	2	1	99999
1	064/00	00	EB	181.120	0.305	181.425	0	0	1	1	1	7	03	11	24	34	99	2019	10600	4	1	01	1	2	1	99999
1	064/00	00	EB	181.425	0.595	182.020	0	0	1	1	1	7	03	11	24	34	99	2019	10600	4	1	01	1	2	1	99999
1	064/00	00	EB	182.020	1.370	183.390	0	0	1	1	1	7	03	11	24	34	99	2019	9500	4	1	01	1	2	1	99999
1	064/00	00	EB	183.390	0.630	184.020	0	0	1	1	1	7	03	11	24	34	40	2019	9500	4	1	01	1	2	1	99999

ROUTE TOTAL: 36.420

Greenbrier County TOTAL for the PRIMARY DIRECTION: 36.420

2019 ROAD INVENTORY LOG - INTERSTATES

WVDOT - HIGHWAYS

Strategic Performance Management Division

HARRISON COUNTY - (17)

Page 11 of 36

SIGN	ROUTE	SUPP	DIRECT	BEG	END		MUN	URB	FAS	WV	NAT	ACC	YEAR	SURF	PAV	GRADE	MED	AADT	LANES	REV	SPEC	TRK	FAC	URB		
		DSG	SURV	MP	LENGTH	MP				FUN	FUNC	CONT	CHNG	TYPE	WIDTH	WIDTH	WIDTH	YR		AADT	LANES	SYS	RT		TYPE	NHS
1	079/00	00	NB	106.420	1.130	107.550	0	0	1	1	1	7	04	11	24	36	55	2019	29300	4	1	01	1	2	1	99999
1	079/00	00	NB	107.550	0.020	107.570	0	0	1	1	1	7	04	11	40	40	55	2019	29300	4	1	01	1	2	1	99999
1	079/00	00	NB	107.570	1.560	109.130	0	0	1	1	1	7	04	11	24	36	40	2019	29300	4	1	01	1	2	1	99999
1	079/00	00	NB	109.130	0.034	109.164	0	0	1	1	1	7	00	11	24	36	40	2019	29300	4	1	01	1	2	1	99999
1	079/00	00	NB	109.164	0.346	109.510	1	0	1	1	1	7	00	11	24	36	40	2019	29300	4	1	01	1	2	1	99999
1	079/00	00	NB	109.510	0.050	109.560	1	0	1	1	1	7	00	11	30	30	40	2019	29300	4	1	01	1	2	1	99999
1	079/00	00	NB	109.560	0.180	109.740	1	0	1	1	1	7	00	11	24	24	40	2019	29300	4	1	01	1	2	1	99999
1	079/00	00	NB	109.740	0.030	109.770	1	0	1	1	1	7	00	11	24	37	40	2019	29300	4	1	01	1	2	1	99999
1	079/00	00	NB	109.770	0.520	110.290	1	0	1	1	1	7	00	11	24	36	40	2019	29300	4	1	01	1	2	1	99999
1	079/00	00	NB	110.290	0.360	110.650	1	0	1	1	1	7	00	11	24	36	40	2019	33700	4	1	01	1	2	1	99999
1	079/00	00	NB	110.650	0.040	110.690	1	0	1	1	1	7	00	11	38	38	40	2019	33700	4	1	01	1	2	1	99999
1	079/00	00	NB	110.690	0.130	110.820	1	0	1	1	1	7	00	11	24	36	40	2019	33700	4	1	01	1	2	1	99999
1	079/00	00	NB	110.820	0.066	110.886	1	0	1	1	1	7	00	11	24	36	57	2019	33700	4	1	01	1	2	1	99999
1	079/00	00	NB	110.886	1.024	111.910	0	0	1	1	1	7	00	11	24	36	57	2019	33700	4	1	01	1	2	1	99999
1	079/00	00	NB	111.910	0.050	111.960	0	0	1	1	1	7	00	11	32	32	40	2019	33700	4	1	01	1	2	1	99999
1	079/00	00	NB	111.960	1.750	113.710	0	0	1	1	1	7	00	11	24	36	40	2019	33700	4	1	01	1	2	1	99999
1	079/00	00	NB	113.710	0.380	114.090	0	0	1	1	1	7	00	11	24	36	52	2019	33700	4	1	01	1	2	1	99999
1	079/00	00	NB	114.090	0.042	114.132	0	0	1	1	1	7	00	11	24	36	52	2019	33700	4	1	01	1	2	1	99999
1	079/00	00	NB	114.132	0.068	114.200	0	1	1	1	11	7	00	11	24	36	52	2019	33700	4	1	01	1	2	1	99998
1	079/00	00	NB	114.200	0.700	114.900	0	1	1	1	11	7	00	11	24	36	40	2019	33700	4	1	01	1	2	1	99998
1	079/00	00	NB	114.900	0.060	114.960	0	1	1	1	11	7	00	11	44	44	64	2019	33700	4	1	01	1	2	1	99998
1	079/00	00	NB	114.960	0.370	115.330	0	1	1	1	11	7	00	11	24	36	64	2019	33700	4	1	01	1	2	1	99998
1	079/00	00	NB	115.330	0.040	115.370	0	1	1	1	11	7	00	11	44	44	64	2019	37100	4	1	01	1	2	1	99998
1	079/00	00	NB	115.370	0.510	115.880	0	1	1	1	11	7	00	11	24	36	64	2019	37100	4	1	01	1	2	1	99998
1	079/00	00	NB	115.880	0.050	115.930	0	1	1	1	11	7	00	11	44	44	64	2019	37100	4	1	01	1	2	1	99998
1	079/00	00	NB	115.930	1.240	117.170	0	1	1	1	11	7	00	11	24	36	64	2019	37100	4	1	01	1	2	1	99998
1	079/00	00	NB	117.170	0.104	117.274	0	1	1	1	11	7	00	11	24	36	64	2019	38000	4	1	01	1	2	1	99998
1	079/00	00	NB	117.274	0.026	117.300	1	1	1	1	11	7	00	11	24	36	64	2019	38000	4	1	01	1	2	1	99998
1	079/00	00	NB	117.300	0.050	117.350	1	1	1	1	11	7	00	11	44	44	64	2019	38000	4	1	01	1	2	1	99998
1	079/00	00	NB	117.350	0.110	117.460	1	1	1	1	11	7	00	11	24	36	64	2019	38000	4	1	01	1	2	1	99998
1	079/00	00	NB	117.460	0.053	117.513	1	1	1	1	11	7	00	11	24	36	64	2019	38000	4	1	01	1	2	1	99998
1	079/00	00	NB	117.513	0.151	117.664	0	1	1	1	11	7	00	11	24	36	64	2019	38000	4	1	01	1	2	1	99998
1	079/00	00	NB	117.664	0.076	117.740	1	1	1	1	11	7	00	11	24	36	64	2019	38000	4	1	01	1	2	1	99998
1	079/00	00	NB	117.740	0.040	117.780	1	1	1	1	11	7	00	11	63	63	64	2019	39500	4	1	01	1	2	1	99998
1	079/00	00	NB	117.780	0.197	117.977	1	1	1	1	11	7	00	11	24	36	64	2019	39500	4	1	01	1	2	1	99998
1	079/00	00	NB	117.977	0.841	118.818	0	1	1	1	11	7	00	11	24	36	64	2019	39500	4	1	01	1	2	1	99998
1	079/00	00	NB	118.818	0.712	119.530	4	1	1	1	11	7	00	11	24	36	64	2019	39500	4	1	01	1	2	1	99998
1	079/00	00	NB	119.530	0.430	119.960	4	1	1	1	11	7	00	11	24	36	64	2019	57700	4	1	01	1	2	1	99998
1	079/00	00	NB	119.960	0.060	120.020	4	1	1	1	11	7	00	11	45	45	64	2019	57700	4	1	01	1	2	1	99998

2019 ROAD INVENTORY LOG - INTERSTATES

WVDOT - HIGHWAYS
Strategic Performance Management Division

HARRISON COUNTY - (17)

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	END LENGTH	END MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	NHS	URB CODE
1	079/00	00	NB	120.020	0.514	120.534	4	1	1	1	11	7	00	11	24	36	64	2019	57700	4	1	01	1	2	1	99998
1	079/00	00	NB	120.534	0.038	120.572	0	1	1	1	11	7	00	11	24	36	64	2019	57700	4	1	01	1	2	1	99998
1	079/00	00	NB	120.572	0.098	120.670	3	1	1	1	11	7	00	11	24	36	64	2019	57700	4	1	01	1	2	1	99998
1	079/00	00	NB	120.670	0.050	120.720	3	1	1	1	11	7	00	11	45	45	64	2019	57700	4	1	01	1	2	1	99998
1	079/00	00	NB	120.720	0.600	121.320	3	1	1	1	11	7	00	11	24	36	64	2019	57400	4	1	01	1	2	1	99998
1	079/00	00	NB	121.320	0.040	121.360	3	1	1	1	11	7	00	11	45	45	64	2019	57400	4	1	01	1	2	1	99998
1	079/00	00	NB	121.360	0.710	122.070	3	1	1	1	11	7	00	11	24	36	64	2019	57400	4	1	01	1	2	1	99998
1	079/00	00	NB	122.070	0.360	122.430	3	1	1	1	11	7	00	11	24	36	99	2019	57400	4	1	01	1	2	1	99998
1	079/00	00	NB	122.430	0.470	122.900	3	1	1	1	11	7	00	11	24	36	99	2019	57200	4	1	01	1	2	1	99998
1	079/00	00	NB	122.900	1.088	123.988	3	1	1	1	11	7	00	11	24	36	64	2019	57200	6	1	01	1	2	1	99998
1	079/00	00	NB	123.988	1.392	125.380	3	0	1	1	1	7	00	11	24	36	64	2019	57200	6	1	01	1	2	1	99999
1	079/00	00	NB	125.380	0.440	125.820	3	0	1	1	1	7	00	11	24	36	64	2019	45400	4	1	01	1	2	1	99999
1	079/00	00	NB	125.820	0.072	125.892	3	0	1	1	1	7	05	11	24	36	64	2019	45400	4	1	01	1	2	1	99999
1	079/00	00	NB	125.892	0.408	126.300	0	0	1	1	1	7	05	11	24	36	64	2019	45400	4	1	01	1	2	1	99999
1	079/00	00	NB	126.300	2.620	128.920	0	0	1	1	1	7	00	11	24	36	64	2019	45400	4	1	01	1	2	1	99999
1	079/00	00	NB	128.920	0.030	128.950	0	0	1	1	1	7	00	11	37	37	64	2019	45400	4	1	01	1	2	1	99999
1	079/00	00	NB	128.950	0.267	129.217	0	0	1	1	1	7	00	11	24	34	64	2019	45400	4	1	01	1	2	1	99999
1	079/00	00	NB	129.217	0.003	129.220	0	1	1	1	11	7	00	11	24	34	64	2019	45400	4	1	01	1	2	1	99998

ROUTE TOTAL: 22.800

Harrison County TOTAL for the PRIMARY DIRECTION: 22.800

2019 ROAD INVENTORY LOG - INTERSTATES

WVDOT - HIGHWAYS

Strategic Performance Management Division

JACKSON COUNTY - (18)

Page 13 of 36

SIGN	ROUTE	SUPP	DIRECT	BEG	END		WV			NAT	ACC	YEAR	SURF	PAV	GRADE	MED	AADT	REV		SPEC	TRK	FAC	URB			
		DSG	SURV	MP	LENGTH	MP	MUN	URB	FAS	FUN	FUNC	CONT	CHNG	TYPE	WIDTH	WIDTH	WIDTH	YR	AADT	LANES	LANES	SYS	RT	TYPE	NHS	CODE
1	077/00	00	NB	117.500	1.730	119.230	0	0	1	1	1	7	94	11	24	36	40	2019	20300	4	1	01	1	2	1	99999
1	077/00	00	NB	119.230	0.030	119.260	0	0	1	1	1	7	94	11	37	37	40	2019	20300	4	1	01	1	2	1	99999
1	077/00	00	NB	119.260	0.600	119.860	0	0	1	1	1	7	94	11	24	36	40	2019	20300	4	1	01	1	2	1	99999
1	077/00	00	NB	119.860	0.050	119.910	0	0	1	1	1	7	94	11	30	30	40	2019	20300	4	1	01	1	2	1	99999
1	077/00	00	NB	119.910	4.980	124.890	0	0	1	1	1	7	80	11	24	36	40	2019	19400	4	1	01	1	2	1	99999
1	077/00	00	NB	124.890	0.030	124.920	0	0	1	1	1	7	80	11	37	37	40	2019	19400	4	1	01	1	2	1	99999
1	077/00	00	NB	124.920	3.410	128.330	0	0	1	1	1	7	80	11	24	36	40	2019	19700	4	1	01	1	2	1	99999
1	077/00	00	NB	128.330	1.590	129.920	0	0	1	1	1	7	80	11	24	36	60	2019	19200	4	1	01	1	2	1	99999
1	077/00	00	NB	129.920	0.030	129.950	0	0	1	1	1	7	80	11	37	37	60	2019	19200	4	1	01	1	2	1	99999
1	077/00	00	NB	129.950	0.850	130.800	0	0	1	1	1	7	80	11	24	36	60	2019	19200	4	1	01	1	2	1	99999
1	077/00	00	NB	130.800	0.030	130.830	0	0	1	1	1	7	80	11	37	37	60	2019	19200	4	1	01	1	2	1	99999
1	077/00	00	NB	130.830	1.570	132.400	0	0	1	1	1	7	80	11	24	36	60	2019	19200	4	1	01	1	2	1	99999
1	077/00	00	NB	132.400	0.040	132.440	0	0	1	1	1	7	80	11	37	37	60	2019	19200	4	1	01	1	2	1	99999
1	077/00	00	NB	132.440	2.190	134.630	0	0	1	1	1	7	15	11	24	36	60	2019	16200	4	1	01	1	2	1	99999
1	077/00	00	NB	134.630	3.095	137.725	0	0	1	1	1	7	15	11	24	36	40	2019	16200	4	1	01	1	2	1	99999
1	077/00	00	NB	137.725	0.015	137.740	0	0	1	1	1	7	15	11	24	36	40	2019	16200	4	1	01	1	2	1	99999
1	077/00	00	NB	137.740	0.003	137.743	0	0	1	1	1	7	80	11	41	41	40	2019	19100	4	1	01	1	2	1	99999
1	077/00	00	NB	137.743	0.027	137.770	2	0	1	1	1	7	80	11	41	41	40	2019	19100	4	1	01	1	2	1	99999
1	077/00	00	NB	137.770	0.020	137.790	2	0	1	1	1	7	81	11	41	41	40	2019	19100	4	1	01	1	2	1	99999
1	077/00	00	NB	137.790	0.100	137.890	2	0	1	1	1	7	81	11	24	36	40	2019	19100	4	1	01	1	2	1	99999
1	077/00	00	NB	137.890	0.020	137.910	2	0	1	1	1	7	90	11	37	37	40	2019	19100	4	1	01	1	2	1	99999
1	077/00	00	NB	137.910	0.515	138.425	2	0	1	1	1	7	90	11	24	36	40	2019	19100	4	1	01	1	2	1	99999
1	077/00	00	NB	138.425	0.405	138.830	0	0	1	1	1	7	90	11	24	36	40	2019	19100	4	1	01	1	2	1	99999
1	077/00	00	NB	138.830	2.090	140.920	0	0	1	1	1	7	90	11	24	36	40	2019	19500	4	1	01	1	2	1	99999
1	077/00	00	NB	140.920	0.020	140.940	0	0	1	1	1	7	90	11	37	37	40	2019	19500	4	1	01	1	2	1	99999
1	077/00	00	NB	140.940	2.380	143.320	0	0	1	1	1	7	90	11	24	36	40	2019	19500	4	1	01	1	2	1	99999
1	077/00	00	NB	143.320	0.030	143.350	0	0	1	1	1	7	90	11	37	37	40	2019	19500	4	1	01	1	2	1	99999
1	077/00	00	NB	143.350	0.920	144.270	0	0	1	1	1	7	90	11	24	36	40	2019	19500	4	1	01	1	2	1	99999
1	077/00	00	NB	144.270	0.030	144.300	0	0	1	1	1	7	90	11	37	37	40	2019	19500	4	1	01	1	2	1	99999
1	077/00	00	NB	144.300	1.480	145.780	0	0	1	1	1	7	08	11	39	39	40	2019	19500	4	1	01	1	2	1	99999
1	077/00	00	NB	145.780	0.050	145.830	0	0	1	1	1	7	90	11	37	37	40	2019	19500	4	1	01	1	2	1	99999
1	077/00	00	NB	145.830	0.130	145.960	0	0	1	1	1	7	90	11	24	36	40	2019	19500	4	1	01	1	2	1	99999
1	077/00	00	NB	145.960	0.030	145.990	0	0	1	1	1	7	90	11	37	37	40	2019	19500	4	1	01	1	2	1	99999
1	077/00	00	NB	145.990	0.041	146.031	0	0	1	1	1	7	90	11	24	36	40	2019	16600	4	1	01	1	2	1	99999
1	077/00	00	NB	146.031	4.419	150.450	0	0	1	1	1	7	90	11	24	36	40	2019	16600	4	1	01	1	2	1	99999
1	077/00	00	NB	150.450	3.340	153.790	0	0	1	1	1	7	90	11	24	36	99	2019	13100	4	1	01	1	2	1	99999
1	077/00	00	NB	153.790	0.620	154.410	0	0	1	1	1	7	90	11	24	36	40	2019	13100	4	1	01	1	2	1	99999
1	077/00	00	NB	154.410	0.040	154.450	0	0	1	1	1	7	90	11	34	34	40	2019	16600	4	1	01	1	2	1	99999
1	077/00	00	NB	154.450	1.560	156.010	0	0	1	1	1	7	90	11	24	36	40	2019	16600	4	1	01	1	2	1	99999

2019 ROAD INVENTORY LOG - INTERSTATES

WVDOT - HIGHWAYS

Strategic Performance Management Division

JACKSON COUNTY - (18)

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	END LENGTH	END MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	URB NHS	URB CODE
1	077/00	00	NB	156.010	0.860	156.870	0	0	1	1	1	7	90	11	24	36	40	2019	15000	4	1	01	1	2	1	99999
1	077/00	00	NB	156.870	0.120	156.990	0	0	1	1	1	7	90	11	24	36	40	2019	15000	4	1	01	1	2	1	99999

ROUTE TOTAL: 39.490

Jackson County TOTAL for the PRIMARY DIRECTION: 39.490

2019 ROAD INVENTORY LOG - INTERSTATES

WVDOT - HIGHWAYS

Strategic Performance Management Division

KANAWHA COUNTY - (20)

Page 15 of 36

SIGN	ROUTE	SUPP	DIRECT	BEG	END		MUN	URB	FAS	WV	NAT	ACC	YEAR	SURF	PAV	GRADE	MED	AADT	LANES	REV	SPEC	TRK	FAC	URB		
		DSG	SURV	MP	LENGTH	MP				MP	FUN	FUNC	CONT	CHNG	TYPE	WIDTH	WIDTH	WIDTH		YR	AADT	LANES	SYS		RT	TYPE
1	064/00	00	EB	45.390	0.020	45.410	3	2	1	1	11	7	76	11	24	34	16	2019	62200	6	1	01	1	2	1	15481
1	064/00	00	EB	45.410	0.070	45.480	3	2	1	1	11	7	80	11	24	34	16	2019	62200	6	1	01	1	2	1	15481
1	064/00	00	EB	45.480	0.598	46.078	3	2	1	1	11	7	75	11	24	34	16	2019	62200	6	1	01	1	2	1	15481
1	064/00	00	EB	46.078	0.122	46.200	0	2	1	1	11	7	75	11	24	34	16	2019	62200	6	1	01	1	2	1	15481
1	064/00	00	EB	46.200	0.337	46.537	3	2	1	1	11	7	76	11	24	34	16	2019	62200	6	1	01	1	2	1	15481
1	064/00	00	EB	46.537	0.903	47.440	0	2	1	1	11	7	76	11	24	34	16	2019	62200	6	1	01	1	2	1	15481
1	064/00	00	EB	47.440	0.190	47.630	0	2	1	1	11	7	94	11	24	34	16	2019	65100	6	1	01	1	2	1	15481
1	064/00	00	EB	47.630	0.060	47.690	0	2	1	1	11	7	81	11	24	34	16	2019	65100	6	1	01	1	2	1	15481
1	064/00	00	EB	47.690	0.710	48.400	0	2	1	1	11	7	81	11	24	34	16	2019	65100	6	1	01	1	2	1	15481
1	064/00	00	EB	48.400	0.140	48.540	0	2	1	1	11	7	95	11	24	34	9	2019	65100	6	1	01	1	2	1	15481
1	064/00	00	EB	48.540	1.210	49.750	0	2	1	1	11	7	76	11	30	30	9	2019	65100	6	1	01	1	2	1	15481
1	064/00	00	EB	49.750	0.230	49.980	0	2	1	1	11	7	90	11	24	34	9	2019	65100	6	1	01	1	2	1	15481
1	064/00	00	EB	49.980	0.030	50.010	0	2	1	1	11	7	11	11	24	34	9	2019	65100	6	1	01	1	2	1	15481
1	064/00	00	EB	50.010	0.100	50.110	0	2	1	1	11	7	90	11	24	34	9	2019	65100	6	1	01	1	2	1	15481
1	064/00	00	EB	50.110	0.380	50.490	0	2	1	1	11	7	90	11	37	37	15	2019	65100	6	1	01	1	2	1	15481
1	064/00	00	EB	50.490	0.020	50.510	0	2	1	1	11	7	90	11	24	34	15	2019	65100	6	1	01	1	2	1	15481
1	064/00	00	EB	50.510	0.020	50.530	0	2	1	1	11	7	90	11	30	30	15	2019	65100	6	1	01	1	2	1	15481
1	064/00	00	EB	50.530	0.450	50.980	0	2	1	1	11	7	90	11	24	34	15	2019	65100	6	1	01	1	2	1	15481
1	064/00	00	EB	50.980	0.040	51.020	0	2	1	1	11	7	90	11	24	34	15	2019	65100	6	1	01	1	2	1	15481
1	064/00	00	EB	51.020	0.508	51.528	0	2	1	1	11	7	90	11	37	37	15	2019	65100	6	1	01	1	2	1	15481
1	064/00	00	EB	51.528	0.032	51.560	3	2	1	1	11	7	90	11	37	37	15	2019	65100	6	1	01	1	2	1	15481
1	064/00	00	EB	51.560	0.260	51.820	3	2	1	1	11	7	90	11	24	34	9	2019	65100	6	1	01	1	2	1	15481
1	064/00	00	EB	51.820	0.020	51.840	3	2	1	1	11	7	93	11	24	34	9	2019	65100	6	1	01	1	2	1	15481
1	064/00	00	EB	51.840	0.340	52.180	3	2	1	1	11	7	90	11	30	30	9	2019	65100	6	1	01	1	2	1	15481
1	064/00	00	EB	52.180	0.200	52.380	3	2	1	1	11	7	90	11	24	34	9	2019	65100	6	1	01	1	2	1	15481
1	064/00	00	EB	52.380	0.350	52.730	3	2	1	1	11	7	90	11	24	36	15	2019	72800	6	1	01	1	2	1	15481
1	064/00	00	EB	52.730	0.250	52.980	3	2	1	1	11	7	76	12	36	36	15	2019	72800	8	1	01	1	2	1	15481
1	064/00	00	EB	52.980	0.270	53.250	3	2	1	1	11	7	76	12	36	36	15	2019	72800	8	1	01	1	2	1	15481
1	064/00	00	EB	53.250	0.020	53.270	4	2	1	1	11	7	76	12	36	36	15	2019	72800	8	1	01	1	2	1	15481
1	064/00	00	EB	53.270	0.020	53.290	4	2	1	1	11	7	76	12	36	36	15	2019	72800	8	1	01	1	2	1	15481
1	064/00	00	EB	53.290	0.440	53.730	4	2	1	1	11	7	97	12	36	36	15	2019	72800	8	1	01	1	2	1	15481
1	064/00	00	EB	53.730	0.020	53.750	4	2	1	1	11	7	97	12	43	43	15	2019	72800	8	1	01	1	2	1	15481
1	064/00	00	EB	53.750	0.180	53.930	4	2	1	1	11	7	97	11	36	46	16	2019	72800	6	1	01	1	2	1	15481
1	064/00	00	EB	53.930	0.060	53.990	4	2	1	1	11	7	97	11	46	46	16	2019	72800	6	1	01	1	2	1	15481
1	064/00	00	EB	53.990	0.380	54.370	4	2	1	1	11	7	97	11	36	46	16	2019	72800	6	1	01	1	2	1	15481
1	064/00	00	EB	54.370	0.110	54.480	4	2	1	1	11	7	97	11	36	46	16	2019	71500	6	1	01	1	2	1	15481
1	064/00	00	EB	54.480	0.320	54.800	4	2	1	1	11	7	97	11	46	46	16	2019	71500	6	1	01	1	2	1	15481
1	064/00	00	EB	54.800	0.410	55.210	4	2	1	1	11	7	97	11	36	46	16	2019	78300	6	1	01	1	2	1	15481
1	064/00	00	EB	55.210	0.940	56.150	4	2	1	1	11	7	97	11	36	46	16	2019	77600	6	1	01	1	2	1	15481

2019 ROAD INVENTORY LOG - INTERSTATES

WV DOT - HIGHWAYS

Strategic Performance Management Division

KANAWHA COUNTY - (20)

Page 16 of 36

SIGN	ROUTE	SUPP	DIRECT	BEG	END			WV		NAT	ACC	YEAR	SURF	PAV	GRADE	MED	AADT	REV		SPEC	TRK	FAC	URB				
		DSG	SURV	MP	LENGTH	MP	MUN	URB	FAS	FUN	FUNC	CONT	CHNG	TYPE	WIDTH	WIDTH	WIDTH	YR	AADT	LANES	LANES	SYS	RT	TYPE	NHS	CODE	
1	064/00	00	EB	56.150	0.080	56.230	4	2	1	1	11	7	97	11	46	46	16	2019	77600	6	1	01	1	2	1	15481	
1	064/00	00	EB	56.230	0.100	56.330	6	2	1	1	11	7	97	11	46	46	16	2019	77600	6	1	01	1	2	1	15481	
1	064/00	00	EB	56.330	0.690	57.020	6	2	1	1	11	7	97	11	36	46	16	2019	77600	6	1	01	1	2	1	15481	
1	064/00	00	EB	57.020	0.460	57.480	6	2	1	1	11	7	76	11	46	46	16	2019	77600	6	1	01	1	2	1	15481	
1	064/00	00	EB	57.480	0.440	57.920	6	2	1	1	11	7	97	12	36	46	16	2019	94600	6	1	01	1	2	1	15481	
1	064/00	00	EB	57.920	0.380	58.300	6	2	1	1	11	7	97	12	30	40	16	2019	83100	6	1	01	1	2	1	15481	
1	064/00	00	EB	58.300	0.310	58.610	6	2	1	1	11	7	76	11	24	34	16	2019	40300	6	1	01	1	2	1	15481	
1	064/00	00	EB	58.610	0.070	58.680	6	2	1	1	11	7	88	11	53	53	16	2019	40300	4	1	01	1	2	1	15481	
1	064/00	00	EB	58.680	0.100	58.780	6	2	1	1	11	7	88	11	48	62	16	2019	40300	4	1	01	1	2	1	15481	
ROUTE TOTAL:				13.390																							
1	064/00	06	EB	0.000	0.210	0.210	6	2	1	1	11	7	76	11	24	34	34	2019	11000	3	1	01	1	1	1	15481	
1	064/00	06	EB	0.210	0.090	0.300	6	2	1	1	11	7	76	11	30	30	0	2019	11000	3	1	01	1	1	1	15481	
ROUTE TOTAL:				0.300																							
1	077/00	00	NB	95.340	1.130	96.470	0	2	1	1	11	7	97	11	24	34	14	2019	49300	4	1	01	1	2	1	15481	
1	077/00	00	NB	96.470	0.660	97.130	0	2	1	1	11	7	95	11	42	42	14	2019	49300	5	1	01	1	2	1	15481	
1	077/00	00	NB	97.130	0.500	97.630	0	2	1	1	11	7	95	11	24	34	14	2019	46600	4	1	01	1	2	1	15481	
1	077/00	00	NB	97.630	0.020	97.650	0	2	1	1	11	7	95	11	42	42	14	2019	46600	4	1	01	1	2	1	15481	
1	077/00	00	NB	97.650	0.053	97.703	0	2	1	1	11	7	12	11	24	36	14	2019	46600	4	1	01	1	2	1	15481	
1	077/00	00	NB	97.703	0.427	98.130	6	2	1	1	11	7	12	11	24	36	14	2019	46600	4	1	01	1	2	1	15481	
1	077/00	00	NB	98.130	0.040	98.170	6	2	1	1	11	7	12	11	57	57	14	2019	46600	4	1	01	1	2	1	15481	
1	077/00	00	NB	98.170	0.110	98.280	6	2	1	1	11	7	12	11	24	36	40	2019	66300	6	1	01	1	2	1	15481	
1	077/00	00	NB	98.280	0.730	99.010	6	2	1	1	11	7	12	11	24	36	40	2019	69100	6	1	01	1	2	1	15481	
1	077/00	00	NB	99.010	0.110	99.120	6	2	1	1	11	7	12	11	32	32	14	2019	69100	6	1	01	1	2	1	15481	
1	077/00	00	NB	99.120	0.120	99.240	6	2	1	1	11	7	12	11	32	32	14	2019	71900	6	1	01	1	2	1	15481	
1	077/00	00	NB	99.240	1.040	100.280	6	2	1	1	11	7	12	11	24	36	14	2019	71900	6	1	01	1	2	1	15481	
1	077/00	00	NB	100.280	0.480	100.760	6	2	1	1	11	7	12	11	24	36	14	2019	72200	6	1	01	1	2	1	15481	
1	077/00	00	NB	100.760	0.020	100.780	6	2	1	1	11	7	88	11	32	32	14	2019	72200	6	1	01	1	2	1	15481	
1	077/00	00	NB	100.780	0.180	100.960	6	2	1	1	11	7	88	11	24	36	14	2019	72200	4	1	01	1	2	1	15481	
1	077/00	00	NB	100.960	0.060	101.020	6	2	1	1	11	7	88	11	32	32	14	2019	72200	4	1	01	1	2	1	15481	
1	077/00	00	NB	101.020	0.060	101.080	6	2	1	1	11	7	88	11	24	36	14	2019	72200	4	1	01	1	2	1	15481	
1	077/00	00	NB	101.080	0.100	101.180	6	2	1	1	11	7	88	11	37	37	60	2019	63400	4	1	01	1	2	1	15481	
1	077/00	00	NB	101.180	0.020	101.200	6	2	1	1	11	7	94	11	24	36	60	2019	63400	4	1	01	1	2	1	15481	
1	077/00	00	NB	101.200	0.200	101.400	6	2	1	1	11	7	87	11	24	36	35	2019	63400	6	1	01	1	2	1	15481	
1	077/00	00	NB	101.400	0.040	101.440	6	2	1	1	11	7	94	11	30	30	12	2019	63400	6	1	01	1	2	1	15481	
1	077/00	00	NB	101.440	0.180	101.620	6	2	1	1	11	7	87	11	24	36	12	2019	63400	6	1	01	1	2	1	15481	
1	077/00	00	NB	101.620	0.030	101.650	6	2	1	1	11	7	87	11	24	36	14	2019	63400	6	1	01	1	2	1	15481	
1	077/00	00	NB	101.650	0.210	101.860	6	2	1	1	11	7	87	11	24	36	14	2019	55300	6	1	01	1	2	1	15481	
1	077/00	00	NB	101.860	0.030	101.890	6	2	1	1	11	7	94	11	24	36	14	2019	55300	6	1	01	1	2	1	15481	
1	077/00	00	NB	101.890	0.130	102.020	6	2	1	1	11	7	94	11	37	37	14	2019	55300	6	1	01	1	2	1	15481	

2019 ROAD INVENTORY LOG - INTERSTATES

WVDOT - HIGHWAYS
Strategic Performance Management Division

KANAWHA COUNTY - (20)

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	END LENGTH	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	NHS	URB CODE	
1	077/00	00	NB	102.020	0.140	102.160	6	2	1	1	11	7	94	11	24	36	14	2019	55300	6	1	01	1	2	1	15481
1	077/00	00	NB	102.160	0.127	102.287	6	2	1	1	11	7	94	11	24	36	14	2019	47100	6	1	01	1	2	1	15481
1	077/00	00	NB	102.287	0.193	102.480	0	2	1	1	11	7	94	11	24	36	14	2019	47100	6	1	01	1	2	1	15481
1	077/00	00	NB	102.480	0.180	102.660	0	2	1	1	11	7	10	11	37	37	14	2019	47100	6	1	01	1	2	1	15481
1	077/00	00	NB	102.660	0.670	103.330	0	2	1	1	11	7	10	11	24	36	40	2019	30500	4	1	01	1	2	1	15481
1	077/00	00	NB	103.330	0.210	103.540	0	2	1	1	11	7	10	11	54	54	40	2019	30500	4	1	01	1	2	1	15481
1	077/00	00	NB	103.540	0.120	103.660	0	2	1	1	11	7	10	11	24	34	40	2019	30500	4	1	01	1	2	1	15481
1	077/00	00	NB	103.660	0.030	103.690	0	2	1	1	11	7	10	11	24	34	40	2019	30500	4	1	01	1	2	1	15481
1	077/00	00	NB	103.690	1.120	104.810	0	2	1	1	11	7	10	11	24	34	40	2019	25000	4	1	01	1	2	1	15481
1	077/00	00	NB	104.810	0.192	105.002	0	2	1	1	11	7	10	11	36	46	40	2019	25000	4	1	01	1	2	1	15481
1	077/00	00	NB	105.002	1.108	106.110	0	0	1	1	1	7	10	11	36	46	40	2019	25000	4	1	01	1	2	1	99999
1	077/00	00	NB	106.110	0.060	106.170	0	0	1	1	1	7	87	11	36	46	40	2019	26400	4	1	01	1	2	1	99999
1	077/00	00	NB	106.170	1.210	107.380	0	0	1	1	1	7	87	11	36	46	40	2019	26400	4	1	01	1	2	1	99999
1	077/00	00	NB	107.380	2.720	110.100	0	0	1	1	1	7	94	11	24	34	30	2019	26400	4	1	01	1	2	1	99999
1	077/00	00	NB	110.100	0.030	110.130	0	0	1	1	1	7	87	11	24	34	40	2019	26400	4	1	01	1	2	1	99999
1	077/00	00	NB	110.130	0.016	110.146	0	0	1	1	1	7	94	11	24	34	40	2019	19900	4	1	01	1	2	1	99999
1	077/00	00	NB	110.146	0.584	110.730	0	0	1	1	1	7	94	11	24	34	40	2019	19900	4	1	01	1	2	1	99999
1	077/00	00	NB	110.730	0.050	110.780	0	0	1	1	1	7	07	11	24	34	40	2019	19900	4	1	01	1	2	1	99999
1	077/00	00	NB	110.780	0.420	111.200	0	0	1	1	1	7	87	11	24	34	40	2019	19900	4	1	01	1	2	1	99999
1	077/00	00	NB	111.200	1.250	112.450	0	0	1	1	1	7	94	11	36	46	40	2019	19900	4	1	01	1	2	1	99999
1	077/00	00	NB	112.450	0.070	112.520	0	0	1	1	1	7	87	11	36	46	40	2019	19900	4	1	01	1	2	1	99999
1	077/00	00	NB	112.520	0.012	112.532	0	0	1	1	1	7	94	11	24	34	40	2019	19900	4	1	01	1	2	1	99999
1	077/00	00	NB	112.532	0.908	113.440	0	0	1	1	1	7	94	11	24	34	40	2019	19900	4	1	01	1	2	1	99999
1	077/00	00	NB	113.440	0.030	113.470	0	0	1	1	1	7	87	11	24	34	40	2019	19900	4	1	01	1	2	1	99999
1	077/00	00	NB	113.470	0.034	113.504	0	0	1	1	1	7	10	11	24	34	40	2019	19900	4	1	01	1	2	1	99999
1	077/00	00	NB	113.504	0.076	113.580	0	0	1	1	1	7	10	11	24	34	40	2019	19900	4	1	01	1	2	1	99999
1	077/00	00	NB	113.580	1.010	114.590	0	0	1	1	1	7	10	11	24	34	16	2019	19900	4	1	01	1	2	1	99999
1	077/00	00	NB	114.590	0.068	114.658	0	0	1	1	1	7	10	11	24	34	16	2019	22300	4	1	01	1	2	1	99999
1	077/00	00	NB	114.658	1.392	116.050	0	0	1	1	1	7	10	11	24	34	16	2019	22300	4	1	01	1	2	1	99999
1	077/00	00	NB	116.050	1.250	117.300	0	0	1	1	1	7	10	11	24	34	16	2019	20500	4	1	01	1	2	1	99999
1	077/00	00	NB	117.300	0.200	117.500	0	0	1	1	1	7	10	11	24	34	40	2019	20500	4	1	01	1	2	1	99999
				ROUTE TOTAL: 22.160																						
1	077/00	05	SB	0.000	0.670	0.670	6	2	1	1	11	7	10	12	24	34	16	2019	12700	2	1	01	1	1	1	15481
				ROUTE TOTAL: 0.670																						
1	077/00	16	NB	67.210	5.330	72.540	0	0	1	1	1	7	10	11	36	48	15	2019	26500	4	1	01	1	2	1	99999
1	077/00	16	NB	72.540	1.820	74.360	0	0	1	1	1	7	10	11	46	48	15	2019	26500	4	1	01	1	2	1	99999
1	077/00	16	NB	74.360	0.090	74.450	0	0	1	1	1	7	10	11	36	48	15	2019	29000	5	1	01	1	2	1	99999
1	077/00	16	NB	74.450	0.490	74.940	0	0	1	1	1	7	10	11	54	54	15	2019	29000	5	1	01	1	2	1	99999
1	077/00	16	NB	74.940	0.720	75.660	0	0	1	1	1	7	10	11	36	48	15	2019	29000	5	1	01	1	2	1	99999

2019 ROAD INVENTORY LOG - INTERSTATES

WVDOT - HIGHWAYS

Strategic Performance Management Division

KANAWHA COUNTY - (20)

Page 18 of 36

SIGN	ROUTE	SUPP	DIRECT	BEG	END		MUN	URB	FAS	WV	NAT	ACC	YEAR	SURF	PAV	GRADE	MED	AADT	LANES	REV	SPEC	TRK	FAC	URB			
		DSG	SURV	MP	LENGTH	MP				FUN	FUNC	CONT	CHNG	TYPE	WIDTH	WIDTH	WIDTH	YR		AADT	LANES	SYS	RT		TYPE	NHS	CODE
1	077/00	16	NB	75.660	0.330	75.990	0	0	1	1	1	7	95	11	45	54	10	2019	29000	5	1	01	1	2	1	99999	
1	077/00	16	NB	75.990	0.670	76.660	0	0	1	1	1	7	95	11	54	54	10	2019	29000	5	1	01	1	2	1	99999	
1	077/00	16	NB	76.660	0.800	77.460	0	0	1	1	1	7	95	11	36	48	10	2019	29000	5	1	01	1	2	1	99999	
1	077/00	16	NB	77.460	0.370	77.830	0	0	1	1	1	7	95	11	45	54	15	2019	29000	4	1	01	1	2	1	99999	
1	077/00	16	NB	77.830	0.158	77.988	0	0	1	1	1	7	95	11	36	48	10	2019	29000	4	1	01	1	2	1	99999	
1	077/00	16	NB	77.988	1.932	79.920	0	2	1	1	11	7	95	11	36	48	10	2019	29000	4	1	01	1	2	1	15481	
1	077/00	16	NB	79.920	1.080	81.000	0	2	1	1	11	7	81	12	24	31	10	2019	29700	4	1	01	1	2	1	15481	
1	077/00	16	NB	81.000	1.200	82.200	0	2	1	1	11	7	79	12	24	31	10	2019	29700	4	1	01	1	2	1	15481	
1	077/00	16	NB	82.200	0.240	82.440	0	2	1	1	11	7	97	11	24	31	10	2019	29700	4	1	01	1	2	1	15481	
1	077/00	16	NB	82.440	0.230	82.670	0	2	1	1	11	7	10	12	24	31	14	2019	29700	5	1	01	1	2	1	15481	
1	077/00	16	NB	82.670	0.150	82.820	0	2	1	1	11	7	10	12	42	55	16	2019	29700	10	1	01	1	2	1	15481	
1	077/00	16	NB	82.820	0.490	83.310	0	2	1	1	11	7	97	11	50	50	14	2019	29700	5	1	01	1	2	1	15481	
1	077/00	16	NB	83.310	3.370	86.680	0	2	1	1	11	7	10	11	44	55	14	2019	43700	4	1	01	1	2	1	15481	
1	077/00	16	NB	86.680	0.030	86.710	0	2	1	1	11	7	10	11	76	76	14	2019	43700	4	1	01	1	2	1	15481	
1	077/00	16	NB	86.710	0.080	86.790	0	2	1	1	11	7	10	11	36	50	14	2019	43700	4	1	01	1	2	1	15481	
1	077/00	16	NB	86.790	1.730	88.520	1	2	1	1	11	7	10	11	36	50	14	2019	43700	4	1	01	1	2	1	15481	
1	077/00	16	NB	88.520	0.110	88.630	1	2	1	1	11	7	10	11	54	54	14	2019	43700	4	1	01	1	2	1	15481	
1	077/00	16	NB	88.630	0.440	89.070	0	2	1	1	11	7	10	11	54	54	14	2019	43700	4	1	01	1	2	1	15481	
1	077/00	16	NB	89.070	0.160	89.230	0	2	1	1	11	7	10	11	36	50	14	2019	43700	4	1	01	1	2	1	15481	
1	077/00	16	NB	89.230	0.106	89.336	0	2	1	1	11	7	10	11	50	50	14	2019	43700	4	1	01	1	2	1	15481	
1	077/00	16	NB	89.336	0.164	89.500	1	2	1	1	11	7	10	11	50	50	14	2019	43700	4	1	01	1	2	1	15481	
1	077/00	16	NB	89.500	0.470	89.970	1	2	1	1	11	7	10	11	50	50	14	2019	44300	4	1	01	1	2	1	15481	
1	077/00	16	NB	89.970	0.957	90.927	1	2	1	1	11	7	10	11	36	50	14	2019	44300	4	1	01	1	2	1	15481	
1	077/00	16	NB	90.927	2.383	93.310	0	2	1	1	11	7	10	11	36	50	14	2019	44300	4	1	01	1	2	1	15481	
1	077/00	16	NB	93.310	0.040	93.350	0	2	1	1	11	7	10	11	36	50	14	2019	39800	4	1	01	1	2	1	15481	
1	077/00	16	NB	93.350	0.087	93.437	0	2	1	1	11	7	10	11	36	46	10	2019	39800	4	1	01	1	2	1	15481	
1	077/00	16	NB	93.437	1.283	94.720	6	2	1	1	11	7	10	11	36	46	10	2019	39800	4	1	01	1	2	1	15481	
1	077/00	16	NB	94.720	0.074	94.794	6	2	1	1	11	7	10	11	24	34	30	2019	39800	4	1	01	1	2	1	15481	
1	077/00	16	NB	94.794	0.166	94.960	0	2	1	1	11	7	10	11	24	34	30	2019	39800	4	1	01	1	2	1	15481	
1	077/00	16	NB	94.960	0.380	95.340	0	2	1	1	11	7	10	11	24	34	40	2019	39800	4	1	01	1	2	1	15481	
ROUTE TOTAL: 28.130																											
1	079/00	00	NB	0.000	0.100	0.100	0	2	1	1	11	7	98	11	24	34	99	2019	28800	4	1	01	1	2	1	15481	
1	079/00	00	NB	0.100	0.070	0.170	0	2	1	1	11	7	79	11	32	48	99	2019	28800	4	1	01	1	2	1	15481	
1	079/00	00	NB	0.170	0.030	0.200	0	2	1	1	11	7	79	11	24	48	99	2019	28800	4	1	01	1	2	1	15481	
1	079/00	00	NB	0.200	0.020	0.220	0	2	1	1	11	7	98	11	32	48	99	2019	28800	4	1	01	1	2	1	15481	
1	079/00	00	NB	0.220	0.010	0.230	0	2	1	1	11	7	98	11	40	40	99	2019	28800	4	1	01	1	2	1	15481	
1	079/00	00	NB	0.230	0.050	0.280	0	2	1	1	11	7	97	11	32	48	99	2019	28800	4	1	01	1	2	1	15481	
1	079/00	00	NB	0.280	0.480	0.760	0	2	1	1	11	7	98	11	24	34	99	2019	28800	4	1	01	1	2	1	15481	
1	079/00	00	NB	0.760	0.050	0.810	0	2	1	1	11	7	98	11	40	40	99	2019	28800	4	1	01	1	2	1	15481	

2019 ROAD INVENTORY LOG - INTERSTATES

WV DOT - HIGHWAYS

Strategic Performance Management Division

KANAWHA COUNTY - (20)

Page 19 of 36

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	END LENGTH	END MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	NHS	URB CODE
1	079/00	00	NB	0.810	0.220	1.030	0	2	1	1	11	7	98	11	24	34	16	2019	28800	4	1	01	1	2	1	15481
1	079/00	00	NB	1.030	0.020	1.050	0	2	1	1	11	7	97	11	40	40	16	2019	28800	4	1	01	1	2	1	15481
1	079/00	00	NB	1.050	0.900	1.950	0	2	1	1	11	7	98	11	24	34	16	2019	28800	4	1	01	1	2	1	15481
1	079/00	00	NB	1.950	0.040	1.990	0	2	1	1	11	7	07	11	40	40	16	2019	22000	4	1	01	1	2	1	15481
1	079/00	00	NB	1.990	0.250	2.240	0	2	1	1	11	7	07	11	24	34	16	2019	22000	4	1	01	1	2	1	15481
1	079/00	00	NB	2.240	1.270	3.510	0	2	1	1	11	7	98	11	34	46	16	2019	22000	5	1	01	1	2	1	15481
1	079/00	00	NB	3.510	0.040	3.550	0	2	1	1	11	7	94	11	24	40	16	2019	22000	5	1	01	1	2	1	15481
1	079/00	00	NB	3.550	0.440	3.990	0	2	1	1	11	7	94	11	24	34	16	2019	22000	5	1	01	1	2	1	15481
1	079/00	00	NB	3.990	0.520	4.510	0	2	1	1	11	7	97	11	24	34	16	2019	22000	5	1	01	1	2	1	15481
1	079/00	00	NB	4.510	0.760	5.270	0	2	1	1	11	7	97	11	24	34	32	2019	22000	4	1	01	1	2	1	15481
1	079/00	00	NB	5.270	0.030	5.300	0	2	1	1	11	7	97	11	40	40	32	2019	22000	4	1	01	1	2	1	15481
1	079/00	00	NB	5.300	0.120	5.420	0	2	1	1	11	7	97	11	24	34	32	2019	22000	4	1	01	1	2	1	15481
1	079/00	00	NB	5.420	0.140	5.560	0	2	1	1	11	7	79	11	24	34	32	2019	18900	4	1	01	1	2	1	15481
1	079/00	00	NB	5.560	0.030	5.590	0	2	1	1	11	7	79	11	41	41	32	2019	18900	4	1	01	1	2	1	15481
1	079/00	00	NB	5.590	0.530	6.120	0	2	1	1	11	7	98	11	24	34	32	2019	18900	4	1	01	1	2	1	15481
1	079/00	00	NB	6.120	0.700	6.820	0	2	1	1	11	7	79	11	36	44	32	2019	18900	5	1	01	1	2	1	15481
1	079/00	00	NB	6.820	0.370	7.190	0	2	1	1	11	7	79	11	30	40	32	2019	18900	4	1	01	1	2	1	15481
1	079/00	00	NB	7.190	0.190	7.380	0	2	1	1	11	7	98	11	24	34	32	2019	18900	4	1	01	1	2	1	15481
1	079/00	00	NB	7.380	0.096	7.476	0	2	1	1	11	7	79	12	40	40	32	2019	18900	4	1	01	1	2	1	15481
1	079/00	00	NB	7.476	0.104	7.580	0	0	1	1	1	7	79	12	40	40	32	2019	18900	4	1	01	1	2	1	99999
1	079/00	00	NB	7.580	0.900	8.480	0	0	1	1	1	7	98	11	24	34	32	2019	18900	4	1	01	1	2	1	99999
1	079/00	00	NB	8.480	0.060	8.540	0	0	1	1	1	7	79	12	40	40	32	2019	18900	4	1	01	1	2	1	99999
1	079/00	00	NB	8.540	0.660	9.200	0	0	1	1	1	7	98	12	24	34	32	2019	18900	4	1	01	1	2	1	99999
1	079/00	00	NB	9.200	0.070	9.270	0	0	1	1	1	7	79	12	40	40	32	2019	18900	4	1	01	1	2	1	99999
1	079/00	00	NB	9.270	0.700	9.970	0	0	1	1	1	7	79	11	24	36	32	2019	18900	4	1	01	1	2	1	99999
1	079/00	00	NB	9.970	0.670	10.640	0	0	1	1	1	7	77	11	24	36	40	2019	15700	4	1	01	1	2	1	99999
1	079/00	00	NB	10.640	0.040	10.680	0	0	1	1	1	7	77	11	42	42	40	2019	15700	4	1	01	1	2	1	99999
1	079/00	00	NB	10.680	4.780	15.460	0	0	1	1	1	7	77	11	24	36	40	2019	15700	4	1	01	1	2	1	99999
1	079/00	00	NB	15.460	0.090	15.550	0	0	1	1	1	7	77	11	44	44	40	2019	15700	4	1	01	1	2	1	99999
1	079/00	00	NB	15.550	0.420	15.970	0	0	1	1	1	7	11	11	24	36	40	2019	15700	4	1	01	1	2	1	99999
1	079/00	00	NB	15.970	0.070	16.040	0	0	1	1	1	7	11	11	42	42	40	2019	15700	4	1	01	1	2	1	99999
1	079/00	00	NB	16.040	3.180	19.220	0	0	1	1	1	7	11	11	24	36	40	2019	15700	4	1	01	1	2	1	99999
1	079/00	00	NB	19.220	0.040	19.260	0	0	1	1	1	7	77	11	42	42	40	2019	14300	4	1	01	1	2	1	99999
1	079/00	00	NB	19.260	1.300	20.560	0	0	1	1	1	7	97	11	24	36	40	2019	14300	4	1	01	1	2	1	99999
1	079/00	00	NB	20.560	0.060	20.620	0	0	1	1	1	7	97	11	42	42	40	2019	14300	4	1	01	1	2	1	99999
1	079/00	00	NB	20.620	0.660	21.280	0	0	1	1	1	7	97	11	24	36	40	2019	11100	4	1	01	1	2	1	99999

ROUTE TOTAL: 21.280

Kanawha County TOTAL for the PRIMARY DIRECTION:

85.930

2019 ROAD INVENTORY LOG - INTERSTATES

WVDOT - HIGHWAYS
Strategic Performance Management Division

LEWIS COUNTY - (21)

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	LENGTH	END MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	NHS	URB CODE
1	079/00	00	NB	83.550	7.220	90.770	0	0	1	1	1	7	07	11	38	38	40	2019	19300	4	1	01	1	2	1	99999
1	079/00	00	NB	90.770	0.050	90.820	0	0	1	1	1	7	19	11	24	38	40	2019	19300	4	1	01	1	2	1	99999
1	079/00	00	NB	90.820	0.100	90.920	0	0	1	1	1	7	19	11	24	38	40	2019	20600	4	1	01	1	2	1	99999
1	079/00	00	NB	90.920	4.810	95.730	0	0	1	1	1	7	07	11	38	38	40	2019	20600	4	1	01	1	2	1	99999
1	079/00	00	NB	95.730	0.090	95.820	0	0	1	1	1	7	99	12	46	46	40	2019	20600	4	1	01	1	2	1	99999
1	079/00	00	NB	95.820	0.150	95.970	0	0	1	1	1	7	08	11	38	42	40	2019	20600	4	1	01	1	2	1	99999
1	079/00	00	NB	95.970	0.200	96.170	0	0	1	1	1	7	08	11	38	42	99	2019	20600	4	1	01	1	2	1	99999
1	079/00	00	NB	96.170	0.960	97.130	0	0	1	1	1	7	08	11	38	42	99	2019	22900	4	1	01	1	2	1	99999
1	079/00	00	NB	97.130	1.157	98.287	0	0	1	1	1	7	08	11	38	42	40	2019	22900	4	1	01	1	2	1	99999
1	079/00	00	NB	98.287	0.113	98.400	2	1	1	1	11	7	08	11	38	42	40	2019	22900	4	1	01	1	2	1	99998
1	079/00	00	NB	98.400	0.170	98.570	2	1	1	1	11	7	08	11	38	42	40	2019	26900	4	1	01	1	2	1	99998
1	079/00	00	NB	98.570	0.050	98.620	2	1	1	1	11	7	99	11	41	41	40	2019	26900	4	1	01	1	2	1	99998
1	079/00	00	NB	98.620	0.010	98.630	2	1	1	1	11	7	99	11	24	36	40	2019	26900	4	1	01	1	2	1	99998
1	079/00	00	NB	98.630	0.295	98.925	2	1	1	1	11	7	12	11	38	42	40	2019	25800	4	1	01	1	2	1	99998
1	079/00	00	NB	98.925	0.045	98.970	0	0	1	1	1	7	12	11	38	42	40	2019	25800	4	1	01	1	2	1	99999
1	079/00	00	NB	98.970	1.420	100.390	0	0	1	1	1	7	10	11	38	42	60	2019	25800	4	1	01	1	2	1	99999
1	079/00	00	NB	100.390	1.910	102.300	0	0	1	1	1	7	10	11	38	42	40	2019	25800	4	1	01	1	2	1	99999
1	079/00	00	NB	102.300	1.850	104.150	0	0	1	1	1	7	01	11	32	40	40	2019	25800	4	1	01	1	2	1	99999
1	079/00	00	NB	104.150	0.040	104.190	0	0	1	1	1	7	99	11	32	40	40	2019	25800	4	1	01	1	2	1	99999
1	079/00	00	NB	104.190	0.500	104.690	0	0	1	1	1	7	99	11	32	40	60	2019	25800	4	1	01	1	2	1	99999
1	079/00	00	NB	104.690	0.680	105.370	0	0	1	1	1	7	99	11	32	40	40	2019	30100	4	1	01	1	2	1	99999
1	079/00	00	NB	105.370	0.950	106.320	0	0	1	1	1	7	99	11	32	40	99	2019	30100	4	1	01	1	2	1	99999
1	079/00	00	NB	106.320	0.090	106.410	0	0	1	1	1	7	99	11	40	40	40	2019	30100	4	1	01	1	2	1	99999
1	079/00	00	NB	106.410	0.010	106.420	0	0	1	1	1	7	99	11	24	36	40	2019	30100	4	1	01	1	2	1	99999

ROUTE TOTAL: 22.870

Lewis County TOTAL for the PRIMARY DIRECTION: 22.870

2019 ROAD INVENTORY LOG - INTERSTATES

WVDOT - HIGHWAYS

Strategic Performance Management Division

MARION COUNTY - (25)

Page 21 of 36

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	END LENGTH	END MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	NHS	URB CODE
1	079/00	00	NB	129.220	0.300	129.520	0	1	1	1	11	7	00	11	24	34	40	2019	46400	4	1	01	1	2	1	99998
1	079/00	00	NB	129.520	0.320	129.840	0	1	1	1	11	7	05	11	30	30	22	2019	46400	4	1	01	1	2	1	99998
1	079/00	00	NB	129.840	0.020	129.860	0	1	1	1	11	7	00	11	30	30	22	2019	46400	4	1	01	1	2	1	99998
1	079/00	00	NB	129.860	0.027	129.887	1	1	1	1	11	7	00	11	30	30	22	2019	46400	4	1	01	1	2	1	99998
1	079/00	00	NB	129.887	0.003	129.890	0	1	1	1	11	7	00	11	30	30	22	2019	46400	4	1	01	1	2	1	99998
1	079/00	00	NB	129.890	0.300	130.190	0	1	1	1	11	7	00	11	24	34	22	2019	46400	4	1	01	1	2	1	99998
1	079/00	00	NB	130.190	0.290	130.480	0	1	1	1	11	7	00	12	24	34	12	2019	46400	4	1	01	1	2	1	99998
1	079/00	00	NB	130.480	0.050	130.530	0	1	1	1	11	7	00	11	24	34	40	2019	46400	4	1	01	1	2	1	99998
1	079/00	00	NB	130.530	0.281	130.811	0	1	1	1	11	7	00	11	24	34	40	2019	49500	4	1	01	1	2	1	99998
1	079/00	00	NB	130.811	0.689	131.500	1	1	1	1	11	7	00	11	24	34	40	2019	49500	4	1	01	1	2	1	99998
1	079/00	00	NB	131.500	0.570	132.070	1	1	1	1	11	7	00	11	24	34	22	2019	49500	4	1	01	1	2	1	99998
1	079/00	00	NB	132.070	0.038	132.108	1	1	1	1	11	7	00	11	30	30	22	2019	49500	4	1	01	1	2	1	99998
1	079/00	00	NB	132.108	0.012	132.120	0	1	1	1	11	7	00	11	30	30	22	2019	49500	4	1	01	1	2	1	99998
1	079/00	00	NB	132.120	0.190	132.310	0	1	1	1	11	7	00	11	24	34	22	2019	49500	4	1	01	1	2	1	99998
1	079/00	00	NB	132.310	0.530	132.840	0	1	1	1	11	7	00	11	24	34	12	2019	49500	4	1	01	1	2	1	99998
1	079/00	00	NB	132.840	0.076	132.916	0	1	1	1	11	7	00	11	30	30	12	2019	49500	4	1	01	1	2	1	99998
1	079/00	00	NB	132.916	0.104	133.020	2	1	1	1	11	7	00	11	30	30	12	2019	49500	4	1	01	1	2	1	99998
1	079/00	00	NB	133.020	0.350	133.370	2	1	1	1	11	7	00	11	24	34	22	2019	49500	4	1	01	1	2	1	99998
1	079/00	00	NB	133.370	1.570	134.940	2	1	1	1	11	7	00	11	24	34	22	2019	48700	4	1	01	1	2	1	99998
1	079/00	00	NB	134.940	0.030	134.970	2	1	1	1	11	7	00	11	37	37	22	2019	48700	4	1	01	1	2	1	99998
1	079/00	00	NB	134.970	0.650	135.620	2	1	1	1	11	7	00	11	24	34	22	2019	53700	4	1	01	1	2	1	99998
1	079/00	00	NB	135.620	0.040	135.660	2	1	1	1	11	7	00	11	37	37	20	2019	53700	4	1	01	1	2	1	99998
1	079/00	00	NB	135.660	0.416	136.076	2	1	1	1	11	7	00	11	24	34	32	2019	52800	4	1	01	1	2	1	99998
1	079/00	00	NB	136.076	0.411	136.487	4	1	1	1	11	7	00	11	24	34	32	2019	52800	4	1	01	1	2	1	99998
1	079/00	00	NB	136.487	0.153	136.640	0	1	1	1	11	7	00	11	24	34	32	2019	52800	4	1	01	1	2	1	99998
1	079/00	00	NB	136.640	0.040	136.680	0	1	1	1	11	7	00	11	40	40	22	2019	46000	4	1	01	1	2	1	99998
1	079/00	00	NB	136.680	0.080	136.760	0	1	1	1	11	7	00	11	24	34	22	2019	46000	4	1	01	1	2	1	99998
1	079/00	00	NB	136.760	2.010	138.770	0	1	1	1	11	7	00	11	24	36	22	2019	46000	4	1	01	1	2	1	99998
1	079/00	00	NB	138.770	0.030	138.800	0	1	1	1	11	7	00	11	40	40	22	2019	46000	4	1	01	1	2	1	99998
1	079/00	00	NB	138.800	0.300	139.100	0	1	1	1	11	7	00	11	24	36	22	2019	46000	4	1	01	1	2	1	99998
1	079/00	00	NB	139.100	0.720	139.820	0	1	1	1	11	7	00	11	24	36	40	2019	44900	4	1	01	1	2	1	99998
1	079/00	00	NB	139.820	0.180	140.000	0	1	1	1	11	7	00	11	24	35	22	2019	44900	4	1	01	1	2	1	99998
1	079/00	00	NB	140.000	0.352	140.352	0	1	1	1	11	7	00	11	24	36	22	2019	44900	4	1	01	1	2	1	99998
1	079/00	00	NB	140.352	0.018	140.370	0	0	1	1	1	7	00	11	24	36	22	2019	44900	4	1	01	1	2	1	99999
1	079/00	00	NB	140.370	0.030	140.400	0	0	1	1	1	7	00	11	39	39	22	2019	44900	4	1	01	1	2	1	99999
1	079/00	00	NB	140.400	1.970	142.370	0	0	1	1	1	7	00	11	24	36	22	2019	44900	4	1	01	1	2	1	99999

ROUTE TOTAL: 13.150

Marion County TOTAL for the PRIMARY DIRECTION:

13.150

2019 ROAD INVENTORY LOG - INTERSTATES

WVDOT - HIGHWAYS

Strategic Performance Management Division

MERCER COUNTY - (28)

Page 22 of 36

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	LENGTH	END MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	NHS	URB CODE	
1	077/00	00	NB	0.000	0.560	0.560	0	0	1	1	1	7	00	11	26	26	0	2019	24200	4	1	01	1	2	1	99999	
1	077/00	00	NB	0.560	0.072	0.632	0	0	1	1	1	7	00	11	24	36	40	2019	24200	4	1	01	1	2	1	99999	
1	077/00	00	NB	0.632	0.034	0.666	4	0	1	1	1	7	00	11	24	36	40	2019	24200	4	1	01	1	2	1	99999	
1	077/00	00	NB	0.666	1.894	2.560	0	0	1	1	1	7	00	11	24	36	40	2019	24200	4	1	01	1	2	1	99999	
1	077/00	00	NB	2.560	0.390	2.950	0	0	1	1	1	7	00	11	24	36	40	2019	21300	4	1	01	1	2	1	99999	
1	077/00	00	NB	2.950	0.100	3.050	0	0	1	1	1	7	00	11	36	36	40	2019	21300	4	1	01	1	2	1	99999	
1	077/00	00	NB	3.050	2.020	5.070	0	0	1	1	1	7	00	11	24	36	40	2019	21300	4	1	01	1	2	1	99999	
1	077/00	00	NB	5.070	0.040	5.110	0	0	1	1	1	7	00	11	26	26	40	2019	21300	4	1	01	1	2	1	99999	
1	077/00	00	NB	5.110	0.010	5.120	0	0	1	1	1	7	00	11	24	36	40	2019	21300	4	1	01	1	2	1	99999	
1	077/00	00	NB	5.120	1.800	6.920	0	0	1	1	1	7	00	11	24	36	40	2019	22800	4	1	01	1	2	1	99999	
1	077/00	00	NB	6.920	0.050	6.970	0	0	1	1	1	7	00	11	30	30	40	2019	22800	4	1	01	1	2	1	99999	
1	077/00	00	NB	6.970	1.219	8.189	0	0	1	1	1	7	00	11	24	36	40	2019	22800	4	1	01	1	2	1	99999	
1	077/00	00	NB	8.189	0.271	8.460	0	1	1	1	11	7	00	11	24	36	40	2019	23000	4	1	01	1	2	1	99998	
1	077/00	00	NB	8.460	0.520	8.980	0	1	1	1	11	7	00	11	24	40	40	2019	23000	4	1	01	1	2	1	99998	
ROUTE TOTAL:				8.980																							
1	077/00	16	NB	8.980	0.670	9.650	0	1	1	1	11	7	00	11	24	40	40	2019	16300	4	1	01	1	2	1	99998	
1	077/00	16	NB	9.650	1.600	11.250	0	1	1	1	11	7	00	11	24	40	99	2019	16300	4	1	01	1	2	1	99998	
1	077/00	16	NB	11.250	0.660	11.910	0	1	1	1	11	7	00	11	36	46	99	2019	16300	5	1	01	1	2	1	99998	
1	077/00	16	NB	11.910	1.520	13.430	0	1	1	1	11	7	00	11	24	34	99	2019	16300	5	1	01	1	2	1	99998	
1	077/00	16	NB	13.430	0.050	13.480	0	1	1	1	11	7	00	11	24	34	99	2019	16300	4	1	01	1	2	1	99998	
1	077/00	16	NB	13.480	0.526	14.006	0	1	1	1	11	7	00	11	24	34	99	2019	40700	4	1	01	1	2	1	99998	
1	077/00	16	NB	14.006	0.764	14.770	0	0	1	1	1	7	00	11	24	34	99	2019	40700	4	1	01	1	2	1	99999	
1	077/00	16	NB	14.770	0.190	14.960	0	0	1	1	1	7	00	11	24	34	40	2019	40700	5	1	01	1	2	1	99999	
1	077/00	16	NB	14.960	0.580	15.540	0	0	1	1	1	7	00	11	24	36	40	2019	40700	5	1	01	1	2	1	99999	
1	077/00	16	NB	15.540	3.980	19.520	0	0	1	1	1	7	00	12	24	37	40	2019	40700	4	1	01	1	2	1	99999	
1	077/00	16	NB	19.520	0.570	20.090	0	0	1	1	1	7	00	11	24	37	40	2019	29800	4	1	01	1	2	1	99999	
1	077/00	16	NB	20.090	7.080	27.170	0	0	1	1	1	7	00	11	36	46	40	2019	29800	5	1	01	1	2	1	99999	
1	077/00	16	NB	27.170	0.090	27.260	0	0	1	1	1	7	00	11	36	46	40	2019	29800	6	1	01	1	2	1	99999	
ROUTE TOTAL:				18.280																							

Mercer County TOTAL for the PRIMARY DIRECTION: 27.260

2019 ROAD INVENTORY LOG - INTERSTATES

WVDOT - HIGHWAYS

Strategic Performance Management Division

MONONGALIA COUNTY - (31)

Page 23 of 36

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	END LENGTH	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	URB NHS	URB CODE		
1	068/00	00	EB	0.000	0.320	0.320	0	2	1	1	11	7	95	11	24	40	40	2019	49600	2	1	10	1	2	1	59275	
1	068/00	00	EB	0.320	0.830	1.150	0	2	1	1	11	7	97	11	36	40	40	2019	49600	5	1	10	1	2	1	59275	
1	068/00	00	EB	1.150	0.271	1.421	0	2	1	1	11	7	97	11	24	40	40	2019	42100	4	1	10	1	2	1	59275	
1	068/00	00	EB	1.421	0.012	1.433	5	2	1	1	11	7	97	11	24	40	40	2019	42100	4	1	10	1	2	1	59275	
1	068/00	00	EB	1.433	0.467	1.900	0	2	1	1	11	7	97	11	24	40	40	2019	42100	4	1	10	1	2	1	59275	
1	068/00	00	EB	1.900	0.770	2.670	0	2	1	1	11	7	91	11	48	48	40	2019	42100	4	1	10	1	2	1	59275	
1	068/00	00	EB	2.670	1.460	4.130	0	2	1	1	11	7	91	11	24	40	40	2019	42100	4	1	10	1	2	1	59275	
1	068/00	00	EB	4.130	0.050	4.180	0	2	1	1	11	7	91	11	36	36	40	2019	40500	4	1	10	1	2	1	59275	
1	068/00	00	EB	4.180	0.072	4.252	0	2	1	1	11	7	91	11	24	40	40	2019	40500	4	1	10	1	2	1	59275	
1	068/00	00	EB	4.252	0.308	4.560	5	2	1	1	11	7	91	11	24	40	40	2019	40500	4	1	10	1	2	1	59275	
1	068/00	00	EB	4.560	0.223	4.783	5	2	1	1	11	7	91	11	24	40	40	2019	35400	4	1	10	1	2	1	59275	
1	068/00	00	EB	4.783	1.397	6.180	0	2	1	1	11	7	91	11	24	40	40	2019	35400	4	1	10	1	2	1	59275	
1	068/00	00	EB	6.180	0.590	6.770	0	2	1	1	11	7	91	11	41	41	40	2019	35400	4	1	10	1	2	1	59275	
1	068/00	00	EB	6.770	0.770	7.540	0	2	1	1	11	7	91	11	24	40	40	2019	30800	4	1	10	1	2	1	59275	
1	068/00	00	EB	7.540	0.010	7.550	0	2	1	1	11	7	91	11	24	40	2	2019	30800	4	1	10	1	2	1	59275	
1	068/00	00	EB	7.550	1.340	8.890	0	2	1	1	11	7	91	11	24	38	40	2019	30800	4	1	10	1	2	1	59275	
1	068/00	00	EB	8.890	0.510	9.400	0	2	1	1	11	7	91	11	64	64	12	2019	30800	4	1	10	1	2	1	59275	
1	068/00	00	EB	9.400	0.380	9.780	0	2	1	1	11	7	91	12	30	41	40	2019	30800	4	1	10	1	2	1	59275	
1	068/00	00	EB	9.780	0.300	10.080	0	2	1	1	11	7	91	11	30	41	36	2019	30800	4	1	10	1	2	1	59275	
1	068/00	00	EB	10.080	0.200	10.280	0	2	1	1	11	7	91	11	36	40	40	2019	30800	5	1	10	1	2	1	59275	
1	068/00	00	EB	10.280	0.040	10.320	0	2	1	1	11	7	91	11	36	40	40	2019	18000	5	1	10	1	2	1	59275	
1	068/00	00	EB	10.320	0.470	10.790	0	2	1	1	11	7	95	11	24	42	40	2019	18000	5	1	10	1	2	1	59275	
1	068/00	00	EB	10.790	2.359	13.149	0	2	1	1	11	7	95	11	36	42	40	2019	18000	5	1	10	1	2	1	59275	
1	068/00	00	EB	13.149	1.311	14.460	0	0	1	1	1	7	95	11	36	42	40	2019	18000	5	1	10	1	2	1	99999	
1	068/00	00	EB	14.460	0.030	14.490	0	0	1	1	1	7	95	11	36	40	40	2019	18000	5	1	10	1	2	1	99999	
1	068/00	00	EB	14.490	0.050	14.540	0	0	1	1	1	7	95	11	24	42	40	2019	18000	2	1	10	1	2	1	99999	
1	068/00	00	EB	14.540	0.120	14.660	0	0	1	1	1	7	95	11	24	42	0	2019	18000	2	1	10	1	2	1	99999	
ROUTE TOTAL:				14.660																							
1	068/00	04	NB	0.000	0.840	0.840	0	2	1	1	11	7	95	11	24	40	40	2019	12100	2	1	10	1	1	1	59275	
ROUTE TOTAL:				0.840																							
1	068/00	05	SB	0.000	0.560	0.560	0	2	1	1	11	7	95	11	29	48	66	2019	11800	2	1	10	1	1	1	59275	
1	068/00	05	SB	0.560	0.090	0.650	0	2	1	1	11	7	97	11	40	40	40	2019	11800	2	1	10	1	1	1	59275	
1	068/00	05	SB	0.650	0.490	1.140	0	2	1	1	11	7	97	11	24	40	40	2019	11800	2	1	10	1	1	1	59275	
ROUTE TOTAL:				1.140																							
1	068/00	06	EB	0.000	0.890	0.890	0	2	1	1	11	7	95	11	24	39	0	2019	12100	2	1	10	1	1	1	59275	
ROUTE TOTAL:				0.890																							
1	079/00	00	NB	142.370	0.090	142.460	0	0	1	1	1	7	97	11	32	32	40	2019	45600	4	1	01	1	2	1	99999	
1	079/00	00	NB	142.460	1.350	143.810	0	0	1	1	1	7	97	11	24	36	40	2019	45600	4	1	01	1	2	1	99999	
1	079/00	00	NB	143.810	0.030	143.840	0	0	1	1	1	7	97	11	38	38	40	2019	45600	4	1	01	1	2	1	99999	

2019 ROAD INVENTORY LOG - INTERSTATES

WVDOT - HIGHWAYS

Strategic Performance Management Division

MONONGALIA COUNTY - (31)

Page 24 of 36

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	END LENGTH	END MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	NHS	URB CODE
1	079/00	00	NB	143.840	1.110	144.950	0	0	1	1	1	7	97	11	24	36	40	2019	45600	4	1	01	1	2	1	99999
1	079/00	00	NB	144.950	0.230	145.180	0	0	1	1	1	7	97	12	24	36	40	2019	45600	4	1	01	1	2	1	99999
1	079/00	00	NB	145.180	0.020	145.200	0	0	1	1	1	7	76	12	40	40	40	2019	45600	4	1	01	1	2	1	99999
1	079/00	00	NB	145.200	0.450	145.650	0	0	1	1	1	7	76	11	24	36	40	2019	45600	4	1	01	1	2	1	99999
1	079/00	00	NB	145.650	0.030	145.680	0	0	1	1	1	7	76	11	38	38	40	2019	49600	4	1	01	1	2	1	99999
1	079/00	00	NB	145.680	2.170	147.850	0	0	1	1	1	7	98	11	24	36	40	2019	49600	4	1	01	1	2	1	99999
1	079/00	00	NB	147.850	0.172	148.022	0	0	1	1	1	7	98	11	36	48	40	2019	46900	5	1	01	1	2	1	99999
1	079/00	00	NB	148.022	0.268	148.290	0	2	1	1	11	7	98	11	36	48	40	2019	46900	5	1	01	1	2	1	59275
1	079/00	00	NB	148.290	0.180	148.470	0	2	1	1	11	7	98	11	36	48	40	2019	46900	6	1	01	1	2	1	59275
1	079/00	00	NB	148.470	0.190	148.660	0	2	1	1	11	7	98	11	36	48	40	2019	46900	5	1	01	1	2	1	59275
1	079/00	00	NB	148.660	0.150	148.810	0	2	1	1	11	7	98	11	24	36	40	2019	47200	4	1	01	1	2	1	59275
1	079/00	00	NB	148.810	0.040	148.850	0	2	1	1	11	7	98	11	48	48	40	2019	47200	4	1	01	1	2	1	59275
1	079/00	00	NB	148.850	0.200	149.050	0	2	1	1	11	7	98	11	24	36	40	2019	47200	4	1	01	1	2	1	59275
1	079/00	00	NB	149.050	0.240	149.290	0	2	1	1	11	7	98	11	36	48	40	2019	47600	6	1	01	1	2	1	59275
1	079/00	00	NB	149.290	0.030	149.320	0	2	1	1	11	7	98	12	53	53	40	2019	47600	6	1	01	1	2	1	59275
1	079/00	00	NB	149.320	0.060	149.380	0	2	1	1	11	7	98	12	42	53	40	2019	47600	6	1	01	1	2	1	59275
1	079/00	00	NB	149.380	0.300	149.680	0	2	1	1	11	7	81	12	53	53	12	2019	47600	6	1	01	1	2	1	59275
1	079/00	00	NB	149.680	1.060	150.740	0	2	1	1	11	7	81	12	36	48	40	2019	47600	5	1	01	1	2	1	59275
1	079/00	00	NB	150.740	0.330	151.070	0	2	1	1	11	7	76	11	24	36	40	2019	47600	4	1	01	1	2	1	59275
1	079/00	00	NB	151.070	1.250	152.320	0	2	1	1	11	7	81	11	36	48	40	2019	42100	5	1	01	1	2	1	59275
1	079/00	00	NB	152.320	0.210	152.530	0	2	1	1	11	7	05	11	80	80	40	2019	42100	5	1	01	1	2	1	59275
1	079/00	00	NB	152.530	0.090	152.620	0	2	1	1	11	7	81	12	80	80	40	2019	42100	5	1	01	1	2	1	59275
1	079/00	00	NB	152.620	0.300	152.920	0	2	1	1	11	7	76	11	24	36	40	2019	42100	4	1	01	1	2	1	59275
1	079/00	00	NB	152.920	0.252	153.172	0	2	1	1	11	7	76	11	24	36	40	2019	35600	4	1	01	1	2	1	59275
1	079/00	00	NB	153.172	1.680	154.852	1	2	1	1	11	7	76	11	24	36	40	2019	35600	4	1	01	1	2	1	59275
1	079/00	00	NB	154.852	0.018	154.870	0	2	1	1	11	7	76	11	24	36	40	2019	35600	4	1	01	1	2	1	59275
1	079/00	00	NB	154.870	0.040	154.910	0	2	1	1	11	7	76	11	50	50	40	2019	35600	4	1	01	1	2	1	59275
1	079/00	00	NB	154.910	1.060	155.970	0	2	1	1	11	7	81	11	24	36	40	2019	35600	4	1	01	1	2	1	59275
1	079/00	00	NB	155.970	0.090	156.060	0	2	1	1	11	7	76	11	45	45	40	2019	35600	4	1	01	1	2	1	59275
1	079/00	00	NB	156.060	0.923	156.983	0	2	1	1	11	7	76	11	24	36	40	2019	35600	4	1	01	1	2	1	59275
1	079/00	00	NB	156.983	0.017	157.000	0	0	1	1	1	7	76	11	24	36	40	2019	27700	4	1	01	1	2	1	99999
1	079/00	00	NB	157.000	1.270	158.270	0	0	1	1	1	7	76	11	24	36	40	2019	27700	4	1	01	1	2	1	99999
1	079/00	00	NB	158.270	0.040	158.310	0	0	1	1	1	7	76	11	44	44	40	2019	27700	4	1	01	1	2	1	99999
1	079/00	00	NB	158.310	1.690	160.000	0	0	1	1	1	7	76	11	24	36	40	2019	27700	4	1	01	1	2	1	99999
1	079/00	00	NB	160.000	0.070	160.070	0	0	1	1	1	7	76	11	44	44	40	2019	27700	4	1	01	1	2	1	99999
1	079/00	00	NB	160.070	0.450	160.520	0	0	1	1	1	7	76	11	24	36	40	2019	27700	4	1	01	1	2	1	99999

ROUTE TOTAL: 18.150

Monongalia County TOTAL for the PRIMARY DIRECTION:

35.680

2019 ROAD INVENTORY LOG - INTERSTATES

WV DOT - HIGHWAYS

Strategic Performance Management Division

OHIO COUNTY - (35)

Page 25 of 36

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	END LENGTH	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	URB NHS	URB CODE	
1	070/00	00	EB	0.000	0.006	0	2	1	1	11	7	76	12	30	30	4	2019	23000	4	1	01	1	2	1	94726	
1	070/00	00	EB	0.006	0.074	0.080	5	2	1	1	11	7	76	12	30	30	4	2019	23000	4	1	01	1	2	1	94726
1	070/00	00	EB	0.080	0.410	0.490	5	2	1	1	11	7	76	12	24	24	4	2019	23000	4	1	01	1	2	1	94726
1	070/00	00	EB	0.490	0.200	0.690	5	2	1	1	11	7	76	12	26	26	4	2019	23000	4	1	01	1	2	1	94726
1	070/00	00	EB	0.690	0.040	0.730	5	2	1	1	11	7	76	12	24	24	4	2019	23000	4	1	01	1	2	1	94726
1	070/00	00	EB	0.730	0.050	0.780	5	2	1	1	11	7	76	12	26	26	4	2019	23000	4	1	01	1	2	1	94726
1	070/00	00	EB	0.780	0.070	0.850	5	2	1	1	11	7	95	12	24	24	52	2019	23000	4	1	01	1	2	1	94726
1	070/00	00	EB	0.850	0.290	1.140	5	2	1	1	11	7	95	12	24	24	56	2019	35300	4	1	01	1	2	1	94726
1	070/00	00	EB	1.140	0.090	1.230	5	2	1	1	11	7	95	11	24	24	56	2019	35300	4	1	01	1	2	1	94726
1	070/00	00	EB	1.230	0.210	1.440	5	2	1	1	11	7	95	11	30	30	56	2019	49100	4	1	01	1	2	1	94726
1	070/00	00	EB	1.440	0.090	1.530	5	2	1	1	11	7	95	11	24	34	56	2019	49100	4	1	01	1	2	1	94726
1	070/00	00	EB	1.530	0.240	1.770	5	2	1	1	11	7	97	11	30	30	56	2019	49100	4	1	01	1	2	1	94726
1	070/00	00	EB	1.770	0.150	1.920	5	2	1	1	11	7	95	11	24	34	56	2019	49100	4	1	01	1	2	1	94726
1	070/00	00	EB	1.920	0.080	2.000	5	2	1	1	11	7	95	11	30	30	50	2019	40100	4	1	01	1	2	1	94726
1	070/00	00	EB	2.000	0.170	2.170	5	2	1	1	11	7	95	11	24	34	56	2019	40100	4	1	01	1	2	1	94726
1	070/00	00	EB	2.170	0.020	2.190	5	2	1	1	11	7	95	11	53	53	56	2019	40100	4	1	01	1	2	1	94726
1	070/00	00	EB	2.190	0.240	2.430	5	2	1	1	11	7	76	11	36	46	56	2019	40100	6	1	01	1	2	1	94726
1	070/00	00	EB	2.430	0.220	2.650	5	2	1	1	11	7	76	11	36	46	56	2019	31400	6	1	01	1	2	1	94726
1	070/00	00	EB	2.650	0.860	3.510	5	2	1	1	11	7	90	11	36	46	56	2019	31400	6	1	01	1	2	1	94726
1	070/00	00	EB	3.510	0.060	3.570	5	2	1	1	11	7	90	11	49	49	56	2019	31400	6	1	01	1	2	1	94726
1	070/00	00	EB	3.570	1.130	4.700	5	2	1	1	11	7	90	11	36	46	56	2019	31400	6	1	01	1	2	1	94726
1	070/00	00	EB	4.700	0.120	4.820	5	2	1	1	11	7	76	11	24	24	56	2019	40200	4	1	01	1	2	1	94726
1	070/00	00	EB	4.820	0.410	5.230	5	2	1	1	11	7	87	11	24	36	16	2019	40200	4	1	01	1	2	1	94726
1	070/00	00	EB	5.230	0.140	5.370	5	2	1	1	11	7	87	11	36	36	56	2019	40200	4	1	01	1	2	1	94726
1	070/00	00	EB	5.370	0.360	5.730	5	2	1	1	11	7	87	11	24	34	40	2019	38700	4	1	01	1	2	1	94726
1	070/00	00	EB	5.730	0.200	5.930	5	2	1	1	11	7	87	11	24	34	56	2019	38700	4	1	01	1	2	1	94726
1	070/00	00	EB	5.930	0.185	6.115	5	2	1	1	11	7	87	11	24	34	60	2019	38700	4	1	01	1	2	1	94726
1	070/00	00	EB	6.115	0.625	6.740	0	2	1	1	11	7	87	11	24	34	60	2019	38700	4	1	01	1	2	1	94726
1	070/00	00	EB	6.740	0.030	6.770	0	2	1	1	11	7	87	11	37	37	60	2019	38700	4	1	01	1	2	1	94726
1	070/00	00	EB	6.770	0.050	6.820	1	2	1	1	11	7	87	11	37	37	60	2019	38700	4	1	01	1	2	1	94726
1	070/00	00	EB	6.820	1.197	8.017	1	2	1	1	11	7	87	11	24	34	60	2019	38700	4	1	01	1	2	1	94726
1	070/00	00	EB	8.017	2.733	10.750	0	2	1	1	11	7	87	11	24	34	60	2019	38700	4	1	01	1	2	1	94726
1	070/00	00	EB	10.750	0.310	11.060	0	2	1	1	11	7	00	11	24	34	60	2019	46600	4	1	01	1	2	1	94726
1	070/00	00	EB	11.060	0.030	11.090	0	2	1	1	11	7	00	11	30	30	60	2019	36700	4	1	01	1	2	1	94726
1	070/00	00	EB	11.090	0.671	11.761	0	2	1	1	11	7	00	11	24	34	60	2019	36700	4	1	01	1	2	1	94726
1	070/00	00	EB	11.761	0.929	12.690	0	0	1	1	1	7	00	11	24	34	60	2019	31800	4	1	01	1	2	1	99999
1	070/00	00	EB	12.690	0.020	12.710	0	0	1	1	1	7	00	11	37	37	60	2019	31800	4	1	01	1	2	1	99999
1	070/00	00	EB	12.710	1.740	14.450	0	0	1	1	1	7	00	11	24	34	60	2019	31800	4	1	01	1	2	1	99999

ROUTE TOTAL: 14.450

2019 ROAD INVENTORY LOG - INTERSTATES

WV DOT - HIGHWAYS
Strategic Performance Management Division

OHIO COUNTY - (35)

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	LENGTH	END MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	NHS	URB CODE
1	470/00	00	EB	0.000	0.790	0.790	5	2	1	1	11	7	83	12	42	42	16	2019	38700	4	1	01	1	2	1	94726
1	470/00	00	EB	0.790	0.141	0.931	5	2	1	1	11	7	97	11	42	42	16	2019	38700	4	1	01	1	2	1	94726
1	470/00	00	EB	0.931	0.049	0.980	0	2	1	1	11	7	97	11	42	42	16	2019	38700	4	1	01	1	2	1	94726
1	470/00	00	EB	0.980	0.010	0.990	0	2	1	1	11	7	97	11	42	42	16	2019	35600	4	1	01	1	2	1	94726
1	470/00	00	EB	0.990	0.376	1.366	0	2	1	1	11	7	97	11	30	38	16	2019	35600	4	1	01	1	2	1	94726
1	470/00	00	EB	1.366	0.704	2.070	1	2	1	1	11	7	97	11	30	38	16	2019	35600	4	1	01	1	2	1	94726
1	470/00	00	EB	2.070	0.180	2.250	1	2	1	1	11	7	97	11	36	40	16	2019	35600	4	1	01	1	2	1	94726
1	470/00	00	EB	2.250	0.746	2.996	1	2	1	1	11	7	97	11	30	36	16	2019	30300	4	1	01	1	2	1	94726
1	470/00	00	EB	2.996	0.534	3.530	5	2	1	1	11	7	97	11	30	36	16	2019	30300	4	1	01	1	2	1	94726
1	470/00	00	EB	3.530	0.090	3.620	5	2	1	1	11	7	97	11	24	34	16	2019	30300	4	1	01	1	2	1	94726
1	470/00	00	EB	3.620	0.240	3.860	5	2	1	1	11	7	83	12	38	38	16	2019	30300	4	1	01	1	2	1	94726
1	470/00	00	EB	3.860	0.080	3.940	5	2	1	1	11	7	83	12	24	33	16	2019	30300	4	1	01	1	2	1	94726

ROUTE TOTAL: 3.940

Ohio County TOTAL for the PRIMARY DIRECTION: 18.390

2019 ROAD INVENTORY LOG - INTERSTATES

WVDOT - HIGHWAYS
 Strategic Performance Management Division

PRESTON COUNTY - (39)

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	LENGTH	END MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	NHS	URB CODE	
1	068/00	00	EB	14.660	0.650	15.310	0	0	1	1	1	7	94	11	24	40	40	2019	17200	4	1	10	1	2	1	99999
1	068/00	00	EB	15.310	2.730	18.040	0	0	1	1	1	7	94	11	30	43	40	2019	17200	4	1	10	1	2	1	99999
1	068/00	00	EB	18.040	0.080	18.120	0	0	1	1	1	7	94	11	36	36	40	2019	17200	4	1	10	1	2	1	99999
1	068/00	00	EB	18.120	4.760	22.880	0	0	1	1	1	7	94	11	24	40	40	2019	16200	4	1	10	1	2	1	99999
1	068/00	00	EB	22.880	0.030	22.910	0	0	1	1	1	7	94	11	36	36	40	2019	16200	4	1	10	1	2	1	99999
1	068/00	00	EB	22.910	0.430	23.340	0	0	1	1	1	7	94	11	24	40	40	2019	16200	4	1	10	1	2	1	99999
1	068/00	00	EB	23.340	0.960	24.300	0	0	1	1	1	7	94	11	24	40	40	2019	14300	5	1	10	1	2	1	99999
1	068/00	00	EB	24.300	4.340	28.640	0	0	1	1	1	7	94	12	24	40	40	2019	14300	4	1	10	1	2	1	99999
1	068/00	00	EB	28.640	0.590	29.230	0	0	1	1	1	7	94	12	24	40	40	2019	12400	4	1	10	1	2	1	99999
1	068/00	00	EB	29.230	2.010	31.240	0	0	1	1	1	7	07	11	30	42	40	2019	12400	5	1	10	1	2	1	99999
1	068/00	00	EB	31.240	0.180	31.420	0	0	1	1	1	7	07	11	36	44	40	2019	12400	6	1	10	1	2	1	99999
1	068/00	00	EB	31.420	0.640	32.060	0	0	1	1	1	7	07	11	30	42	40	2019	12400	5	1	10	1	2	1	99999

ROUTE TOTAL: 17.400

Preston County TOTAL for the PRIMARY DIRECTION: 17.400

2019 ROAD INVENTORY LOG - INTERSTATES

WVDOT - HIGHWAYS

Strategic Performance Management Division

PUTNAM COUNTY - (40)

Page 28 of 36

SIGN	ROUTE	SUPP	DIRECT	BEG	END			WV	NAT	ACC	YEAR	SURF	PAV	GRADE	MED	AADT	AADT	LANES	REV	SPEC	TRK	FAC	URB			
		DSG	SURV	MP	LENGTH	MP	MUN	URB	FAS	FUN	FUNC	CONT	CHNG	TYPE	WIDTH	WIDTH			WIDTH	YR	LANES	SYS	RT	TYPE	NHS	CODE
1	064/00	00	EB	31.770	0.189	31.959	0	2	1	1	11	7	85	11	24	34	40	2019	31200	4	1	01	1	2	1	40753
1	064/00	00	EB	31.959	0.611	32.570	3	2	1	1	11	7	85	11	24	34	40	2019	31200	4	1	01	1	2	1	40753
1	064/00	00	EB	32.570	0.560	33.130	3	2	1	1	11	7	94	11	24	34	40	2019	31200	4	1	01	1	2	1	40753
1	064/00	00	EB	33.130	0.020	33.150	3	2	1	1	11	7	85	11	30	30	40	2019	31200	4	1	01	1	2	1	40753
1	064/00	00	EB	33.150	0.300	33.450	3	2	1	1	11	7	12	11	24	34	40	2019	31200	4	1	01	1	2	1	40753
1	064/00	00	EB	33.450	0.400	33.850	3	2	1	1	11	7	12	11	24	34	40	2019	36000	4	1	01	1	2	1	40753
1	064/00	00	EB	33.850	0.569	34.419	3	2	1	1	11	7	85	11	24	34	40	2019	36000	4	1	01	1	2	1	40753
1	064/00	00	EB	34.419	0.031	34.450	0	2	1	1	11	7	85	11	24	34	40	2019	36000	4	1	01	1	2	1	40753
1	064/00	00	EB	34.450	0.160	34.610	0	2	1	1	11	7	94	11	24	34	40	2019	36000	4	1	01	1	2	1	40753
1	064/00	00	EB	34.610	0.020	34.630	0	2	1	1	11	7	85	11	37	37	40	2019	36000	4	1	01	1	2	1	40753
1	064/00	00	EB	34.630	0.170	34.800	0	2	1	1	11	7	85	11	24	34	40	2019	36000	4	1	01	1	2	1	40753
1	064/00	00	EB	34.800	1.440	36.240	3	2	1	1	11	7	85	11	24	34	40	2019	36000	4	1	01	1	2	1	40753
1	064/00	00	EB	36.240	0.030	36.270	3	2	1	1	11	7	85	11	37	37	40	2019	36000	4	1	01	1	2	1	40753
1	064/00	00	EB	36.270	0.326	36.596	3	2	1	1	11	7	85	11	24	34	16	2019	36000	4	1	01	1	2	1	40753
1	064/00	00	EB	36.596	1.944	38.540	0	2	1	1	11	7	85	11	24	34	16	2019	36000	4	1	01	1	2	1	40753
1	064/00	00	EB	38.540	0.140	38.680	0	2	1	1	11	7	85	11	24	34	16	2019	36000	5	1	01	1	2	1	40753
1	064/00	00	EB	38.680	0.454	39.134	0	2	1	1	11	7	85	11	24	34	16	2019	43200	5	1	01	1	2	1	40753
1	064/00	00	EB	39.134	1.326	40.460	0	2	1	1	11	7	85	11	24	34	16	2019	43200	6	1	01	1	2	1	40753
1	064/00	00	EB	40.460	0.108	40.568	0	2	1	1	11	7	85	11	24	34	16	2019	49600	6	1	01	1	2	1	40753
1	064/00	00	EB	40.568	0.942	41.510	0	2	1	1	11	7	87	11	24	34	16	2019	49600	5	1	01	1	2	1	40753
1	064/00	00	EB	41.510	0.036	41.546	0	2	1	1	11	7	80	11	30	30	16	2019	49600	5	1	01	1	2	1	40753
1	064/00	00	EB	41.546	0.014	41.560	0	0	1	1	1	7	80	11	30	30	16	2019	49600	5	1	01	1	2	1	99999
1	064/00	00	EB	41.560	0.086	41.646	0	0	1	1	1	7	75	11	24	34	16	2019	49600	5	1	01	1	2	1	99999
1	064/00	00	EB	41.646	0.214	41.860	0	0	1	1	1	7	07	11	24	34	30	2019	49600	4	1	01	1	2	1	99999
1	064/00	00	EB	41.860	0.030	41.890	0	0	1	1	1	7	80	11	30	30	16	2019	49600	4	1	01	1	2	1	99999
1	064/00	00	EB	41.890	0.820	42.710	0	0	1	1	1	7	75	12	24	34	16	2019	49600	4	1	01	1	2	1	99999
1	064/00	00	EB	42.710	0.070	42.780	0	0	1	1	1	7	94	11	24	34	16	2019	49600	4	1	01	1	2	1	99999
1	064/00	00	EB	42.780	0.003	42.783	0	0	1	1	1	7	83	11	24	34	16	2019	49600	4	1	01	1	2	1	99999
1	064/00	00	EB	42.783	0.007	42.790	0	2	1	1	11	7	83	11	24	34	16	2019	49600	4	1	01	1	2	1	15481
1	064/00	00	EB	42.790	0.710	43.500	0	2	1	1	11	7	83	11	24	34	16	2019	57000	4	1	01	1	2	1	15481
1	064/00	00	EB	43.500	0.263	43.763	0	2	1	1	11	7	83	11	24	34	16	2019	57000	4	1	01	1	2	1	15481
1	064/00	00	EB	43.763	0.007	43.770	3	2	1	1	11	7	83	11	24	34	16	2019	57000	4	1	01	1	2	1	15481
1	064/00	00	EB	43.770	0.010	43.780	3	2	1	1	11	7	83	11	24	34	16	2019	60700	4	1	01	1	2	1	15481
1	064/00	00	EB	43.780	0.260	44.040	3	2	1	1	11	7	83	11	29	29	16	2019	60700	4	1	01	1	2	1	15481
1	064/00	00	EB	44.040	0.430	44.470	3	2	1	1	11	7	83	11	24	34	16	2019	60700	4	1	01	1	2	1	15481
1	064/00	00	EB	44.470	0.060	44.530	3	2	1	1	11	7	84	11	41	41	16	2019	59600	4	1	01	1	2	1	15481
1	064/00	00	EB	44.530	0.250	44.780	3	2	1	1	11	7	83	11	24	34	16	2019	59600	4	1	01	1	2	1	15481
1	064/00	00	EB	44.780	0.300	45.080	3	2	1	1	11	7	01	11	24	34	16	2019	59600	6	1	01	1	2	1	15481
1	064/00	00	EB	45.080	0.060	45.140	3	2	1	1	11	7	83	11	24	34	16	2019	59600	6	1	01	1	2	1	15481

2019 ROAD INVENTORY LOG - INTERSTATES

WVDOT - HIGHWAYS
 Strategic Performance Management Division

PUTNAM COUNTY - (40)

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	LENGTH	END MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	NHS	URB CODE	
1	064/00	00	EB	45.140	0.250	45.390	3	2	1	1	11	7	76	11	24	34	16	2019	59600	6	1	01	1	2	1	15481

ROUTE TOTAL: 13.620

Putnam County TOTAL for the PRIMARY DIRECTION: 13.620

2019 ROAD INVENTORY LOG - INTERSTATES

WVDOT - HIGHWAYS

Strategic Performance Management Division

RALEIGH COUNTY - (41)

Page 30 of 36

SIGN	ROUTE	SUPP	DIRECT	BEG	END		MUN	URB	FAS	WV	NAT	ACC	YEAR	SURF	PAV	GRADE	MED	AADT	LANES	REV	SPEC	TRK	FAC	URB								
		DSG	SURV	MP	LENGTH	MP				FUN	FUNC	CONT	CHNG	TYPE	WIDTH	WIDTH	WIDTH	YR		AADT	LANES	SYS	RT		TYPE	NHS	CODE					
1	064/00	00	EB	117.930	0.600	118.530	0	2	1	1	11	7	01	12	36	45	34	2019	15300	3	1	01	1	1	1	06139						
1	064/00	00	EB	118.530	0.390	118.920	0	2	1	1	11	7	01	12	36	51	34	2019	15300	2	1	01	1	1	1	06139						
1	064/00	00	EB	118.920	1.180	120.100	0	2	1	1	11	7	01	12	36	46	34	2019	15300	3	1	01	1	1	1	06139						
1	064/00	00	EB	120.100	0.460	120.560	0	2	1	1	11	7	01	12	36	44	34	2019	15300	6	1	01	1	2	1	06139						
1	064/00	00	EB	120.560	0.130	120.690	0	2	1	1	11	7	01	12	24	34	34	2019	15300	5	1	01	1	2	1	06139						
1	064/00	00	EB	120.690	1.930	122.620	0	2	1	1	11	7	01	12	24	34	34	2019	15300	4	1	01	1	2	1	06139						
1	064/00	00	EB	122.620	0.090	122.710	0	2	1	1	11	7	01	12	36	44	34	2019	15300	6	1	01	1	2	1	06139						
1	064/00	00	EB	122.710	0.470	123.180	0	2	1	1	11	7	01	12	34	64	34	2019	15300	5	1	01	1	2	1	06139						
1	064/00	00	EB	123.180	0.110	123.290	0	2	1	1	11	7	01	12	48	56	34	2019	15300	7	1	01	1	2	1	06139						
1	064/00	00	EB	123.290	0.190	123.480	0	2	1	1	11	7	01	12	36	44	34	2019	15300	7	1	01	1	2	1	06139						
1	064/00	00	EB	123.480	0.150	123.630	0	2	1	1	11	7	01	12	36	44	34	2019	15300	6	1	01	1	2	1	06139						
1	064/00	00	EB	123.630	0.330	123.960	0	2	1	1	11	7	01	12	36	44	34	2019	19800	6	1	01	1	2	1	06139						
1	064/00	00	EB	123.960	0.510	124.470	0	2	1	1	11	7	01	12	36	46	34	2019	19800	6	1	01	1	2	1	06139						
1	064/00	00	EB	124.470	0.190	124.660	0	2	1	1	11	7	01	12	36	46	34	2019	24400	6	1	01	1	2	1	06139						
1	064/00	00	EB	124.660	0.990	125.650	0	2	1	1	11	7	01	12	24	34	34	2019	24400	5	1	01	1	2	1	06139						
1	064/00	00	EB	125.650	1.930	127.580	0	2	1	1	11	7	01	12	24	34	34	2019	16300	5	1	01	1	2	1	06139						
1	064/00	00	EB	127.580	0.858	128.438	0	2	1	1	11	7	01	12	24	34	34	2019	13900	4	1	01	1	2	1	06139						
1	064/00	00	EB	128.438	1.052	129.490	0	0	1	1	1	7	01	12	24	34	34	2019	13900	4	1	01	1	2	1	99999						
1	064/00	00	EB	129.490	0.650	130.140	0	0	1	1	1	7	01	12	24	34	34	2019	13900	4	1	01	1	2	1	99999						
1	064/00	00	EB	130.140	2.390	132.530	0	0	1	1	1	7	01	12	24	49	34	2019	13900	4	1	01	1	2	1	99999						
1	064/00	00	EB	132.530	4.950	137.480	0	0	1	1	1	7	01	12	36	51	34	2019	12600	5	1	01	1	2	1	99999						
1	064/00	00	EB	137.480	0.530	138.010	0	0	1	1	1	7	01	12	24	41	34	2019	12600	4	1	01	1	2	1	99999						
				ROUTE TOTAL:		20.080																										
1	064/00	07	WB	0.000	0.450	0.450	0	2	1	1	11	7	01	12	24	39	0	2019	6900	2	1	01	1	1	1	06139						
				ROUTE TOTAL:		0.450																										
1	064/00	17	WB	0.000	0.470	0.470	0	2	1	1	11	7	01	12	12	15	99	2019	7100	2	1	01	1	1	1	06139						
1	064/00	17	WB	0.470	0.350	0.820	0	2	1	1	11	7	01	12	36	46	4	2019	7100	2	1	01	1	1	1	06139						
				ROUTE TOTAL:		0.820																										
1	077/00	04	NB	0.000	0.430	0.430	0	2	1	1	11	7	01	12	24	41	0	2019	1200	4	1	01	1	1	1	06139						
				ROUTE TOTAL:		0.430																										
1	077/00	16	NB	27.260	0.150	27.410	0	0	1	1	1	7	01	11	36	46	40	2019	39800	6	1	01	1	2	1	99999						
1	077/00	16	NB	27.410	0.290	27.700	0	0	1	1	1	7	01	11	24	34	40	2019	39800	5	1	01	1	2	1	99999						
1	077/00	16	NB	27.700	0.280	27.980	0	0	1	1	1	7	01	11	24	34	64	2019	39800	5	1	01	1	2	1	99999						
1	077/00	16	NB	27.980	0.400	28.380	0	0	1	1	1	7	01	11	24	34	40	2019	39800	4	1	01	1	2	1	99999						
1	077/00	16	NB	28.380	0.550	28.930	0	0	1	1	1	7	01	11	24	34	64	2019	26400	4	1	01	1	2	1	99999						
1	077/00	16	NB	28.930	0.039	28.969	0	0	1	1	1	7	01	11	24	34	99	2019	26400	4	1	01	1	2	1	99999						
1	077/00	16	NB	28.969	0.931	29.900	0	2	1	1	11	7	01	11	24	34	99	2019	26400	4	1	01	1	2	1	06139						
1	077/00	16	NB	29.900	0.360	30.260	0	2	1	1	11	7	01	12	24	34	40	2019	26400	4	1	01	1	2	1	06139						
1	077/00	16	NB	30.260	0.660	30.920	0	2	1	1	11	7	01	11	24	34	40	2019	26400	4	1	01	1	2	1	06139						

2019 ROAD INVENTORY LOG - INTERSTATES

WVDOT - HIGHWAYS

Strategic Performance Management Division

RALEIGH COUNTY - (41)

Page 31 of 36

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	END LENGTH	END MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	URB NHS	URB CODE
1	077/00	16	NB	30.920	2.190	33.110	0	2	1	1	11	7	01	11	24	34	40	2019	26400	5	1	01	1	2	1	06139
1	077/00	16	NB	33.110	0.570	33.680	0	2	1	1	11	7	01	11	24	34	40	2019	26400	4	1	01	1	2	1	06139
1	077/00	16	NB	33.680	1.530	35.210	0	2	1	1	11	7	01	11	24	34	40	2019	26400	5	1	01	1	2	1	06139
1	077/00	16	NB	35.210	0.310	35.520	0	2	1	1	11	7	10	11	24	34	40	2019	26400	4	1	01	1	2	1	06139
1	077/00	16	NB	35.520	0.230	35.750	0	2	1	1	11	7	11	11	24	34	40	2019	26400	4	1	01	1	2	1	06139
1	077/00	16	NB	35.750	1.780	37.530	0	2	1	1	11	7	10	11	24	34	40	2019	26400	4	1	01	1	2	1	06139
1	077/00	16	NB	37.530	0.290	37.820	0	2	1	1	11	7	10	11	24	34	99	2019	26400	4	1	01	1	2	1	06139
1	077/00	16	NB	37.820	0.730	38.550	0	2	1	1	11	7	10	11	36	46	99	2019	26400	5	1	01	1	2	1	06139
1	077/00	16	NB	38.550	0.460	39.010	0	2	1	1	11	7	10	11	36	46	40	2019	26400	6	1	01	1	2	1	06139
1	077/00	16	NB	39.010	0.370	39.380	0	2	1	1	11	7	10	11	36	46	99	2019	26400	6	1	01	1	2	1	06139
1	077/00	16	NB	39.380	1.150	40.530	0	2	1	1	11	7	10	11	36	46	99	2019	41600	5	1	01	1	2	1	06139
1	077/00	16	NB	40.530	0.070	40.600	0	2	1	1	11	7	10	11	24	37	99	2019	41600	4	1	01	1	2	1	06139
1	077/00	16	NB	40.600	0.180	40.780	0	2	1	1	11	7	10	11	24	37	99	2019	43900	4	1	01	1	2	1	06139
1	077/00	16	NB	40.780	0.720	41.500	0	2	1	1	11	7	10	11	24	36	99	2019	43900	4	1	01	1	2	1	06139
1	077/00	16	NB	41.500	0.681	42.181	0	2	1	1	11	7	01	11	24	36	99	2019	43900	4	1	01	1	2	1	06139
1	077/00	16	NB	42.181	0.034	42.215	4	2	1	1	11	7	01	11	24	36	99	2019	43900	4	1	01	1	2	1	06139
1	077/00	16	NB	42.215	0.358	42.573	0	2	1	1	11	7	01	11	24	36	99	2019	43900	4	1	01	1	2	1	06139
1	077/00	16	NB	42.573	0.027	42.600	1	2	1	1	11	7	01	11	24	36	99	2019	43900	4	1	01	1	2	1	06139
1	077/00	16	NB	42.600	0.530	43.130	1	2	1	1	11	7	01	11	24	36	64	2019	43900	4	1	01	1	2	1	06139
1	077/00	16	NB	43.130	0.134	43.264	1	2	1	1	11	7	01	11	24	36	64	2019	45300	4	1	01	1	2	1	06139
1	077/00	16	NB	43.264	0.476	43.740	0	2	1	1	11	7	01	11	24	36	64	2019	45300	4	1	01	1	2	1	06139
1	077/00	16	NB	43.740	0.800	44.540	0	2	1	1	11	7	10	11	24	34	64	2019	45300	4	1	01	1	2	1	06139
1	077/00	16	NB	44.540	0.106	44.646	0	2	1	1	11	7	10	11	24	34	64	2019	35100	4	1	01	1	2	1	06139
1	077/00	16	NB	44.646	0.063	44.709	4	2	1	1	11	7	10	11	24	34	64	2019	35100	4	1	01	1	2	1	06139
1	077/00	16	NB	44.709	0.362	45.071	0	2	1	1	11	7	10	11	24	34	64	2019	35100	4	1	01	1	2	1	06139
1	077/00	16	NB	45.071	0.089	45.160	4	2	1	1	11	7	10	11	24	34	64	2019	35100	4	1	01	1	2	1	06139
1	077/00	16	NB	45.160	0.480	45.640	4	2	1	1	11	7	10	11	24	34	40	2019	35100	4	1	01	1	2	1	06139
1	077/00	16	NB	45.640	0.519	46.159	4	2	1	1	11	7	10	11	36	46	40	2019	37900	5	1	01	1	2	1	06139
1	077/00	16	NB	46.159	0.171	46.330	0	2	1	1	11	7	10	11	36	46	40	2019	37900	5	1	01	1	2	1	06139
1	077/00	16	NB	46.330	1.280	47.610	0	2	1	1	11	7	10	11	24	34	64	2019	37900	5	1	01	1	2	1	06139
1	077/00	16	NB	47.610	0.440	48.050	0	2	1	1	11	7	01	11	24	34	64	2019	37900	5	1	01	1	2	1	06139
1	077/00	16	NB	48.050	0.290	48.340	0	2	1	1	11	7	01	11	24	34	64	2019	30800	5	1	01	1	2	1	06139
1	077/00	16	NB	48.340	0.150	48.490	0	0	1	1	1	7	01	11	24	34	64	2019	30800	5	1	01	1	2	1	99999
1	077/00	16	NB	48.490	0.010	48.500	0	0	1	1	1	7	01	11	24	34	64	2019	30800	5	1	01	1	2	1	99999
1	077/00	16	NB	48.500	1.500	50.000	0	0	1	1	1	7	01	11	24	34	99	2019	30800	5	1	01	1	2	1	99999
1	077/00	16	NB	50.000	2.580	52.580	0	0	1	1	1	7	01	11	24	34	99	2019	30800	4	1	01	1	2	1	99999

ROUTE TOTAL: 25.320

Raleigh County TOTAL for the PRIMARY DIRECTION:

47.100

2019 ROAD INVENTORY LOG - INTERSTATES

WVDOT - HIGHWAYS
Strategic Performance Management Division

ROANE COUNTY - (44)

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	LENGTH	END MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	NHS	URB CODE
1	079/00	00	NB	21.280	1.870	23.150	0	0	1	1	1	7	98	11	24	36	40	2019	11600	4	1	01	1	2	1	99999
1	079/00	00	NB	23.150	0.030	23.180	0	0	1	1	1	7	98	11	41	41	40	2019	11600	4	1	01	1	2	1	99999
1	079/00	00	NB	23.180	2.280	25.460	0	0	1	1	1	7	97	11	24	36	40	2019	11600	4	1	01	1	2	1	99999
1	079/00	00	NB	25.460	0.030	25.490	0	0	1	1	1	7	97	11	41	41	40	2019	11600	4	1	01	1	2	1	99999
1	079/00	00	NB	25.490	0.300	25.790	0	0	1	1	1	7	98	11	24	36	40	2019	11600	4	1	01	1	2	1	99999
1	079/00	00	NB	25.790	0.090	25.880	0	0	1	1	1	7	98	11	51	51	40	2019	9800	4	1	01	1	2	1	99999
1	079/00	00	NB	25.880	3.160	29.040	0	0	1	1	1	7	98	11	44	44	40	2019	9800	4	1	01	1	2	1	99999
1	079/00	00	NB	29.040	0.090	29.130	0	0	1	1	1	7	76	12	44	44	40	2019	9800	4	1	01	1	2	1	99999
1	079/00	00	NB	29.130	0.280	29.410	0	0	1	1	1	7	76	11	24	36	40	2019	9800	4	1	01	1	2	1	99999
1	079/00	00	NB	29.410	0.070	29.480	0	0	1	1	1	7	76	11	44	44	40	2019	9800	4	1	01	1	2	1	99999
1	079/00	00	NB	29.480	4.510	33.990	0	0	1	1	1	7	94	11	24	36	40	2019	9800	4	1	01	1	2	1	99999
1	079/00	00	NB	33.990	0.060	34.050	0	0	1	1	1	7	94	11	75	75	40	2019	9800	4	1	01	1	2	1	99999
1	079/00	00	NB	34.050	1.950	36.000	0	0	1	1	1	7	10	11	24	36	40	2019	9800	4	1	01	1	2	1	99999

ROUTE TOTAL: 14.720

Roane County TOTAL for the PRIMARY DIRECTION: 14.720

2019 ROAD INVENTORY LOG - INTERSTATES

WVDOT - HIGHWAYS
 Strategic Performance Management Division

SUMMERS COUNTY - (45)

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	LENGTH	END MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	URB NHS	URB CODE
1	064/00	00	EB	138.010	5.740	143.750	0	0	1	1	1	7	03	12	24	34	34	2019	11200	4	1	01	1	2	1	99999
1	064/00	00	EB	143.750	3.850	147.600	0	0	1	1	1	7	03	12	36	46	34	2019	9100	5	1	01	1	2	1	99999

ROUTE TOTAL: 9.590

Summers County TOTAL for the PRIMARY DIRECTION: 9.590

2019 ROAD INVENTORY LOG - INTERSTATES

WV DOT - HIGHWAYS
Strategic Performance Management Division

WAYNE COUNTY - (50)

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	LENGTH	END MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	NHS	URB CODE
1	064/00	00	EB	0.000	0.046	0.046	0	2	1	1	11	7	03	12	30	30	40	2019	23600	4	1	01	1	2	1	40753
1	064/00	00	EB	0.046	0.064	0.110	2	2	1	1	11	7	03	12	30	30	40	2019	23600	4	1	01	1	2	1	40753
1	064/00	00	EB	0.110	1.140	1.250	2	2	1	1	11	7	03	11	24	34	40	2019	23600	4	1	01	1	2	1	40753
1	064/00	00	EB	1.250	0.010	1.260	2	2	1	1	11	7	03	11	30	30	40	2019	23600	4	1	01	1	2	1	40753
1	064/00	00	EB	1.260	0.030	1.290	1	2	1	1	11	7	03	11	30	30	40	2019	23600	4	1	01	1	2	1	40753
1	064/00	00	EB	1.290	0.460	1.750	1	2	1	1	11	7	03	11	24	34	40	2019	27200	4	1	01	1	2	1	40753
1	064/00	00	EB	1.750	0.030	1.780	1	2	1	1	11	7	03	11	37	37	40	2019	27200	4	1	01	1	2	1	40753
1	064/00	00	EB	1.780	0.250	2.030	1	2	1	1	11	7	03	11	24	34	40	2019	27200	4	1	01	1	2	1	40753
1	064/00	00	EB	2.030	0.140	2.170	1	2	1	1	11	7	03	11	30	30	40	2019	27200	4	1	01	1	2	1	40753
1	064/00	00	EB	2.170	0.010	2.180	1	2	1	1	11	7	01	11	30	30	40	2019	27200	4	1	01	1	2	1	40753
1	064/00	00	EB	2.180	0.070	2.250	1	2	1	1	11	7	01	11	30	30	0	2019	27200	4	1	01	1	2	1	40753
1	064/00	00	EB	2.250	0.420	2.670	1	2	1	1	11	7	01	11	24	34	40	2019	27200	4	1	01	1	2	1	40753
1	064/00	00	EB	2.670	0.080	2.750	1	2	1	1	11	7	01	11	30	30	40	2019	27200	4	1	01	1	2	1	40753
1	064/00	00	EB	2.750	1.196	3.946	1	2	1	1	11	7	01	11	24	34	40	2019	27200	4	1	01	1	2	1	40753
1	064/00	00	EB	3.946	0.474	4.420	5	2	1	1	11	7	01	11	24	34	40	2019	27200	4	1	01	1	2	1	40753
1	064/00	00	EB	4.420	0.070	4.490	5	2	1	1	11	7	01	11	35	35	40	2019	27200	4	1	01	1	2	1	40753
1	064/00	00	EB	4.490	0.800	5.290	5	2	1	1	11	7	01	11	24	34	40	2019	27200	4	1	01	1	2	1	40753
1	064/00	00	EB	5.290	0.080	5.370	5	2	1	1	11	7	01	11	35	35	40	2019	27200	4	1	01	1	2	1	40753
1	064/00	00	EB	5.370	0.500	5.870	5	2	1	1	11	7	01	11	24	34	40	2019	27200	4	1	01	1	2	1	40753

ROUTE TOTAL: 5.870

Wayne County TOTAL for the PRIMARY DIRECTION: 5.870

2019 ROAD INVENTORY LOG - INTERSTATES

WVDOT - HIGHWAYS

Strategic Performance Management Division

WOOD COUNTY - (54)

Page 35 of 36

SIGN	ROUTE	SUPP DSG	DIRECT SURV	BEG MP	END LENGTH	END MP	MUN	URB	FAS	WV FUN	NAT FUNC	ACC CONT	YEAR CHNG	SURF TYPE	PAV WIDTH	GRADE WIDTH	MED WIDTH	AADT YR	AADT	LANES	REV LANES	SPEC SYS	TRK RT	FAC TYPE	NHS	URB CODE
1	077/00	00	NB	156.990	1.700	158.690	0	0	1	1	1	7	04	11	24	36	40	2019	12600	4	1	01	1	2	1	99999
1	077/00	00	NB	158.690	0.030	158.720	0	0	1	1	1	7	08	11	38	38	40	2019	12600	4	1	01	1	2	1	99999
1	077/00	00	NB	158.720	1.630	160.350	0	0	1	1	1	7	04	11	24	36	40	2019	12600	4	1	01	1	2	1	99999
1	077/00	00	NB	160.350	0.030	160.380	0	0	1	1	1	7	04	11	37	37	40	2019	12600	4	1	01	1	2	1	99999
1	077/00	00	NB	160.380	1.280	161.660	0	0	1	1	1	7	15	11	24	36	40	2019	12600	4	1	01	1	2	1	99999
1	077/00	00	NB	161.660	3.490	165.150	0	0	1	1	1	7	15	11	24	36	40	2019	7700	4	1	01	1	2	1	99999
1	077/00	00	NB	165.150	0.030	165.180	0	0	1	1	1	7	04	11	24	24	40	2019	7700	4	1	01	1	2	1	99999
1	077/00	00	NB	165.180	0.470	165.650	0	0	1	1	1	7	04	11	24	36	40	2019	7700	4	1	01	1	2	1	99999
1	077/00	00	NB	165.650	2.555	168.205	0	0	1	1	1	7	04	11	24	36	40	2019	7700	4	1	01	1	2	1	99999
1	077/00	00	NB	168.205	0.165	168.370	0	2	1	1	11	7	04	11	24	36	40	2019	7700	4	1	01	1	2	1	67672
1	077/00	00	NB	168.370	0.030	168.400	0	2	1	1	11	7	04	11	37	37	40	2019	12800	4	1	01	1	2	1	67672
1	077/00	00	NB	168.400	1.050	169.450	0	2	1	1	11	7	04	11	24	36	40	2019	12800	4	1	01	1	2	1	67672
1	077/00	00	NB	169.450	0.040	169.490	0	2	1	1	11	7	04	11	30	30	40	2019	12800	4	1	01	1	2	1	67672
1	077/00	00	NB	169.490	1.847	171.337	0	2	1	1	11	7	04	11	24	36	40	2019	12800	4	1	01	1	2	1	67672
1	077/00	00	NB	171.337	0.953	172.290	5	2	1	1	11	7	04	11	24	36	40	2019	12800	4	1	01	1	2	1	67672
1	077/00	00	NB	172.290	0.920	173.210	5	2	1	1	11	7	04	11	24	36	40	2019	23700	4	1	01	1	2	1	67672
1	077/00	00	NB	173.210	0.030	173.240	5	2	1	1	11	7	04	11	37	37	40	2019	24500	4	1	01	1	2	1	67672
1	077/00	00	NB	173.240	0.460	173.700	5	2	1	1	11	7	04	11	24	36	40	2019	24500	4	1	01	1	2	1	67672
1	077/00	00	NB	173.700	0.020	173.720	0	2	1	1	11	7	04	11	24	36	40	2019	24500	4	1	01	1	2	1	67672
1	077/00	00	NB	173.720	0.120	173.840	0	2	1	1	11	7	04	11	30	30	0	2019	24500	4	1	01	1	2	1	67672
1	077/00	00	NB	173.840	0.070	173.910	0	2	1	1	11	7	04	11	24	36	40	2019	24500	4	1	01	1	2	1	67672
1	077/00	00	NB	173.910	0.030	173.940	0	2	1	1	11	7	04	11	30	30	40	2019	24500	4	1	01	1	2	1	67672
1	077/00	00	NB	173.940	2.480	176.420	0	2	1	1	11	7	04	11	24	36	40	2019	23800	4	1	01	1	2	1	67672
1	077/00	00	NB	176.420	0.040	176.460	0	2	1	1	11	7	04	11	30	30	40	2019	23800	4	1	01	1	2	1	67672
1	077/00	00	NB	176.460	1.468	177.928	0	2	1	1	11	7	04	11	24	36	40	2019	26400	4	1	01	1	2	1	67672
1	077/00	00	NB	177.928	0.012	177.940	0	0	1	1	1	7	04	11	24	36	40	2019	26400	4	1	01	1	2	1	99999
1	077/00	00	NB	177.940	0.060	178.000	0	0	1	1	1	7	04	11	30	30	40	2019	26400	4	1	01	1	2	1	99999
1	077/00	00	NB	178.000	2.180	180.180	0	0	1	1	1	7	04	11	24	36	40	2019	24300	4	1	01	1	2	1	99999
1	077/00	00	NB	180.180	1.494	181.674	0	0	1	1	1	7	04	11	24	36	40	2019	20200	4	1	01	1	2	1	99999
1	077/00	00	NB	181.674	2.136	183.810	0	1	1	1	11	7	04	11	24	36	40	2019	20200	4	1	01	1	2	1	99998
1	077/00	00	NB	183.810	0.020	183.830	0	1	1	1	11	7	04	11	36	36	40	2019	20200	4	1	01	1	2	1	99998
1	077/00	00	NB	183.830	1.510	185.340	0	1	1	1	11	7	04	11	24	36	40	2019	20200	4	1	01	1	2	1	99998
1	077/00	00	NB	185.340	0.260	185.600	0	1	1	1	11	7	04	11	24	36	40	2019	21300	4	1	01	1	2	1	99998
1	077/00	00	NB	185.600	0.040	185.640	0	1	1	1	11	7	05	11	24	36	40	2019	21300	4	1	01	1	2	1	99998
1	077/00	00	NB	185.640	1.080	186.720	0	1	1	1	11	7	04	11	24	36	40	2019	21300	4	1	01	1	2	1	99998
1	077/00	00	NB	186.720	0.050	186.770	0	1	1	1	11	7	04	11	24	47	8	2019	21300	4	1	01	1	2	1	99998
1	077/00	00	NB	186.770	0.440	187.210	0	1	1	1	11	7	04	11	29	29	8	2019	21300	4	1	01	1	2	1	99998

ROUTE TOTAL: 30.220

2019 ROAD INVENTORY LOG - INTERSTATES

Wood County TOTAL for the PRIMARY DIRECTION: 30.220

STATE TOTAL for INTERSTATES (PRIMARY DIRECTION): 554.590